



Arkansas Blue Medicare

2025 Formulary

(List of Covered Drugs or “Drug List”)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

**BlueMedicare Premier (HMO)
BlueMedicare Classic Plus (HMO)
BlueMedicare Saver Choice (PPO)
BlueMedicare Premier Choice (PPO)**

Formulary 00025129

This Formulary was updated on March 1, 2025. For more recent information or other questions, please contact Arkansas Blue Medicare Customer Service at **1-844-280-5833** (TTY users should call **711**), 24 hours a day, seven days a week, or visit **www.arkbluemedicare.com**.

Y0083_25ABM_FRMLRY_H3554-002-007_H6158-001_H9699-007_C

10/01/2024

Note to Existing Members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us,” or “our,” it means Arkansas Blue Medicare. When it refers to “plan” or “our plan,” it means BlueMedicare Premier (HMO), BlueMedicare Classic Plus (HMO), BlueMedicare Saver Choice (PPO), or BlueMedicare Premier Choice (PPO).

This document includes a Drug List (Formulary) for our plan, which is current as of March 1, 2025. For an updated Drug List (Formulary), please contact us. Our contact information, along with the date we last updated the Drug List (Formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, Formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2026, and from time to time during the year.

What is the Arkansas Blue Medicare Formulary?

In this document, we use the terms Drug List and Formulary to mean the same thing. A Formulary is a list of covered drugs selected by Arkansas Blue Medicare in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Arkansas Blue Medicare will generally cover the drugs listed in our Formulary as long as the drug is medically necessary, the prescription is filled at an Arkansas Blue Medicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary change?

Most changes in drug coverage happen on January 1, but Arkansas Blue Medicare may add or remove drugs on the Formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the Formulary are posted monthly to our website here: www.arkbluemedicare.com.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug or adding certain new biosimilar versions of an original biological product that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to Arkansas Blue Medicare’s Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our Formulary, add prior authorization, quantity limits, and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.
 - If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to Arkansas Blue Medicare’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 Formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Formulary for the new benefit year for any changes to drugs.

The enclosed Formulary is current as of March 1, 2025. To get updated information about the drugs covered by Arkansas Blue Medicare, please contact us. Our contact information appears on the front and back cover pages. The Formulary is updated monthly with changes as described above and is posted on our website, which can be found on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the Formulary.

Medical Condition

The Formulary begins on page one. The drugs in this Formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category Cardiovascular. If you know what your drug is used for, look for the category name in the list that begins on page one. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 80. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

We cover both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from us before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, we provide 30 tablets per prescription for rosuvastatin calcium. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the Formulary that begins on page one. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step

therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the Formulary, appears on the front and back cover pages.

You can ask us to make an exception to these restrictions or limits or for a list of other similar drugs that may treat your health condition. See the section “How do I request an exception to Arkansas Blue Medicare’s Formulary?” on page V for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this Formulary (List of Covered Drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Arkansas Blue Medicare.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to Arkansas Blue Medicare’s Formulary?

You can ask us to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our Formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, Arkansas Blue Medicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the Specialty Tier. If approved, this would lower the amount you must pay for your drug.

Generally, we will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tier exception or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber’s supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our Formulary. Or, you may be taking a drug that is on our Formulary but has a coverage restriction, such as prior authorization. You

should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our Formulary, or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

You may have changes that take you from one treatment setting to another. During this level of care change, drugs may be prescribed that are not covered by your plan. If this happens, you and your doctor must use our plan's exception and appeals processes. However, when you are admitted to or discharged from a long-term care setting, you may not have access to the drugs you were previously given. You may get a refill upon admission or discharge to prevent a gap in care.

For more information

For more detailed information about your Arkansas Blue Medicare prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the Formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. TTY users should call **1-877-486-2048**. Or visit <http://www.medicare.gov>.

Arkansas Blue Medicare Formulary

The Formulary below provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 80.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., ENTRESTO) and generic drugs are listed in lower-case italics (e.g., *rosuvastatin calcium*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

Requirements/Limits Column Abbreviations

- **B/D:** Covered under Medicare Part B or Part D
- **ED:** Excluded drug. This prescription drug is not normally covered in a Medicare prescription drug plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving “Extra Help” to pay for your prescriptions, you will not get any “Extra Help” to pay for this drug.
- **NM:** Not available through mail order
- **PA:** Prior authorization
- **QL:** Quantity limits
- **ST:** Step therapy

Cost Sharing by Drug Tier for BlueMedicare Premier (HMO)

| Tier | Standard Retail In-Network Cost Sharing (up to a 30-day supply) | Mail-Order Cost Sharing (up to a 30-day supply) | Long-Term Care (LTC) Cost Sharing (up to a 31-day supply) |
|-------------------------------|--|--|--|
| 1 (Preferred Generic) | \$0 copay | \$0 copay | \$0 copay |
| 2 (Generic) | \$5 copay | \$5 copay | \$5 copay |
| 3 (Preferred Brand) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) |
| 4 (Non-Preferred Drug) | 50% of the total cost (\$35 copay for covered insulin products) | 50% of the total cost (\$35 copay for covered insulin products) | 50% of the total cost (\$35 copay for covered insulin products) |
| 5 (Specialty Tier) | 31% of the total cost (\$35 copay for covered insulin products) | 31% of the total cost (\$35 copay for covered insulin products) | 31% of the total cost (\$35 copay for covered insulin products) |

Cost Sharing by Drug Tier for BlueMedicare Classic Plus (HMO)

| Tier | Standard Retail In-Network Cost Sharing (up to a 30-day supply) | Mail-Order Cost Sharing (up to a 30-day supply) | Long-Term Care (LTC) Cost Sharing (up to a 31-day supply) |
|-------------------------------|--|--|--|
| 1 (Preferred Generic) | \$0 copay | \$0 copay | \$0 copay |
| 2 (Generic) | \$5 copay | \$5 copay | \$5 copay |
| 3 (Preferred Brand) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) |
| 4 (Non-Preferred Drug) | 36% of the total cost (\$35 copay for covered insulin products) | 36% of the total cost (\$35 copay for covered insulin products) | 36% of the total cost (\$35 copay for covered insulin products) |
| 5 (Specialty Tier) | 30% of the total cost (\$35 copay for covered insulin products) | 30% of the total cost (\$35 copay for covered insulin products) | 30% of the total cost (\$35 copay for covered insulin products) |

Cost Sharing by Drug Tier for BlueMedicare Saver Choice (PPO)

| Tier | Standard Retail In-Network Cost Sharing (up to a 30-day supply) | Mail-Order Cost Sharing (up to a 30-day supply) | Long-Term Care (LTC) Cost Sharing (up to a 31-day supply) |
|-------------------------------|--|--|--|
| 1 (Preferred Generic) | \$0 copay | \$0 copay | \$0 copay |
| 2 (Generic) | \$10 copay | \$10 copay | \$10 copay |
| 3 (Preferred Brand) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) |
| 4 (Non-Preferred Drug) | 43% of the total cost (\$35 copay for covered insulin products) | 43% of the total cost (\$35 copay for covered insulin products) | 43% of the total cost (\$35 copay for covered insulin products) |
| 5 (Specialty Tier) | 30% of the total cost (\$35 copay for covered insulin products) | 30% of the total cost (\$35 copay for covered insulin products) | 30% of the total cost (\$35 copay for covered insulin products) |

Cost Sharing by Drug Tier for BlueMedicare Premier Choice (PPO)

| Tier | Standard Retail In-Network Cost Sharing (up to a 30-day supply) | Mail-Order Cost Sharing (up to a 30-day supply) | Long-Term Care (LTC) Cost Sharing (up to a 31-day supply) |
|-------------------------------|--|--|--|
| 1 (Preferred Generic) | \$1 copay | \$1 copay | \$1 copay |
| 2 (Generic) | \$10 copay | \$10 copay | \$10 copay |
| 3 (Preferred Brand) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) | \$47 copay (\$35 copay for covered insulin products) |
| 4 (Non-Preferred Drug) | 50% of the total cost (\$35 copay for covered insulin products) | 50% of the total cost (\$35 copay for covered insulin products) | 50% of the total cost (\$35 copay for covered insulin products) |
| 5 (Specialty Tier) | 33% of the total cost (\$35 copay for covered insulin products) | 33% of the total cost (\$35 copay for covered insulin products) | 33% of the total cost (\$35 copay for covered insulin products) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| ANALGESICS | | |
| GOUT | | |
| <i>allopurinol</i> TABS 100mg, 300mg | 1 | |
| <i>colchicine</i> CAPS .6mg | 3 | QL (60 caps / 30 days) |
| <i>colchicine</i> TABS .6mg | 2 | QL (120 tabs / 30 days) |
| <i>colchicine w/ probenecid tab 0.5-500 mg</i> | 3 | |
| MITIGARE CAPS .6mg | 3 | QL (60 caps / 30 days) |
| <i>probenecid</i> TABS 500mg | 3 | |
| MISCELLANEOUS | | |
| <i>lidocaine hcl (local anesth.)</i> SOLN .5%, 1%, 1.5%, 2% | 3 | B/D |
| NSAIDS | | |
| <i>celecoxib</i> CAPS 50mg, 100mg, 200mg | 3 | QL (60 caps / 30 days) |
| <i>celecoxib</i> CAPS 400mg | 4 | QL (30 caps / 30 days) |
| <i>diclofenac potassium</i> TABS 50mg | 3 | QL (120 tabs / 30 days) |
| <i>diclofenac sodium</i> TB24 100mg | 3 | |
| <i>diclofenac sodium</i> TBEC 25mg, 50mg, 75mg | 2 | |
| <i>diflunisal</i> TABS 500mg | 3 | |
| <i>etodolac</i> CAPS 200mg, 300mg; TABS 400mg, 500mg; TB24 400mg, 500mg, 600mg | 3 | |
| <i>flurbiprofen</i> TABS 100mg | 3 | |
| <i>ibu</i> TABS 400mg, 600mg, 800mg | 1 | |
| <i>ibuprofen</i> SUSP 100mg/5ml | 3 | |
| <i>ibuprofen</i> TABS 400mg, 600mg, 800mg | 1 | |
| <i>meloxicam</i> TABS 7.5mg, 15mg | 1 | |
| <i>nabumetone</i> TABS 500mg, 750mg | 2 | |
| <i>naproxen</i> TABS 250mg, 375mg, 500mg | 1 | |
| <i>naproxen</i> TBEC 375mg | 2 | QL (120 tabs / 30 days) |
| <i>naproxen dr</i> TBEC 500mg | 4 | QL (90 tabs / 30 days) |
| <i>naproxen sodium</i> TABS 275mg, 550mg | 3 | |
| <i>piroxicam</i> CAPS 10mg, 20mg | 3 | |
| <i>sulindac</i> TABS 150mg, 200mg | 2 | |
| OPIOID ANALGESICS, LONG-ACTING | | |
| <i>fentanyl</i> PT72 12mcg/hr, 25mcg/hr, 37.5mcg/hr, 50mcg/hr, 62.5mcg/hr, 75mcg/hr, 87.5mcg/hr, 100mcg/hr | 4 | QL (10 patches / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 20mg, 30mg, 40mg, 60mg, 80mg | 4 | QL (30 tabs / 30 days), PA |
| <i>hydrocodone bitartrate</i> T24A 100mg, 120mg | 5 | QL (30 tabs / 30 days), PA |
| <i>methadone hcl</i> SOLN 5mg/5ml, 10mg/5ml | 3 | QL (450 mL / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>methadone hcl</i> TABS 5mg, 10mg | 3 | QL (90 tabs / 30 days), PA |
| <i>methadone hydrochloride i</i> CONC 10mg/ml | 3 | QL (90 mL / 30 days), PA |
| <i>morphine sulfate</i> TBCR 15mg, 30mg, 60mg, 100mg, 200mg | 3 | QL (90 tabs / 30 days), PA |

OPIOID ANALGESICS, SHORT-ACTING

| | | |
|---|---|-------------------------|
| <i>acetaminophen w/ codeine soln</i> 120-12 <i>mg/5ml</i> | 2 | QL (2700 mL / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300-15 mg | 2 | QL (400 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300-30 mg | 2 | QL (360 tabs / 30 days) |
| <i>acetaminophen w/ codeine tab</i> 300-60 mg | 2 | QL (180 tabs / 30 days) |
| <i>butorphanol tartrate</i> SOLN 1mg/ml, 2mg/ml | 4 | |
| <i>endocet tab</i> 2.5-325mg | 3 | QL (360 tabs / 30 days) |
| <i>endocet tab</i> 5-325mg | 3 | QL (360 tabs / 30 days) |
| <i>endocet tab</i> 7.5-325mg | 3 | QL (240 tabs / 30 days) |
| <i>endocet tab</i> 10-325mg | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen soln</i> 7.5-325 <i>mg/15ml</i> | 4 | QL (2700 mL / 30 days) |
| <i>hydrocodone-acetaminophen tab</i> 5-325 mg | 3 | QL (240 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab</i> 7.5-325 mg | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-acetaminophen tab</i> 10-325 mg | 3 | QL (180 tabs / 30 days) |
| <i>hydrocodone-ibuprofen tab</i> 7.5-200 mg | 3 | QL (150 tabs / 30 days) |
| <i>hydromorphone hcl</i> LIQD 1mg/ml | 4 | QL (600 mL / 30 days) |
| <i>hydromorphone hcl</i> TABS 2mg, 4mg, 8mg | 3 | QL (180 tabs / 30 days) |
| <i>morphine sulfate</i> SOLN 4mg/ml, 8mg/ml, 10mg/ml | 4 | B/D |
| <i>morphine sulfate</i> SOLN 10mg/5ml, 20mg/5ml | 3 | QL (900 mL / 30 days) |
| <i>morphine sulfate</i> SOLN 100mg/5ml | 3 | QL (180 mL / 30 days) |
| <i>morphine sulfate</i> TABS 15mg, 30mg | 3 | QL (180 tabs / 30 days) |
| <i>nalbuphine hcl</i> SOLN 10mg/ml, 20mg/ml | 4 | |
| <i>oxycodone hcl</i> CONC 100mg/5ml | 4 | QL (180 mL / 30 days) |
| <i>oxycodone hcl</i> SOLN 5mg/5ml | 4 | QL (900 mL / 30 days) |
| <i>oxycodone hcl</i> TABS 5mg, 10mg, 15mg, 20mg, 30mg | 3 | QL (180 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab</i> 2.5-325 mg | 3 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab</i> 5-325 mg | 3 | QL (360 tabs / 30 days) |
| <i>oxycodone w/ acetaminophen tab</i> 7.5-325 mg | 3 | QL (240 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>oxycodone w/ acetaminophen tab 10-325 mg</i> | 3 | QL (180 tabs / 30 days) |
| <i>tramadol hcl TABS 50mg</i> | 2 | QL (240 tabs / 30 days) |
| <i>tramadol-acetaminophen tab 37.5-325 mg</i> | 3 | QL (240 tabs / 30 days) |

ANTI-INFECTIVES

ANTI-INFECTIVES - MISCELLANEOUS

| | | |
|--|---|---------------------------|
| <i>albendazole TABS 200mg</i> | 5 | QL (672 tabs / year), PA |
| <i>amikacin sulfate SOLN 1gm/4ml, 500mg/2ml</i> | 4 | |
| ARIKAYCE SUSP 590mg/8.4ml | 5 | NM, PA |
| <i>atovaquone SUSP 750mg/5ml</i> | 4 | QL (300 mL / 30 days), PA |
| <i>aztreonam SOLR 1gm, 2gm</i> | 4 | |
| CAYSTON SOLR 75mg | 5 | NM, PA |
| <i>clindamycin hcl CAPS 75mg, 150mg, 300mg</i> | 2 | |
| <i>clindamycin palmitate hydrochloride SOLR 75mg/5ml</i> | 4 | |
| <i>clindamycin phosphate SOLN 900mg/6ml</i> | 3 | |
| <i>clindamycin phosphate in d5w iv soln 300 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in d5w iv soln 600 mg/50ml</i> | 4 | |
| <i>clindamycin phosphate in d5w iv soln 900 mg/50ml</i> | 4 | |
| CLINDMYC/NAC INJ 300/50ML | 4 | |
| CLINDMYC/NAC INJ 600/50ML | 4 | |
| CLINDMYC/NAC INJ 900/50ML | 4 | |
| <i>colistimethate sodium SOLR 150mg</i> | 4 | |
| <i>dapsone TABS 25mg, 100mg</i> | 3 | |
| DAPTOMYCIN SOLR 350mg | 5 | |
| <i>daptomycin SOLR 350mg, 500mg</i> | 5 | |
| EMVERM CHEW 100mg | 5 | QL (12 tabs / year) |
| <i>ertapenem sodium SOLR 1gm</i> | 3 | |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1.2 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | 3 | |
| <i>gentamicin in saline inj 2 mg/ml</i> | 3 | |
| <i>gentamicin sulfate SOLN 10mg/ml, 40mg/ml</i> | 3 | |
| <i>imipenem-cilastatin intravenous for soln 250 mg</i> | 3 | |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 3 | |
| IMPAVIDO CAPS 50mg | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ivermectin</i> TABS 3mg | 3 | QL (12 tabs / 90 days), PA |
| <i>linezolid</i> SOLN 600mg/300ml | 4 | |
| <i>linezolid</i> SUSR 100mg/5ml | 5 | QL (1800 mL / 30 days) |
| <i>linezolid</i> TABS 600mg | 4 | QL (60 tabs / 30 days) |
| LINEZOLID INJ 2MG/ML | 4 | |
| <i>meropenem</i> SOLR 1gm, 500mg | 4 | |
| <i>methenamine hippurate</i> TABS 1gm | 3 | |
| <i>metronidazole</i> SOLN 500mg/100ml | 3 | |
| <i>metronidazole</i> TABS 250mg, 500mg | 1 | |
| <i>neomycin sulfate</i> TABS 500mg | 2 | |
| <i>nitazoxanide</i> TABS 500mg | 5 | QL (6 tabs / 30 days) |
| <i>nitrofurantoin macrocrystal</i> CAPS 50mg, 100mg | 3 | |
| <i>nitrofurantoin monohyd macro</i> CAPS 100mg | 3 | |
| <i>pentamidine isethionate inh</i> SOLR 300mg | 4 | B/D |
| <i>pentamidine isethionate inj</i> SOLR 300mg | 4 | |
| <i>polymyxin b sulfate</i> SOLR 500000unit | 4 | |
| <i>praziquantel</i> TABS 600mg | 4 | |
| <i>pyrimethamine</i> TABS 25mg | 5 | QL (90 tabs / 30 days), PA |
| <i>streptomycin sulfate</i> SOLR 1gm | 5 | |
| <i>sulfadiazine</i> TABS 500mg | 5 | |
| <i>sulfamethoxazole-trimethoprim iv soln</i> 400-80 mg/5ml | 4 | |
| <i>sulfamethoxazole-trimethoprim susp</i> 200-40 mg/5ml | 3 | |
| <i>sulfamethoxazole-trimethoprim tab</i> 400-80 mg | 1 | |
| <i>sulfamethoxazole-trimethoprim tab</i> 800-160 mg | 1 | |
| <i>tinidazole</i> TABS 250mg, 500mg | 3 | |
| TOBI PODHALER CAPS 28mg | 5 | NM, PA |
| <i>tobramycin</i> NEBU 300mg/5ml | 5 | NM, PA |
| <i>tobramycin sulfate</i> SOLN 1.2gm/30ml, 10mg/ml, 40mg/ml, 80mg/2ml | 3 | |
| <i>trimethoprim</i> TABS 100mg | 3 | |
| <i>vancomycin hcl</i> CAPS 125mg | 4 | QL (80 caps / 180 days) |
| <i>vancomycin hcl</i> CAPS 250mg | 4 | QL (160 caps / 180 days) |
| <i>vancomycin hcl</i> SOLR 1gm, 1.25gm, 1.5gm, 5gm, 10gm, 500mg, 750mg | 4 | |
| VANCOMYCIN INJ 1 GM | 4 | |
| VANCOMYCIN INJ 500MG | 4 | |
| VANCOMYCIN INJ 750MG | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| ANTIFUNGALS | | |
| ABELCET SUSP 5mg/ml | 4 | B/D |
| <i>amphotericin b</i> SOLR 50mg | 4 | B/D |
| <i>amphotericin b liposome</i> SUSR 50mg | 5 | B/D |
| <i>caspofungin acetate</i> SOLR 50mg, 70mg | 4 | |
| <i>fluconazole</i> SUSR 10mg/ml, 40mg/ml; TABS 50mg, 100mg, 200mg | 3 | |
| <i>fluconazole</i> TABS 150mg | 2 | |
| <i>fluconazole in nacl 0.9% inj 200 mg/100ml</i> | 3 | |
| <i>fluconazole in nacl 0.9% inj 400 mg/200ml</i> | 3 | |
| <i>flucytosine</i> CAPS 250mg, 500mg | 5 | PA |
| <i>griseofulvin microsize</i> SUSP 125mg/5ml; TABS 500mg | 4 | |
| <i>griseofulvin ultramicrosize</i> TABS 125mg, 250mg | 4 | |
| <i>itraconazole</i> CAPS 100mg | 4 | PA |
| <i>ketoconazole</i> TABS 200mg | 3 | PA |
| <i>micafungin sodium</i> SOLR 50mg, 100mg | 4 | |
| <i>nystatin</i> TABS 500000unit | 3 | |
| <i>posaconazole</i> SUSP 40mg/ml | 5 | QL (630 mL / 30 days), PA |
| <i>posaconazole</i> TBEC 100mg | 5 | QL (93 tabs / 30 days), PA |
| <i>terbinafine hcl</i> TABS 250mg | 1 | QL (30 tabs / 30 days), PA; PA applies after a 90 day supply in a calendar year |
| <i>voriconazole</i> SOLR 200mg | 4 | PA |
| <i>voriconazole</i> SUSR 40mg/ml | 5 | QL (600 mL / 28 days), PA |
| <i>voriconazole</i> TABS 50mg | 4 | QL (480 tabs / 30 days) |
| <i>voriconazole</i> TABS 200mg | 4 | QL (120 tabs / 30 days) |
| ANTIMALARIALS | | |
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i> | 4 | |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i> | 4 | |
| <i>chloroquine phosphate</i> TABS 250mg, 500mg | 4 | |
| COARTEM TAB 20-120MG | 4 | |
| <i>mefloquine hcl</i> TABS 250mg | 3 | |
| <i>primaquine phosphate</i> TABS 26.3mg | 3 | |
| PRIMAQUINE PHOSPHATE TABS 26.3mg | 3 | |
| <i>quinine sulfate</i> CAPS 324mg | 4 | PA |
| ANTIRETROVIRAL AGENTS | | |
| <i>abacavir sulfate</i> SOLN 20mg/ml | 4 | NM |
| <i>abacavir sulfate</i> TABS 300mg | 3 | NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| APTIVUS CAPS 250mg | 5 | NM |
| atazanavir sulfate CAPS 150mg, 200mg, 300mg | 4 | NM |
| darunavir TABS 600mg | 5 | QL (60 tabs / 30 days), NM |
| darunavir TABS 800mg | 5 | QL (30 tabs / 30 days), NM |
| EDURANT TABS 25mg | 5 | NM |
| efavirenz TABS 600mg | 4 | NM |
| emtricitabine CAPS 200mg | 3 | NM |
| EMTRIVA SOLN 10mg/ml | 4 | NM |
| etravirine TABS 100mg, 200mg | 5 | NM |
| fosamprenavir calcium TABS 700mg | 5 | NM |
| FUZEON SOLR 90mg | 5 | NM |
| INTELENCE TABS 25mg | 4 | NM |
| ISENTRESS CHEW 25mg | 4 | NM |
| ISENTRESS CHEW 100mg; PACK 100mg; TABS 400mg | 5 | NM |
| ISENTRESS HD TABS 600mg | 5 | NM |
| lamivudine SOLN 10mg/ml; TABS 150mg, 300mg | 3 | NM |
| maraviroc TABS 150mg, 300mg | 5 | NM |
| nevirapine SUSP 50mg/5ml; TB24 400mg | 4 | NM |
| nevirapine TABS 200mg | 2 | NM |
| NORVIR PACK 100mg | 4 | NM |
| PIFELTRO TABS 100mg | 5 | NM |
| PREZISTA SUSP 100mg/ml | 5 | QL (400 mL / 30 days), NM |
| PREZISTA TABS 75mg | 4 | QL (480 tabs / 30 days), NM |
| PREZISTA TABS 150mg | 5 | QL (240 tabs / 30 days), NM |
| REYATAZ PACK 50mg | 5 | NM |
| ritonavir TABS 100mg | 3 | NM |
| RUKOBIA TB12 600mg | 5 | NM |
| SELZENTRY SOLN 20mg/ml | 5 | NM |
| SUNLENCA TBPK 300mg | 5 | NM |
| tenofovir disoproxil fumarate TABS 300mg | 3 | NM |
| TIVICAY TABS 10mg | 3 | NM |
| TIVICAY TABS 25mg, 50mg | 5 | NM |
| TIVICAY PD TBSO 5mg | 5 | NM |
| TROGARZO SOLN 200mg/1.33ml | 5 | NM |
| TYBOST TABS 150mg | 3 | NM |
| VIRACEPT TABS 250mg, 625mg | 5 | NM |
| VIREAD POWD 40mg/gm; TABS 150mg, 200mg, 250mg | 5 | NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>zidovudine</i> CAPS 100mg; SYRP 50mg/5ml | 4 | NM |
| <i>zidovudine</i> TABS 300mg | 3 | NM |
| ANTIRETROVIRAL COMBINATION AGENTS | | |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 3 | NM |
| BIKTARVY TAB 30-120-15 MG | 5 | NM |
| BIKTARVY TAB 50-200-25 MG | 5 | NM |
| CIMDUO TAB 300-300 | 5 | NM |
| COMPLERA TAB | 5 | NM |
| DELSTRIGO TAB | 5 | NM |
| DESCOVY TAB 120-15MG | 5 | NM |
| DESCOVY TAB 200/25MG | 5 | NM |
| DOVATO TAB 50-300MG | 5 | NM |
| <i>efavirenz-emtricitabine-tenofovir df tab 600-200-300 mg</i> | 5 | NM |
| <i>efavirenz-lamivudine-tenofovir df tab 400-300-300 mg</i> | 5 | NM |
| <i>efavirenz-lamivudine-tenofovir df tab 600-300-300 mg</i> | 5 | NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 100-150 mg</i> | 5 | NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 133-200 mg</i> | 5 | NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 167-250 mg</i> | 5 | NM |
| <i>emtricitabine-tenofovir disoproxil fumarate tab 200-300 mg</i> | 4 | NM |
| EVOTAZ TAB 300-150 | 5 | NM |
| GENVOYA TAB | 5 | NM |
| JULUCA TAB 50-25MG | 5 | NM |
| <i>lamivudine-zidovudine tab 150-300 mg</i> | 4 | NM |
| <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i> | 4 | NM |
| <i>lopinavir-ritonavir tab 100-25 mg</i> | 4 | NM |
| <i>lopinavir-ritonavir tab 200-50 mg</i> | 4 | NM |
| ODEFSEY TAB | 5 | NM |
| PREZCOBIX TAB 800-150 | 5 | NM |
| STRIBILD TAB | 5 | NM |
| SYMTUZA TAB | 5 | NM |
| TRIUMEQ PD TAB | 3 | NM |
| TRIUMEQ TAB | 5 | NM |
| ANTITUBERCULAR AGENTS | | |
| <i>cycloserine</i> CAPS 250mg | 5 | |
| <i>ethambutol hcl</i> TABS 100mg, 400mg | 3 | |
| <i>isoniazid</i> SYRP 50mg/5ml | 4 | |
| <i>isoniazid</i> TABS 100mg, 300mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| PRIFTIN TABS 150mg | 4 | |
| <i>pyrazinamide</i> TABS 500mg | 4 | |
| <i>rifabutin</i> CAPS 150mg | 4 | |
| <i>rifampin</i> CAPS 150mg, 300mg | 3 | |
| <i>rifampin</i> SOLR 600mg | 4 | |
| SIRTURO TABS 20mg, 100mg | 5 | NM, PA |
| TRECTOR TABS 250mg | 4 | |
| ANTIVIRALS | | |
| <i>acyclovir</i> CAPS 200mg; TABS 400mg, 800mg | 2 | |
| <i>acyclovir</i> SUSP 200mg/5ml | 4 | |
| <i>acyclovir sodium</i> SOLN 50mg/ml | 4 | B/D |
| <i>adefovir dipivoxil</i> TABS 10mg | 4 | NM |
| BARACLUDE SOLN .05mg/ml | 5 | NM, ST |
| <i>entecavir</i> TABS .5mg, 1mg | 4 | NM |
| EPCLUSA PAK 150-37.5 | 5 | NM, PA |
| EPCLUSA PAK 200-50MG | 5 | NM, PA |
| EPCLUSA TAB 200-50MG | 5 | NM, PA |
| EPCLUSA TAB 400-100 | 5 | NM, PA |
| <i>famciclovir</i> TABS 125mg, 250mg, 500mg | 3 | |
| <i>ganciclovir sodium</i> SOLR 500mg | 4 | B/D |
| HARVONI PAK 33.75-150MG | 5 | NM, PA |
| HARVONI PAK 45-200MG | 5 | NM, PA |
| HARVONI TAB 45-200MG | 5 | NM, PA |
| HARVONI TAB 90-400MG | 5 | NM, PA |
| <i>lamivudine (hbv)</i> TABS 100mg | 4 | NM |
| LIVTENCITY TABS 200mg | 5 | QL (336 tabs / 28 days), NM, PA |
| MAVYRET PAK 50-20MG | 5 | NM, PA |
| MAVYRET TAB 100-40MG | 5 | NM, PA |
| <i>oseltamivir phosphate</i> CAPS 30mg | 3 | QL (168 caps / year) |
| <i>oseltamivir phosphate</i> CAPS 45mg, 75mg | 3 | QL (84 caps / year) |
| <i>oseltamivir phosphate</i> SUSR 6mg/ml | 3 | QL (1080 mL / year) |
| PAXLOVID TAB 150-100 | 5 | QL (40 tabs / 90 days) |
| PAXLOVID TAB 300-100 | 5 | QL (60 tabs / 90 days) |
| PEGASYS SOLN 180mcg/ml; SOSY 180mcg/0.5ml | 5 | NM, PA |
| PREVYMIS TABS 240mg, 480mg | 5 | QL (28 tabs / 28 days), PA |
| RELENZA DISKHALER AEPB 5mg/blister | 3 | QL (6 inhalers / year) |
| <i>ribavirin (hepatitis c)</i> CAPS 200mg; TABS 200mg | 3 | NM |
| <i>rimantadine hydrochloride</i> TABS 100mg | 4 | |
| <i>valacyclovir hcl</i> TABS 1gm, 500mg | 3 | |
| <i>valganciclovir hcl</i> SOLR 50mg/ml | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>valganciclovir hcl</i> TABS 450mg | 3 | |
| VOSEVI TAB | 5 | NM, PA |
| CEPHALOSPORINS | | |
| <i>cefaclor</i> CAPS 250mg, 500mg | 3 | |
| <i>cefadroxil</i> CAPS 500mg | 2 | |
| <i>cefadroxil</i> SUSR 250mg/5ml, 500mg/5ml | 3 | |
| CEFAZOLIN SOLR 2gm, 3gm | 4 | |
| CEFAZOLIN INJ 1GM/50ML | 4 | |
| <i>cefazolin sodium</i> SOLR 1gm, 2gm, 3gm, 10gm, 500mg | 3 | |
| CEFAZOLIN SOLN 2GM/100ML-4% | 4 | |
| CEFAZOLIN/DEX SOL 1GM/50ML-4% | 4 | |
| CEFAZOLIN/DEX SOL 2GM/50ML-3% | 4 | |
| CEFAZOLIN/DEX SOL 3GM/150ML-4% | 4 | |
| <i>cefdinir</i> CAPS 300mg | 2 | |
| <i>cefdinir</i> SUSR 125mg/5ml, 250mg/5ml | 3 | |
| <i>cefepime hcl</i> SOLR 1gm, 2gm | 4 | |
| <i>cefixime</i> CAPS 400mg; SUSR 100mg/5ml, 200mg/5ml | 4 | |
| <i>cefotetan disodium</i> SOLR 1gm, 2gm | 4 | |
| <i>cefoxitin sodium</i> SOLR 1gm, 2gm, 10gm | 4 | |
| <i>cefpodoxime proxetil</i> SUSR 50mg/5ml, 100mg/5ml | 4 | |
| <i>cefpodoxime proxetil</i> TABS 100mg, 200mg | 3 | |
| <i>cefprozil</i> SUSR 125mg/5ml, 250mg/5ml; TABS 250mg, 500mg | 3 | |
| <i>ceftazidime</i> SOLR 1gm, 2gm, 6gm | 4 | |
| <i>ceftriaxone sodium</i> SOLR 1gm, 2gm, 10gm, 250mg, 500mg | 4 | |
| <i>cefuroxime axetil</i> TABS 250mg, 500mg | 2 | |
| <i>cefuroxime sodium</i> SOLR 1.5gm, 750mg | 3 | |
| <i>cephalexin</i> CAPS 250mg, 500mg | 1 | |
| <i>cephalexin</i> SUSR 125mg/5ml, 250mg/5ml | 3 | |
| <i>tazicef</i> SOLR 1gm, 2gm, 6gm | 4 | |
| TEFLARO SOLR 400mg, 600mg | 5 | |
| ERYTHROMYCINS/MACROLIDES | | |
| <i>azithromycin</i> PACK 1gm; SOLR 500mg; SUSR 100mg/5ml, 200mg/5ml | 3 | |
| <i>azithromycin</i> TABS 250mg, 500mg, 600mg | 1 | |
| <i>clarithromycin</i> SUSR 125mg/5ml, 250mg/5ml; TB24 500mg | 4 | |
| <i>clarithromycin</i> TABS 250mg, 500mg | 3 | |
| DIFICID SUSR 40mg/ml; TABS 200mg | 5 | |
| <i>e.e.s. 400</i> TABS 400mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ery-tab</i> TBEC 250mg, 333mg, 500mg | 4 | |
| ERYTHROCIN LACTOBIONATE SOLR 500mg | 4 | |
| <i>erythromycin base</i> CPEP 250mg; TABS 250mg, 500mg; TBEC 250mg, 333mg, 500mg | 4 | |
| <i>erythromycin ethylsuccinate</i> TABS 400mg | 4 | |
| <i>erythromycin lactobionate</i> SOLR 500mg | 4 | |
| FLUOROQUINOLONES | | |
| <i>ciprofloxacin 200 mg/100ml in d5w</i> | 3 | |
| <i>ciprofloxacin 400 mg/200ml in d5w</i> | 3 | |
| <i>ciprofloxacin hcl</i> TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin</i> SOLN 25mg/ml | 4 | |
| <i>levofloxacin</i> TABS 250mg, 500mg, 750mg | 1 | |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | 3 | |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | 3 | |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | 3 | |
| <i>moxifloxacin hcl</i> TABS 400mg | 3 | |
| <i>moxifloxacin hcl 400 mg/250ml in sodium chloride 0.8% inj</i> | 4 | |
| PENICILLINS | | |
| <i>amoxicillin</i> CAPS 250mg, 500mg; SUSR 125mg/5ml, 200mg/5ml, 250mg/5ml, 400mg/5ml; TABS 500mg, 875mg | 1 | |
| <i>amoxicillin</i> CHEW 125mg, 250mg | 2 | |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | 3 | |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml</i> | 3 | |
| <i>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</i> | 4 | |
| <i>amoxicillin & k clavulanate for susp 400-57 mg/5ml</i> | 3 | |
| <i>amoxicillin & k clavulanate for susp 600-42.9 mg/5ml</i> | 3 | |
| <i>amoxicillin & k clavulanate tab 250-125 mg</i> | 3 | |
| <i>amoxicillin & k clavulanate tab 500-125 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate tab 875-125 mg</i> | 2 | |
| <i>amoxicillin & k clavulanate tab er 12hr 1000-62.5 mg</i> | 4 | |
| <i>ampicillin</i> CAPS 500mg | 2 | |
| <i>ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 4 | |
| <i>ampicillin & sulbactam sodium for iv soln 15 (10-5) gm</i> | 4 | |
| <i>ampicillin sodium SOLR 1gm, 2gm, 10gm, 125mg, 250mg, 500mg</i> | 4 | |
| <i>BICILLIN L-A SUSY 600000unit/ml, 1200000unit/2ml, 2400000unit/4ml</i> | 4 | |
| <i>dicloxacillin sodium CAPS 250mg, 500mg</i> | 3 | |
| <i>nafcillin sodium SOLR 1gm, 2gm</i> | 4 | |
| <i>nafcillin sodium SOLR 10gm</i> | 5 | |
| <i>oxacillin sodium SOLR 1gm, 2gm, 10gm</i> | 4 | |
| <i>penicillin g potassium SOLR 5000000unit, 20000000unit</i> | 4 | |
| <i>penicillin g sodium SOLR 5000000unit</i> | 4 | |
| <i>penicillin v potassium SOLR 125mg/5ml, 250mg/5ml</i> | 2 | |
| <i>penicillin v potassium TABS 250mg, 500mg</i> | 1 | |
| <i>pfizerpen SOLR 5000000unit, 20000000unit</i> | 4 | |
| <i>piperacillin sod-tazobactam na for inj 3.375 gm (3-0.375 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 2.25 gm (2-0.25 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 4.5 gm (4-0.5 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 13.5 gm (12-1.5 gm)</i> | 4 | |
| <i>piperacillin sod-tazobactam sod for inj 40.5 gm (36-4.5 gm)</i> | 4 | |
| TETRACYCLINES | | |
| <i>doxy 100 SOLR 100mg</i> | 4 | |
| <i>doxycycline (monohydrate) CAPS 50mg, 100mg</i> | 2 | |
| <i>doxycycline (monohydrate) SUSR 25mg/5ml; TABS 50mg, 75mg, 100mg</i> | 3 | |
| <i>doxycycline hyclate CAPS 50mg, 100mg; TABS 20mg, 100mg</i> | 3 | |
| <i>doxycycline hyclate SOLR 100mg</i> | 4 | |
| <i>minocycline hcl CAPS 50mg, 75mg, 100mg</i> | 3 | |
| <i>NUZYRA SOLR 100mg</i> | 5 | NM |
| <i>NUZYRA TABS 150mg</i> | 5 | QL (30 tabs / 14 days), NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tetracycline hcl</i> CAPS 250mg, 500mg | 4 | |
| <i>tigecycline</i> SOLR 50mg | 5 | |

ANTINEOPLASTIC AGENTS

ALKYLATING AGENTS

| | | |
|---|---|---------|
| BENDAMUSTINE HYDROCHLORID SOLN 100mg/4ml | 5 | B/D, NM |
| BENDEKA SOLN 100mg/4ml | 5 | B/D, NM |
| <i>carboplatin</i> SOLN 50mg/5ml, 150mg/15ml, 450mg/45ml, 600mg/60ml | 3 | B/D |
| <i>cisplatin</i> SOLN 50mg/50ml, 100mg/100ml, 200mg/200ml | 3 | B/D |
| <i>cyclophosphamide</i> CAPS 25mg, 50mg | 3 | B/D |
| CYCLOPHOSPHAMIDE SOLN 1gm/2ml, 1gm/5ml, 2gm/4ml, 500mg/2.5ml, 500mg/5ml, 500mg/ml, 1000mg/10ml, 2000mg/20ml | 5 | B/D |
| <i>cyclophosphamide</i> SOLR 1gm, 500mg | 4 | B/D |
| <i>cyclophosphamide</i> SOLR 2gm | 5 | B/D |
| CYCLOPHOSPHAMIDE TABS 25mg, 50mg | 4 | B/D |
| CYCLOPHOSPHAMIDE MONOHYDR SOLN 2gm/10ml | 5 | B/D |
| GLEOSTINE CAPS 10mg, 40mg | 4 | NM |
| GLEOSTINE CAPS 100mg | 5 | NM |
| <i>oxaliplatin</i> SOLN 50mg/10ml, 100mg/20ml, 200mg/40ml; SOLR 50mg | 4 | B/D |
| <i>oxaliplatin</i> SOLR 100mg | 5 | B/D |

ANTIMETABOLITES

| | | |
|--|---|---------------------------------|
| <i>azacitidine</i> SUSR 100mg | 5 | B/D, NM |
| <i>cytarabine</i> SOLN 20mg/ml | 3 | B/D |
| <i>fluorouracil</i> SOLN 1gm/20ml, 2.5gm/50ml, 5gm/100ml, 500mg/10ml | 3 | B/D |
| <i>gemcitabine hcl</i> SOLN 1gm/26.3ml, 2gm/52.6ml, 200mg/5.26ml; SOLR 1gm, 2gm, 200mg | 4 | B/D |
| INQOVI TAB 35-100MG | 5 | QL (5 tabs / 28 days), NM, PA |
| LONSURF TAB 15-6.14 | 5 | QL (100 tabs / 28 days), NM, PA |
| LONSURF TAB 20-8.19 | 5 | QL (80 tabs / 28 days), NM, PA |
| <i>mercaptopurine</i> TABS 50mg | 3 | |
| <i>methotrexate sodium</i> SOLN 1gm/40ml, 50mg/2ml, 250mg/10ml; SOLR 1gm | 2 | B/D |
| ONUREG TABS 200mg, 300mg | 5 | QL (14 tabs / 28 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| <i>pemetrexed disodium</i> SOLR 100mg, 500mg, 750mg, 1000mg | 5 | B/D |
| PURIXAN SUSP 2000mg/100ml | 5 | NM |
| HORMONAL ANTINEOPLASTIC AGENTS | | |
| <i>abiraterone acetate</i> TABS 250mg | 5 | QL (120 tabs / 30 days), NM, PA |
| <i>abiraterone acetate</i> TABS 500mg | 5 | QL (60 tabs / 30 days), NM, PA |
| AKEEGA TAB 50/500MG | 5 | QL (60 tabs / 30 days), NM, PA |
| AKEEGA TAB 100/500 | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>anastrozole</i> TABS 1mg | 2 | |
| <i>bicalutamide</i> TABS 50mg | 2 | |
| ELIGARD KIT 7.5mg, 22.5mg, 30mg, 45mg | 4 | NM, PA |
| ERLEADA TABS 60mg | 5 | QL (120 tabs / 30 days), NM, PA |
| ERLEADA TABS 240mg | 5 | QL (30 tabs / 30 days), NM, PA |
| EULEXIN CAPS 125mg | 5 | |
| <i>exemestane</i> TABS 25mg | 4 | |
| FIRMAGON SOLR 80mg | 4 | NM, PA |
| FIRMAGON SOLR 120mg/vial | 5 | NM, PA |
| <i>fulvestrant</i> SOSY 250mg/5ml | 5 | B/D |
| <i>letrozole</i> TABS 2.5mg | 2 | |
| <i>leuprolide acetate</i> KIT 1mg/0.2ml | 4 | NM, PA |
| LUPRON DEPOT (1-MONTH) KIT 3.75mg | 5 | NM, PA |
| LUPRON DEPOT (3-MONTH) KIT 11.25mg | 5 | NM, PA |
| LYSODREN TABS 500mg | 5 | NM |
| <i>megestrol acetate</i> TABS 20mg, 40mg | 3 | |
| <i>nilutamide</i> TABS 150mg | 5 | |
| NUBEQA TABS 300mg | 5 | QL (120 tabs / 30 days), NM, PA |
| ORGOVYX TABS 120mg | 5 | NM, PA |
| ORSERDU TABS 86mg | 5 | QL (90 tabs / 30 days), NM, PA |
| ORSERDU TABS 345mg | 5 | QL (30 tabs / 30 days), NM, PA |
| SOLTAMOX SOLN 10mg/5ml | 5 | |
| <i>tamoxifen citrate</i> TABS 10mg, 20mg | 2 | |
| <i>toremifene citrate</i> TABS 60mg | 4 | PA |
| XTANDI CAPS 40mg | 5 | QL (120 caps / 30 days), NM, PA |
| XTANDI TABS 40mg | 5 | QL (120 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| XTANDI TABS 80mg | 5 | QL (60 tabs / 30 days), NM, PA |
| IMMUNOMODULATORS | | |
| <i>lenalidomide</i> CAPS 2.5mg, 5mg, 10mg, 15mg | 5 | QL (28 caps / 28 days), NM, PA |
| <i>lenalidomide</i> CAPS 20mg, 25mg | 5 | QL (21 caps / 28 days), NM, PA |
| POMALYST CAPS 1mg, 2mg, 3mg, 4mg | 5 | QL (21 caps / 28 days), NM, PA |
| THALOMID CAPS 50mg | 5 | QL (84 caps / 28 days), NM, PA |
| THALOMID CAPS 100mg | 5 | QL (112 caps / 28 days), NM, PA |
| THALOMID CAPS 150mg, 200mg | 5 | QL (56 caps / 28 days), NM, PA |
| MISCELLANEOUS | | |
| BESREMI SOSY 500mcg/ml | 5 | QL (2 syringes / 28 days), NM, PA |
| <i>bexarotene</i> CAPS 75mg | 5 | QL (300 caps / 30 days), NM, PA |
| <i>doxorubicin hcl</i> SOLN 2mg/ml | 4 | B/D |
| <i>doxorubicin hcl liposomal</i> SUSP 2mg/ml | 5 | B/D |
| <i>hydroxyurea</i> CAPS 500mg | 2 | |
| <i>irinotecan hcl</i> SOLN 40mg/2ml, 100mg/5ml, 300mg/15ml, 500mg/25ml | 4 | B/D |
| IWILFIN TABS 192mg | 5 | QL (240 tabs / 30 days), NM, PA |
| MATULANE CAPS 50mg | 5 | NM |
| <i>tretinoin (chemotherapy)</i> CAPS 10mg | 5 | |
| WELIREG TABS 40mg | 5 | QL (90 tabs / 30 days), NM, PA |
| MITOTIC INHIBITORS | | |
| <i>docetaxel</i> CONC 20mg/ml | 4 | B/D |
| <i>docetaxel</i> CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | B/D |
| DOCETAXEL CONC 80mg/4ml, 160mg/8ml; SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | B/D |
| DOCIVYX SOLN 20mg/2ml, 80mg/8ml, 160mg/16ml | 5 | B/D, NM |
| <i>etoposide</i> SOLN 1gm/50ml, 100mg/5ml, 500mg/25ml | 3 | B/D |
| <i>paclitaxel</i> CONC 6mg/ml, 30mg/5ml, 150mg/25ml, 300mg/50ml | 4 | B/D |
| <i>paclitaxel inj 100mg</i> | 5 | B/D, NM |
| <i>vincristine sulfate</i> SOLN 1mg/ml | 2 | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>vinorelbine tartrate</i> SOLN 10mg/ml, 50mg/5ml | 4 | B/D |
| MOLECULAR TARGET AGENTS | | |
| ALECENSA CAPS 150mg | 5 | QL (240 caps / 30 days), NM, PA |
| ALUNBRIG TABS 30mg | 5 | QL (120 tabs / 30 days), NM, PA |
| ALUNBRIG TABS 90mg, 180mg | 5 | QL (30 tabs / 30 days), NM, PA |
| ALUNBRIG PAK | 5 | QL (30 tabs / 30 days), NM, PA |
| AUGTYRO CAPS 40mg | 5 | QL (240 caps / 30 days), NM, PA |
| AUGTYRO CAPS 160mg | 5 | QL (60 caps / 30 days), NM, PA |
| AYVAKIT TABS 25mg, 50mg, 100mg, 200mg, 300mg | 5 | QL (30 tabs / 30 days), NM, PA |
| BALVERSA TABS 3mg | 5 | QL (84 tabs / 28 days), NM, PA |
| BALVERSA TABS 4mg | 5 | QL (56 tabs / 28 days), NM, PA |
| BALVERSA TABS 5mg | 5 | QL (28 tabs / 28 days), NM, PA |
| BORTEZOMIB SOLR 1mg, 2.5mg | 4 | NM, PA |
| <i>bortezomib</i> SOLR 3.5mg | 5 | NM, PA |
| BOSULIF CAPS 50mg | 5 | QL (360 caps / 30 days), NM, PA |
| BOSULIF CAPS 100mg | 5 | QL (150 caps / 25 days), NM, PA |
| BOSULIF TABS 100mg | 5 | QL (180 tabs / 30 days), NM, PA |
| BOSULIF TABS 400mg, 500mg | 5 | QL (30 tabs / 30 days), NM, PA |
| BRAFTOVI CAPS 75mg | 5 | QL (180 caps / 30 days), NM, PA |
| BRUKINSA CAPS 80mg | 5 | QL (120 caps / 30 days), NM, PA |
| CABOMETYX TABS 20mg, 40mg, 60mg | 5 | QL (30 tabs / 30 days), NM, PA |
| CALQUENCE CAPS 100mg | 5 | QL (60 caps / 30 days), NM, PA |
| CALQUENCE TABS 100mg | 5 | QL (60 tabs / 30 days), NM, PA |
| CAPRELSA TABS 100mg | 5 | QL (60 tabs / 30 days), NM, PA |
| CAPRELSA TABS 300mg | 5 | QL (30 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| COMETRIQ (60MG DOSE) KIT 20mg | 5 | QL (84 caps / 28 days), NM, PA |
| COMETRIQ KIT 100MG | 5 | QL (56 caps / 28 days), NM, PA |
| COMETRIQ KIT 140MG | 5 | QL (112 caps / 28 days), NM, PA |
| COPIKTRA CAPS 15mg, 25mg | 5 | QL (56 caps / 28 days), NM, PA |
| COTELLIC TABS 20mg | 5 | QL (63 tabs / 28 days), NM, PA |
| DANZITEN TABS 71mg, 95mg | 5 | QL (112 tabs / 28 days), NM, PA |
| <i>dasatinib</i> TABS 20mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>dasatinib</i> TABS 50mg, 70mg, 80mg, 100mg, 140mg | 5 | QL (30 tabs / 30 days), NM, PA |
| DAURISMO TABS 25mg | 5 | QL (60 tabs / 30 days), NM, PA |
| DAURISMO TABS 100mg | 5 | QL (30 tabs / 30 days), NM, PA |
| ERIVEDGE CAPS 150mg | 5 | QL (30 caps / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 25mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>erlotinib hcl</i> TABS 100mg, 150mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 2mg | 5 | QL (150 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 3mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>everolimus</i> TBSO 5mg | 5 | QL (60 tabs / 30 days), NM, PA |
| FOTIVDA CAPS .89mg, 1.34mg | 5 | QL (21 caps / 28 days), NM, PA |
| FRUZAQLA CAPS 1mg | 5 | QL (84 caps / 28 days), NM, PA |
| FRUZAQLA CAPS 5mg | 5 | QL (21 caps / 28 days), NM, PA |
| GAVRETO CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| <i>gefitinib</i> TABS 250mg | 5 | QL (60 tabs / 30 days), NM, PA |
| GILOTRIF TABS 20mg, 30mg, 40mg | 5 | QL (30 tabs / 30 days), NM, PA |
| HERCEP HYLEC SOL 60-10000 | 5 | NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| HERCEPTIN SOLR 150mg | 5 | NM, PA |
| HERZUMA SOLR 150mg, 420mg | 5 | NM, PA |
| IBRANCE CAPS 75mg, 100mg, 125mg | 5 | QL (21 caps / 28 days), NM, PA |
| IBRANCE TABS 75mg, 100mg, 125mg | 5 | QL (21 tabs / 28 days), NM, PA |
| ICLUSIG TABS 10mg, 15mg, 30mg, 45mg | 5 | QL (30 tabs / 30 days), NM, PA |
| IDHIFA TABS 50mg, 100mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 100mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>imatinib mesylate</i> TABS 400mg | 5 | QL (60 tabs / 30 days), NM, PA |
| IMBRUVICA CAPS 70mg | 5 | QL (30 caps / 30 days), NM, PA |
| IMBRUVICA CAPS 140mg | 5 | QL (120 caps / 30 days), NM, PA |
| IMBRUVICA SUSP 70mg/ml | 5 | QL (216 mL / 27 days), NM, PA |
| IMBRUVICA TABS 140mg, 280mg, 420mg | 5 | QL (30 tabs / 30 days), NM, PA |
| IMKELDI SOLN 80mg/ml | 5 | QL (280 mL / 28 days), NM, PA |
| INLYTA TABS 1mg | 5 | QL (180 tabs / 30 days), NM, PA |
| INLYTA TABS 5mg | 5 | QL (120 tabs / 30 days), NM, PA |
| INREBIC CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| ITOVEBI TABS 3mg | 5 | QL (56 tabs / 28 days), NM, PA |
| ITOVEBI TABS 9mg | 5 | QL (28 tabs / 28 days), NM, PA |
| JAKAFI TABS 5mg, 10mg, 15mg, 20mg, 25mg | 5 | QL (60 tabs / 30 days), NM, PA |
| JAYPIRCA TABS 50mg | 5 | QL (30 tabs / 30 days), NM, PA |
| JAYPIRCA TABS 100mg | 5 | QL (60 tabs / 30 days), NM, PA |
| KADCYLA SOLR 100mg, 160mg | 5 | B/D, NM |
| KANJINTI SOLR 150mg, 420mg | 5 | NM, PA |
| KEYTRUDA SOLN 100mg/4ml | 5 | NM, PA |
| KISQALI 200 DOSE TBPK 200mg | 5 | QL (21 tabs / 28 days), NM, PA |
| KISQALI 200 PAK FEMARA | 5 | QL (49 tabs / 28 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| KISQALI 400 DOSE TBPK 200mg | 5 | QL (42 tabs / 28 days), NM, PA |
| KISQALI 400 PAK FEMARA | 5 | QL (70 tabs / 28 days), NM, PA |
| KISQALI 600 DOSE TBPK 200mg | 5 | QL (63 tabs / 28 days), NM, PA |
| KISQALI 600 PAK FEMARA | 5 | QL (91 tabs / 28 days), NM, PA |
| KOSELUGO CAPS 10mg | 5 | QL (240 caps / 30 days), NM, PA |
| KOSELUGO CAPS 25mg | 5 | QL (120 caps / 30 days), NM, PA |
| KRAZATI TABS 200mg | 5 | QL (180 tabs / 30 days), NM, PA |
| <i>lapatinib ditosylate</i> TABS 250mg | 5 | QL (180 tabs / 30 days), NM, PA |
| LAZCLUZE TABS 80mg | 5 | QL (60 tabs / 30 days), NM, PA |
| LAZCLUZE TABS 240mg | 5 | QL (30 tabs / 30 days), NM, PA |
| LENVIMA 4 MG DAILY DOSE CPPK 4mg | 5 | QL (30 caps / 30 days), NM, PA |
| LENVIMA 8 MG DAILY DOSE CPPK 4mg | 5 | QL (60 caps / 30 days), NM, PA |
| LENVIMA 10 MG DAILY DOSE CPPK 10mg | 5 | QL (30 caps / 30 days), NM, PA |
| LENVIMA 12MG DAILY DOSE CPPK 4mg | 5 | QL (90 caps / 30 days), NM, PA |
| LENVIMA 20 MG DAILY DOSE CPPK 10mg | 5 | QL (60 caps / 30 days), NM, PA |
| LENVIMA CAP 14 MG | 5 | QL (60 caps / 30 days), NM, PA |
| LENVIMA CAP 18 MG | 5 | QL (90 caps / 30 days), NM, PA |
| LENVIMA CAP 24 MG | 5 | QL (90 caps / 30 days), NM, PA |
| LORBRENA TABS 25mg | 5 | QL (90 tabs / 30 days), NM, PA |
| LORBRENA TABS 100mg | 5 | QL (30 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 120mg | 5 | QL (240 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 240mg | 5 | QL (120 tabs / 30 days), NM, PA |
| LUMAKRAS TABS 320mg | 5 | QL (90 tabs / 30 days), NM, PA |
| LYNPARZA TABS 100mg, 150mg | 5 | QL (120 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------|------------------|------------------------------------|
| LYTGOBI (12 MG DAILY DOSE) TBPK 4mg | 5 | QL (84 tabs / 28 days), NM, PA |
| LYTGOBI (16 MG DAILY DOSE) TBPK 4mg | 5 | QL (112 tabs / 28 days), NM, PA |
| LYTGOBI (20 MG DAILY DOSE) TBPK 4mg | 5 | QL (140 tabs / 28 days), NM, PA |
| MEKINIST SOLR .05mg/ml | 5 | QL (1260 mL / 30 days), NM, PA |
| MEKINIST TABS 2mg | 5 | QL (30 tabs / 30 days), NM, PA |
| MEKINIST TABS .5mg | 5 | QL (90 tabs / 30 days), NM, PA |
| MEKTOVI TABS 15mg | 5 | QL (180 tabs / 30 days), NM, PA |
| MONJUVI SOLR 200mg | 5 | NM, PA |
| NERLYNX TABS 40mg | 5 | QL (180 tabs / 30 days), NM, PA |
| NINLARO CAPS 2.3mg, 3mg, 4mg | 5 | QL (3 caps / 28 days), NM, PA |
| ODOMZO CAPS 200mg | 5 | QL (30 caps / 30 days), NM, PA |
| OGIVRI SOLR 150mg, 420mg | 5 | NM, PA |
| OGSIVEO TABS 50mg | 5 | QL (180 tabs / 30 days), NM, PA |
| OGSIVEO TABS 100mg, 150mg | 5 | QL (56 tabs / 28 days), NM, PA |
| OJEMDA SUSR 25mg/ml | 5 | QL (96 mL / 28 days), NM, PA |
| OJEMDA TABS 100mg | 5 | QL (24 tabs / 28 days), NM, PA |
| OJJAARA TABS 100mg, 150mg, 200mg | 5 | QL (30 tabs / 30 days), NM, PA |
| ONTRUZANT SOLR 150mg, 420mg | 5 | NM, PA |
| <i>pazopanib hcl</i> TABS 200mg | 5 | QL (120 tabs / 30 days), NM, PA |
| PEMAZYRE TABS 4.5mg, 9mg, 13.5mg | 5 | QL (28 tabs / 28 days), NM, PA |
| PHESGO SOL | 5 | NM, PA |
| PIQRAY 200MG DAILY DOSE TBPK 200mg | 5 | QL (28 tabs / 28 days), NM, PA |
| PIQRAY 250MG TAB DOSE | 5 | QL (56 tabs / 28 days), NM, PA |
| PIQRAY 300MG DAILY DOSE TBPK 150mg | 5 | QL (56 tabs / 28 days), NM, PA |
| QINLOCK TABS 50mg | 5 | QL (90 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| RETEVMO CAPS 40mg | 5 | QL (180 caps / 30 days), NM, PA |
| RETEVMO CAPS 80mg | 5 | QL (120 caps / 30 days), NM, PA |
| RETEVMO TABS 40mg | 5 | QL (90 tabs / 30 days), NM, PA |
| RETEVMO TABS 80mg, 120mg, 160mg | 5 | QL (60 tabs / 30 days), NM, PA |
| REVUFORJ TABS 110mg | 5 | QL (120 tabs / 30 days), NM, PA |
| REVUFORJ TABS 160mg | 5 | QL (60 tabs / 30 days), NM, PA |
| REZLIDHIA CAPS 150mg | 5 | QL (60 caps / 30 days), NM, PA |
| ROZLYTREK CAPS 100mg | 5 | QL (180 caps / 30 days), NM, PA |
| ROZLYTREK CAPS 200mg | 5 | QL (90 caps / 30 days), NM, PA |
| ROZLYTREK PACK 50mg | 5 | QL (336 packets / 28 days), NM, PA |
| RUBRACA TABS 200mg, 250mg, 300mg | 5 | QL (120 tabs / 30 days), NM, PA |
| RYDAPT CAPS 25mg | 5 | QL (224 caps / 28 days), NM, PA |
| SCSEMBLIX TABS 20mg | 5 | QL (60 tabs / 30 days), NM, PA |
| SCSEMBLIX TABS 40mg | 5 | QL (300 tabs / 30 days), NM, PA |
| SCSEMBLIX TABS 100mg | 5 | QL (120 tabs / 30 days), NM, PA |
| <i>sorafenib tosylate</i> TABS 200mg | 5 | QL (120 tabs / 30 days), NM, PA |
| STIVARGA TABS 40mg | 5 | QL (84 tabs / 28 days), NM, PA |
| <i>sunitinib malate</i> CAPS 12.5mg, 25mg, 37.5mg, 50mg | 5 | QL (30 caps / 30 days), NM, PA |
| TABRECTA TABS 150mg, 200mg | 5 | QL (112 tabs / 28 days), NM, PA |
| TAFINLAR CAPS 50mg, 75mg | 5 | QL (120 caps / 30 days), NM, PA |
| TAFINLAR TBSO 10mg | 5 | QL (900 tabs / 30 days), NM, PA |
| TAGRISO TABS 40mg, 80mg | 5 | QL (30 tabs / 30 days), NM, PA |
| TALZENNA CAPS .1mg, .35mg, .5mg, .75mg, 1mg | 5 | QL (30 caps / 30 days), NM, PA |
| TALZENNA CAPS .25mg | 5 | QL (90 caps / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| TASIGNA CAPS 50mg | 5 | QL (120 caps / 30 days), NM, PA |
| TASIGNA CAPS 150mg, 200mg | 5 | QL (112 caps / 28 days), NM, PA |
| TAZVERIK TABS 200mg | 5 | QL (240 tabs / 30 days), NM, PA |
| TECENTRIQ SOLN 840mg/14ml, 1200mg/20ml | 5 | NM, PA |
| TECENTRIQ INJ HYBREZA | 5 | QL (1 vial / 21 days), NM, PA |
| TEPMETKO TABS 225mg | 5 | QL (60 tabs / 30 days), NM, PA |
| TIBSOVO TABS 250mg | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>torpenz</i> TABS 2.5mg, 5mg, 7.5mg, 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| TRAZIMERA SOLR 150mg, 420mg | 5 | NM, PA |
| TRUQAP TABS 160mg, 200mg | 5 | QL (64 tabs / 28 days), NM, PA |
| TRUQAP TBPK 160mg, 200mg | 5 | QL (4 packs / 28 days), NM, PA |
| TRUXIMA SOLN 100mg/10ml, 500mg/50ml | 5 | NM, PA |
| TUKYSA TABS 50mg, 150mg | 5 | QL (120 tabs / 30 days), NM, PA |
| TURALIO CAPS 125mg | 5 | QL (120 caps / 30 days), NM, PA |
| VANFLYTA TABS 17.7mg, 26.5mg | 5 | QL (56 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 10mg | 3 | QL (112 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 50mg | 5 | QL (112 tabs / 28 days), NM, PA |
| VENCLEXTA TABS 100mg | 5 | QL (180 tabs / 30 days), NM, PA |
| VENCLEXTA TAB START PK | 5 | QL (42 tabs / 28 days), NM, PA |
| VERZENIO TABS 50mg, 100mg, 150mg, 200mg | 5 | QL (56 tabs / 28 days), NM, PA |
| VITRAKVI CAPS 25mg | 5 | QL (180 caps / 30 days), NM, PA |
| VITRAKVI CAPS 100mg | 5 | QL (60 caps / 30 days), NM, PA |
| VITRAKVI SOLN 20mg/ml | 5 | QL (300 mL / 30 days), NM, PA |
| VIZIMPRO TABS 15mg, 30mg, 45mg | 5 | QL (30 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| VONJO CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| VORANIGO TABS 10mg | 5 | QL (60 tabs / 30 days), NM, PA |
| VORANIGO TABS 40mg | 5 | QL (30 tabs / 30 days), NM, PA |
| XALKORI CAPS 200mg, 250mg; CPSP 50mg | 5 | QL (120 caps / 30 days), NM, PA |
| XALKORI CPSP 20mg | 5 | QL (240 caps / 30 days), NM, PA |
| XALKORI CPSP 150mg | 5 | QL (180 caps / 30 days), NM, PA |
| XOSPATA TABS 40mg | 5 | QL (90 tabs / 30 days), NM, PA |
| XPOVIO PAK (40 MG ONCE WEEKLY) TBPK 40mg | 5 | QL (4 tabs / 28 days), NM, PA |
| XPOVIO PAK (40 MG TWICE WEEKLY) TBPK 40mg | 5 | QL (8 tabs / 28 days), NM, PA |
| XPOVIO PAK (60 MG ONCE WEEKLY) TBPK 60mg | 5 | QL (4 tabs / 28 days), NM, PA |
| XPOVIO PAK (60 MG TWICE WEEKLY) TBPK 20mg | 5 | QL (24 tabs / 28 days), NM, PA |
| XPOVIO PAK (80 MG ONCE WEEKLY) TBPK 40mg | 5 | QL (8 tabs / 28 days), NM, PA |
| XPOVIO PAK (80 MG TWICE WEEKLY) TBPK 20mg | 5 | QL (32 tabs / 28 days), NM, PA |
| XPOVIO PAK (100 MG ONCE WEEKLY) TBPK 50mg | 5 | QL (8 tabs / 28 days), NM, PA |
| ZEJULA TABS 100mg, 200mg, 300mg | 5 | QL (30 tabs / 30 days), NM, PA |
| ZELBORAF TABS 240mg | 5 | QL (240 tabs / 30 days), NM, PA |
| ZIRABEV SOLN 100mg/4ml, 400mg/16ml | 5 | NM, PA |
| ZOLINZA CAPS 100mg | 5 | QL (120 caps / 30 days), NM, PA |
| ZYDELIG TABS 100mg, 150mg | 5 | QL (60 tabs / 30 days), NM, PA |
| ZYKADIA TABS 150mg | 5 | QL (84 tabs / 28 days), NM, PA |
| PROTECTIVE AGENTS | | |
| <i>leucovorin calcium</i> SOLN 500mg/50ml; SOLR 50mg, 100mg, 200mg, 350mg, 500mg | 4 | B/D |
| <i>leucovorin calcium</i> TABS 5mg, 10mg, 15mg, 25mg | 3 | |
| <i>mesna</i> TABS 400mg | 5 | |
| MESNEX TABS 400mg | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CARDIOVASCULAR | | |
| ACE INHIBITOR COMBINATIONS | | |
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-10 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-20 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 5-40 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-20 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>amlodipine besylate-benazepril hcl cap 10-40 mg</i> | 1 | QL (30 caps / 30 days) |
| <i>benazepril & hydrochlorothiazide tab 5-6.25mg</i> | 2 | |
| <i>benazepril & hydrochlorothiazide tab 10-12.5 mg</i> | 2 | |
| <i>benazepril & hydrochlorothiazide tab 20-12.5 mg</i> | 2 | |
| <i>benazepril & hydrochlorothiazide tab 20-25 mg</i> | 2 | |
| <i>captopril & hydrochlorothiazide tab 25-15 mg</i> | 3 | |
| <i>captopril & hydrochlorothiazide tab 25-25 mg</i> | 3 | |
| <i>captopril & hydrochlorothiazide tab 50-15 mg</i> | 3 | |
| <i>captopril & hydrochlorothiazide tab 50-25 mg</i> | 3 | |
| <i>enalapril maleate & hydrochlorothiazide tab 5-12.5 mg</i> | 1 | |
| <i>enalapril maleate & hydrochlorothiazide tab 10-25 mg</i> | 1 | |
| <i>fosinopril sodium & hydrochlorothiazide tab 10-12.5 mg</i> | 2 | |
| <i>fosinopril sodium & hydrochlorothiazide tab 20-12.5 mg</i> | 2 | |
| <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | 1 | |
| <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | 1 | |
| ACE INHIBITORS | | |
| <i>benazepril hcl TABS 5mg, 10mg, 20mg, 40mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>captopril</i> TABS 12.5mg, 25mg, 50mg, 100mg | 3 | |
| <i>enalapril maleate</i> TABS 2.5mg, 5mg, 10mg, 20mg | 1 | |
| <i>fosinopril sodium</i> TABS 10mg, 20mg, 40mg | 1 | |
| <i>lisinopril</i> TABS 2.5mg, 5mg, 10mg, 20mg, 30mg, 40mg | 1 | |
| <i>moexipril hcl</i> TABS 7.5mg, 15mg | 1 | |
| <i>perindopril erbumine</i> TABS 2mg, 4mg, 8mg | 2 | |
| <i>quinapril hcl</i> TABS 5mg, 10mg, 20mg, 40mg | 1 | |
| <i>ramipril</i> CAPS 1.25mg, 2.5mg, 5mg, 10mg | 1 | |
| <i>trandolapril</i> TABS 1mg, 2mg, 4mg | 1 | |

ALDOSTERONE RECEPTOR ANTAGONISTS

| | | |
|--|---|------------------------|
| <i>eplerenone</i> TABS 25mg, 50mg | 3 | |
| KERENDIA TABS 10mg, 20mg | 3 | QL (30 tabs / 30 days) |
| <i>spironolactone</i> TABS 25mg, 50mg, 100mg | 1 | |

ALPHA BLOCKERS

| | | |
|---|---|--|
| <i>doxazosin mesylate</i> TABS 1mg, 2mg, 4mg, 8mg | 2 | |
| <i>prazosin hcl</i> CAPS 1mg, 2mg, 5mg | 3 | |
| <i>terazosin hcl</i> CAPS 1mg, 2mg, 5mg, 10mg | 1 | |

ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS

| | | |
|--|---|-------------------------|
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-40 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-20 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-40 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-160 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 5-320 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-160 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>amlodipine besylate-valsartan tab 10-320 mg</i> | 3 | QL (30 tabs / 30 days) |
| ENTRESTO CAP 6-6MG | 3 | QL (240 caps / 30 days) |
| ENTRESTO CAP 15-16MG | 3 | QL (240 caps / 30 days) |
| ENTRESTO TAB 24-26MG | 3 | QL (60 tabs / 30 days) |
| ENTRESTO TAB 49-51MG | 3 | QL (60 tabs / 30 days) |
| ENTRESTO TAB 97-103MG | 3 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> | 1 | |
| <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> | 1 | |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 20-12.5 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-12.5 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>olmesartan medoxomil-hydrochlorothiazide tab 40-25 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 20-5-12.5 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-12.5 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-5-25 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-12.5 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>olmesartan-amlodipine-hydrochlorothiazide tab 40-10-25 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | 1 | QL (30 tabs / 30 days) |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| <i>candesartan cilexetil TABS 4mg, 8mg, 16mg</i> | 2 | QL (60 tabs / 30 days) |
| <i>candesartan cilexetil TABS 32mg</i> | 2 | QL (30 tabs / 30 days) |
| <i>irbesartan TABS 75mg, 150mg, 300mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>losartan potassium TABS 25mg, 50mg, 100mg</i> | 1 | |
| <i>olmesartan medoxomil TABS 5mg</i> | 1 | QL (60 tabs / 30 days) |
| <i>olmesartan medoxomil TABS 20mg, 40mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>telmisartan TABS 20mg, 40mg, 80mg</i> | 1 | QL (30 tabs / 30 days) |
| <i>valsartan TABS 40mg, 80mg, 160mg</i> | 1 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>valsartan</i> TABS 320mg | 1 | QL (30 tabs / 30 days) |
| ANTIARRHYTHMICS | | |
| <i>amiodarone hcl</i> SOLN 50mg/ml, 900mg/18ml; TABS 100mg, 400mg | 4 | |
| <i>amiodarone hcl</i> TABS 200mg | 1 | |
| <i>disopyramide phosphate</i> CAPS 100mg, 150mg | 4 | |
| <i>dofetilide</i> CAPS 125mcg, 250mcg, 500mcg | 4 | NM |
| <i>flecainide acetate</i> TABS 50mg, 100mg, 150mg | 3 | |
| MULTAQ TABS 400mg | 4 | QL (60 tabs / 30 days) |
| <i>pacerone</i> TABS 100mg, 400mg | 4 | |
| <i>pacerone</i> TABS 200mg | 1 | |
| <i>propafenone hcl</i> CP12 225mg, 325mg, 425mg | 4 | |
| <i>propafenone hcl</i> TABS 150mg, 225mg, 300mg | 3 | |
| <i>quinidine sulfate</i> TABS 200mg, 300mg | 4 | |
| <i>sotalol hcl</i> TABS 80mg, 120mg, 160mg, 240mg | 2 | |
| <i>sotalol hcl (afib/afl)</i> TABS 80mg, 120mg, 160mg | 3 | |
| ANTILIPEMICS, FIBRATES | | |
| <i>fenofibrate</i> TABS 48mg, 54mg, 145mg, 160mg | 2 | |
| <i>fenofibrate micronized</i> CAPS 67mg, 134mg, 200mg | 3 | |
| <i>gemfibrozil</i> TABS 600mg | 1 | |
| ANTILIPEMICS, HMG-CoA REDUCTASE INHIBITORS | | |
| <i>atorvastatin calcium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| <i>lovastatin</i> TABS 10mg, 20mg, 40mg | 1 | QL (60 tabs / 30 days) |
| <i>pravastatin sodium</i> TABS 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| <i>rosuvastatin calcium</i> TABS 5mg, 10mg, 20mg, 40mg | 1 | QL (30 tabs / 30 days) |
| <i>simvastatin</i> TABS 5mg, 10mg, 20mg, 40mg, 80mg | 1 | QL (30 tabs / 30 days) |
| ANTILIPEMICS, MISCELLANEOUS | | |
| <i>cholestyramine</i> PACK 4gm; POWD 4gm/dose | 3 | |
| <i>cholestyramine light</i> PACK 4gm; POWD 4gm/dose | 3 | |
| <i>colesevelam hcl</i> PACK 3.75gm; TABS 625mg | 4 | |
| <i>colestipol hcl</i> GRAN 5gm; PACK 5gm | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>colestipol hcl</i> TABS 1gm | 3 | |
| <i>ezetimibe</i> TABS 10mg | 3 | |
| <i>ezetimibe-simvastatin tab 10-10 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-20 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-40 mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>ezetimibe-simvastatin tab 10-80 mg</i> | 3 | QL (30 tabs / 30 days) |
| NEXLETOL TABS 180mg | 3 | QL (30 tabs / 30 days) |
| NEXLIZET TAB 180/10MG | 3 | QL (30 tabs / 30 days) |
| <i>niacin (antihyperlipidemic)</i> TBCR 500mg, 750mg, 1000mg | 3 | QL (60 tabs / 30 days) |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | 3 | PA |
| <i>prevalite</i> PACK 4gm; POWD 4gm/dose | 3 | |
| REPATHA SOSY 140mg/ml | 3 | NM, PA |
| REPATHA PUSHTRONEX SYSTEM SOCT 420mg/3.5ml | 3 | NM, PA |
| REPATHA SURECLICK SOAJ 140mg/ml | 3 | NM, PA |
| VASCEPA CAPS .5gm, 1gm | 3 | |

BETA-BLOCKER/DIURETIC COMBINATIONS

| | | |
|---|---|--|
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | 2 | |
| <i>atenolol & chlorthalidone tab 100-25 mg</i> | 2 | |
| <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg</i> | 2 | |
| <i>bisoprolol & hydrochlorothiazide tab 5-6.25 mg</i> | 2 | |
| <i>bisoprolol & hydrochlorothiazide tab 10-6.25 mg</i> | 2 | |
| <i>metoprolol & hydrochlorothiazide tab 50-25 mg</i> | 3 | |
| <i>metoprolol & hydrochlorothiazide tab 100-25 mg</i> | 3 | |
| <i>metoprolol & hydrochlorothiazide tab 100-50 mg</i> | 3 | |

BETA-BLOCKERS

| | | |
|---|---|------------------------|
| <i>acebutolol hcl</i> CAPS 200mg, 400mg | 3 | |
| <i>atenolol</i> TABS 25mg, 50mg, 100mg | 1 | |
| <i>bisoprolol fumarate</i> TABS 5mg, 10mg | 2 | |
| <i>carvedilol</i> TABS 3.125mg, 6.25mg, 12.5mg, 25mg | 1 | |
| <i>labetalol hcl</i> TABS 100mg, 200mg, 300mg | 3 | |
| <i>metoprolol succinate</i> TB24 25mg, 50mg, 100mg, 200mg | 1 | |
| <i>metoprolol tartrate</i> SOLN 5mg/5ml | 4 | |
| <i>metoprolol tartrate</i> TABS 25mg, 50mg, 100mg | 1 | |
| <i>nadolol</i> TABS 20mg, 40mg, 80mg | 3 | |
| <i>nebivolol hcl</i> TABS 2.5mg, 5mg, 10mg | 3 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nebivolol hcl</i> TABS 20mg | 3 | QL (60 tabs / 30 days) |
| <i>pindolol</i> TABS 5mg, 10mg | 3 | |
| <i>propranolol hcl</i> CP24 60mg, 80mg, 120mg, 160mg; SOLN 20mg/5ml, 40mg/5ml | 3 | |
| <i>propranolol hcl</i> TABS 10mg, 20mg, 40mg, 60mg, 80mg | 2 | |
| <i>timolol maleate</i> TABS 5mg, 10mg, 20mg | 3 | |
| CALCIUM CHANNEL BLOCKERS | | |
| <i>amlodipine besylate</i> TABS 2.5mg, 5mg, 10mg | 1 | |
| <i>cartia xt</i> CP24 120mg, 180mg, 240mg, 300mg | 2 | |
| <i>dilt-xr</i> CP24 120mg, 180mg, 240mg | 2 | |
| <i>diltiazem hcl</i> CP12 60mg, 90mg, 120mg | 4 | |
| <i>diltiazem hcl</i> SOLN 25mg/5ml, 50mg/10ml, 125mg/25ml | 3 | |
| <i>diltiazem hcl</i> TABS 30mg, 60mg, 90mg, 120mg | 2 | |
| <i>diltiazem hcl coated beads</i> CP24 120mg, 180mg, 240mg, 300mg | 2 | |
| <i>diltiazem hcl coated beads</i> CP24 360mg | 4 | |
| <i>diltiazem hcl extended release beads</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 2 | |
| <i>felodipine</i> TB24 2.5mg, 5mg, 10mg | 2 | |
| <i>nicardipine hcl</i> CAPS 20mg, 30mg | 4 | |
| <i>nifedipine</i> TB24 30mg, 60mg, 90mg | 3 | |
| <i>nimodipine</i> CAPS 30mg | 4 | |
| <i>tiadylt er</i> CP24 120mg, 180mg, 240mg, 300mg, 360mg, 420mg | 2 | |
| <i>verapamil hcl</i> CP24 100mg, 200mg, 300mg, 360mg; SOLN 2.5mg/ml | 4 | |
| <i>verapamil hcl</i> CP24 120mg, 180mg, 240mg | 3 | |
| <i>verapamil hcl</i> TABS 40mg, 80mg, 120mg | 1 | |
| <i>verapamil hcl</i> TBCR 120mg, 180mg, 240mg | 2 | |
| DIURETICS | | |
| <i>acetazolamide</i> CP12 500mg; TABS 125mg, 250mg | 3 | |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 2 | |
| <i>amiloride hcl</i> TABS 5mg | 2 | |
| <i>bumetanide</i> SOLN .25mg/ml; TABS .5mg, 1mg, 2mg | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| <i>chlorthalidone</i> TABS 25mg, 50mg | 2 | |
| <i>furosemide</i> SOLN 10mg/ml, 40mg/5ml | 2 | |
| <i>furosemide</i> TABS 20mg, 40mg, 80mg | 1 | |
| <i>furosemide inj</i> SOLN 10mg/ml | 3 | |
| <i>hydrochlorothiazide</i> CAPS 12.5mg; TABS 12.5mg, 25mg, 50mg | 1 | |
| <i>indapamide</i> TABS 1.25mg, 2.5mg | 1 | |
| <i>methazolamide</i> TABS 25mg, 50mg | 4 | |
| <i>metolazone</i> TABS 2.5mg, 5mg, 10mg | 2 | |
| <i>spironolactone & hydrochlorothiazide tab 25-25 mg</i> | 2 | |
| <i>torseamide</i> TABS 5mg, 10mg, 20mg, 100mg | 2 | |
| <i>triamterene & hydrochlorothiazide cap 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 37.5-25 mg</i> | 1 | |
| <i>triamterene & hydrochlorothiazide tab 75-50 mg</i> | 1 | |
| MISCELLANEOUS | | |
| <i>aliskiren fumarate</i> TABS 150mg, 300mg | 3 | |
| <i>clonidine</i> PTWK .1mg/24hr, .2mg/24hr, .3mg/24hr | 3 | |
| <i>clonidine hcl</i> TABS .1mg, .2mg, .3mg | 1 | |
| CORLANOR SOLN 5mg/5ml | 4 | QL (450 mL / 30 days) |
| <i>digoxin</i> SOLN .05mg/ml, .25mg/ml | 4 | |
| <i>digoxin</i> TABS 125mcg, 250mcg | 2 | QL (30 tabs / 30 days) |
| <i>droxidopa</i> CAPS 100mg | 5 | QL (90 caps / 30 days), NM, PA |
| <i>droxidopa</i> CAPS 200mg, 300mg | 5 | QL (180 caps / 30 days), NM, PA |
| <i>epinephrine (anaphylaxis)</i> SOLN 1mg/ml | 4 | |
| <i>guanfacine hcl</i> TABS 1mg, 2mg | 3 | PA; PA applies if 70 years and older |
| <i>hydralazine hcl</i> SOLN 20mg/ml | 4 | |
| <i>hydralazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 1 | |
| <i>ivabradine hcl</i> TABS 5mg, 7.5mg | 4 | QL (60 tabs / 30 days) |
| <i>metyrosine</i> CAPS 250mg | 5 | NM, PA |
| <i>midodrine hcl</i> TABS 2.5mg, 5mg | 3 | |
| <i>midodrine hcl</i> TABS 10mg | 4 | |
| <i>minoxidil</i> TABS 2.5mg, 10mg | 2 | |
| <i>ranolazine</i> TB12 500mg, 1000mg | 4 | |
| VERQUVO TABS 2.5mg, 5mg, 10mg | 3 | QL (30 tabs / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| NITRATES | | |
| <i>isosorbide dinitrate</i> TABS 5mg, 10mg, 20mg, 30mg | 3 | |
| <i>isosorbide mononitrate</i> TABS 10mg, 20mg | 2 | |
| <i>isosorbide mononitrate</i> TB24 30mg, 60mg, 120mg | 1 | |
| NITRO-BID OINT 2% | 3 | |
| <i>nitroglycerin</i> PT24 .1mg/hr, .2mg/hr, .4mg/hr, .6mg/hr | 3 | |
| <i>nitroglycerin</i> SUBL .3mg, .4mg, .6mg | 2 | |
| PULMONARY ARTERIAL HYPERTENSION | | |
| <i>alyq</i> TABS 20mg | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>ambrisentan</i> TABS 5mg, 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>bosentan</i> TABS 62.5mg, 125mg | 5 | QL (60 tabs / 30 days), NM, PA |
| OPSUMIT TABS 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>sildenafil citrate (pulmonary hypertension)</i> TABS 20mg | 3 | QL (360 tabs / 30 days), NM, PA |
| <i>tadalafil (pulmonary hypertension)</i> TABS 20mg | 5 | QL (60 tabs / 30 days), NM, PA |
| <i>treprostinil</i> SOLN 20mg/20ml, 50mg/20ml, 100mg/20ml, 200mg/20ml | 5 | NM, PA |
| CENTRAL NERVOUS SYSTEM | | |
| ANTI-ANXIETY | | |
| <i>alprazolam</i> TABS .25mg, .5mg, 1mg, 2mg | 1 | QL (150 tabs / 30 days) |
| <i>bupirone hcl</i> TABS 5mg, 10mg, 15mg | 1 | |
| <i>bupirone hcl</i> TABS 7.5mg, 30mg | 3 | |
| <i>fluvoxamine maleate</i> TABS 25mg, 50mg, 100mg | 3 | |
| <i>lorazepam</i> CONC 2mg/ml | 3 | QL (150 mL / 30 days) |
| <i>lorazepam</i> SOLN 4mg/ml, 20mg/10ml | 2 | |
| <i>lorazepam</i> TABS .5mg, 1mg, 2mg | 1 | QL (150 tabs / 30 days) |
| <i>lorazepam intensol</i> CONC 2mg/ml | 3 | QL (150 mL / 30 days) |
| ANTIDEMENTIA | | |
| <i>donepezil hydrochloride</i> TABS 5mg | 1 | QL (30 tabs / 30 days) |
| <i>donepezil hydrochloride</i> TABS 10mg | 1 | |
| <i>donepezil hydrochloride</i> TBDP 5mg | 2 | QL (30 tabs / 30 days) |
| <i>donepezil hydrochloride</i> TBDP 10mg | 2 | |
| <i>galantamine hydrobromide</i> CP24 8mg, 16mg, 24mg | 3 | QL (30 caps / 30 days) |
| <i>galantamine hydrobromide</i> SOLN 4mg/ml | 4 | QL (200 mL / 30 days) |
| <i>galantamine hydrobromide</i> TABS 4mg, 8mg, 12mg | 3 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>memantine hcl</i> CP24 7mg, 14mg, 21mg, 28mg; SOLN 2mg/ml | 4 | PA; PA applies if 29 years and younger |
| <i>memantine hcl</i> TABS 5mg, 10mg | 3 | PA; PA applies if 29 years and younger |
| <i>memantine hcl-donepezil hcl cap er 24hr</i> 14-10 mg | 4 | |
| <i>memantine hcl-donepezil hcl cap er 24hr</i> 28-10 mg | 4 | |
| NAMZARIC CAP 7-10MG | 4 | |
| NAMZARIC CAP 14-10MG | 4 | |
| NAMZARIC CAP 21-10MG | 4 | |
| NAMZARIC CAP 28-10MG | 4 | |
| NAMZARIC CAP PACK | 4 | |
| <i>rivastigmine</i> PT24 4.6mg/24hr, 9.5mg/24hr, 13.3mg/24hr | 4 | QL (30 patches / 30 days) |
| <i>rivastigmine tartrate</i> CAPS 1.5mg, 3mg, 4.5mg, 6mg | 3 | QL (60 caps / 30 days) |
| ANTIDEPRESSANTS | | |
| <i>amitriptyline hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 3 | |
| <i>amoxapine</i> TABS 25mg, 50mg, 100mg, 150mg | 3 | |
| AUVELITY TAB 45-105MG | 4 | QL (60 tabs / 30 days), PA |
| <i>bupropion hcl</i> TABS 75mg, 100mg | 2 | |
| <i>bupropion hcl</i> TB12 100mg, 150mg, 200mg; TB24 150mg | 2 | QL (60 tabs / 30 days) |
| <i>bupropion hcl</i> TB24 300mg | 2 | QL (30 tabs / 30 days) |
| <i>citalopram hydrobromide</i> SOLN 10mg/5ml | 3 | |
| <i>citalopram hydrobromide</i> TABS 10mg, 20mg, 40mg | 1 | |
| <i>clomipramine hcl</i> CAPS 25mg, 50mg, 75mg | 4 | PA |
| <i>desipramine hcl</i> TABS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg | 4 | |
| <i>desvenlafaxine succinate</i> TB24 25mg, 50mg, 100mg | 3 | QL (30 tabs / 30 days) |
| <i>doxepin hcl</i> CAPS 10mg, 25mg, 50mg, 75mg, 100mg, 150mg; CONC 10mg/ml | 3 | |
| DRIZALMA SPRINKLE CSDR 20mg, 30mg, 40mg, 60mg | 4 | QL (60 caps / 30 days), PA |
| <i>duloxetine hcl</i> CPEP 20mg, 30mg, 60mg | 3 | QL (60 caps / 30 days) |
| EMSAM PT24 6mg/24hr, 9mg/24hr, 12mg/24hr | 5 | QL (30 patches / 30 days), PA |
| <i>escitalopram oxalate</i> SOLN 5mg/5ml | 4 | |
| <i>escitalopram oxalate</i> TABS 5mg, 10mg, 20mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| FETZIMA CP24 20mg, 40mg | 4 | QL (60 caps / 30 days), PA |
| FETZIMA CP24 80mg, 120mg | 4 | QL (30 caps / 30 days), PA |
| FETZIMA CAP TITRATIO | 4 | QL (2 packs / year), PA |
| <i>fluoxetine hcl</i> CAPS 10mg, 20mg, 40mg | 1 | |
| <i>fluoxetine hcl</i> SOLN 20mg/5ml | 3 | |
| <i>imipramine hcl</i> TABS 10mg, 25mg, 50mg | 2 | |
| MARPLAN TABS 10mg | 4 | QL (180 tabs / 30 days) |
| <i>mirtazapine</i> TABS 7.5mg; TBDP 15mg, 30mg, 45mg | 3 | |
| <i>mirtazapine</i> TABS 15mg, 30mg, 45mg | 2 | |
| <i>nefazodone hcl</i> TABS 50mg, 100mg, 150mg, 200mg, 250mg | 4 | |
| <i>nortriptyline hcl</i> CAPS 10mg, 25mg, 50mg, 75mg | 2 | |
| <i>nortriptyline hcl</i> SOLN 10mg/5ml | 4 | |
| <i>paroxetine hcl</i> SUSP 10mg/5ml | 4 | QL (900 mL / 30 days), PA |
| <i>paroxetine hcl</i> TABS 10mg, 20mg, 30mg, 40mg | 2 | |
| <i>phenelzine sulfate</i> TABS 15mg | 3 | |
| <i>protriptyline hcl</i> TABS 5mg, 10mg | 4 | |
| <i>sertraline hcl</i> CONC 20mg/ml | 3 | |
| <i>sertraline hcl</i> TABS 25mg, 50mg, 100mg | 1 | |
| <i>tranylcypromine sulfate</i> TABS 10mg | 4 | |
| <i>trazodone hcl</i> TABS 50mg, 100mg, 150mg | 1 | |
| <i>trimipramine maleate</i> CAPS 25mg, 50mg | 4 | QL (120 caps / 30 days) |
| <i>trimipramine maleate</i> CAPS 100mg | 4 | QL (60 caps / 30 days) |
| TRINTELLIX TABS 5mg, 10mg, 20mg | 4 | QL (30 tabs / 30 days), PA |
| <i>venlafaxine hcl</i> CP24 37.5mg, 75mg, 150mg | 2 | |
| <i>venlafaxine hcl</i> TABS 25mg, 37.5mg, 50mg, 75mg, 100mg | 3 | |
| <i>vilazodone hcl</i> TABS 10mg, 20mg, 40mg | 4 | QL (30 tabs / 30 days) |
| ZURZUVAE CAPS 20mg, 25mg | 5 | QL (28 caps / 14 days), NM, PA |
| ZURZUVAE CAPS 30mg | 5 | QL (14 caps / 14 days), NM, PA |
| ANTIPARKINSONIAN AGENTS | | |
| <i>amantadine hcl</i> CAPS 100mg | 3 | QL (120 caps / 30 days) |
| <i>amantadine hcl</i> SOLN 50mg/5ml | 3 | |
| <i>amantadine hcl</i> TABS 100mg | 4 | |
| <i>benztropine mesylate</i> SOLN 1mg/ml | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| <i>benztropine mesylate</i> TABS .5mg, 1mg, 2mg | 2 | PA; PA applies if 70 years and older |
| <i>bromocriptine mesylate</i> CAPS 5mg; TABS 2.5mg | 4 | |
| <i>carb/levo orally disintegrating tab 10-100mg</i> | 3 | |
| <i>carb/levo orally disintegrating tab 25-100mg</i> | 3 | |
| <i>carb/levo orally disintegrating tab 25-250mg</i> | 3 | |
| <i>carbidopa & levodopa tab 10-100 mg</i> | 2 | |
| <i>carbidopa & levodopa tab 25-100 mg</i> | 2 | |
| <i>carbidopa & levodopa tab 25-250 mg</i> | 2 | |
| <i>carbidopa & levodopa tab er 25-100 mg</i> | 3 | |
| <i>carbidopa & levodopa tab er 50-200 mg</i> | 3 | |
| <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 31.25-125-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 37.5-150-200 mg</i> | 4 | |
| <i>carbidopa-levodopa-entacapone tabs 50-200-200 mg</i> | 4 | |
| <i>entacapone</i> TABS 200mg | 4 | |
| INBRIJA CAPS 42mg | 5 | QL (300 caps / 30 days), NM, PA |
| <i>pramipexole dihydrochloride</i> TABS .125mg, .25mg, .5mg, .75mg, 1mg, 1.5mg | 2 | |
| <i>rasagiline mesylate</i> TABS .5mg, 1mg | 4 | QL (30 tabs / 30 days) |
| <i>ropinirole hydrochloride</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg, 5mg | 2 | |
| <i>selegiline hcl</i> CAPS 5mg; TABS 5mg | 3 | |
| <i>trihexyphenidyl hcl</i> SOLN .4mg/ml | 3 | PA; PA applies if 70 years and older |
| <i>trihexyphenidyl hcl</i> TABS 2mg, 5mg | 2 | PA; PA applies if 70 years and older |
| ANTIPSYCHOTICS | | |
| ABILIFY ASIMTUFII PRSY 720mg/2.4ml, 960mg/3.2ml | 5 | QL (1 syringe / 56 days) |
| ABILIFY MAINTENA PRSY 300mg, 400mg | 5 | QL (1 syringe / 28 days) |
| ABILIFY MAINTENA SRER 300mg, 400mg | 5 | QL (1 injection / 28 days) |
| <i>aripiprazole</i> SOLN 1mg/ml | 4 | QL (900 mL / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>aripiprazole</i> TABS 2mg, 5mg, 10mg, 15mg, 20mg, 30mg | 4 | QL (30 tabs / 30 days) |
| <i>aripiprazole</i> TBDP 10mg, 15mg | 4 | QL (60 tabs / 30 days), ST |
| ARISTADA PRSY 441mg/1.6ml, 662mg/2.4ml, 882mg/3.2ml | 5 | QL (1 syringe / 28 days) |
| ARISTADA PRSY 1064mg/3.9ml | 5 | QL (1 syringe / 56 days) |
| ARISTADA INITIO PRSY 675mg/2.4ml | 5 | |
| <i>asenapine maleate</i> SUBL 2.5mg, 5mg, 10mg | 4 | QL (60 tabs / 30 days) |
| CAPLYTA CAPS 10.5mg, 21mg, 42mg | 5 | QL (30 caps / 30 days) |
| <i>chlorpromazine hcl</i> CONC 30mg/ml, 100mg/ml; SOLN 25mg/ml, 50mg/2ml; TABS 10mg, 25mg, 50mg, 100mg, 200mg | 4 | |
| <i>clozapine</i> TABS 25mg, 50mg | 3 | |
| <i>clozapine</i> TABS 100mg | 3 | QL (270 tabs / 30 days) |
| <i>clozapine</i> TABS 200mg | 3 | QL (120 tabs / 30 days) |
| <i>clozapine</i> TBDP 12.5mg, 25mg | 4 | PA |
| <i>clozapine</i> TBDP 100mg | 4 | QL (270 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 150mg | 4 | QL (180 tabs / 30 days), PA |
| <i>clozapine</i> TBDP 200mg | 4 | QL (120 tabs / 30 days), PA |
| COBENFY CAP 50-20MG | 5 | QL (60 caps / 30 days), PA |
| COBENFY CAP 100-20MG | 5 | QL (60 caps / 30 days), PA |
| COBENFY CAP 125-30MG | 5 | QL (60 caps / 30 days), PA |
| COBENFY STRT CAP PACK | 5 | QL (2 packs / year), PA |
| FANAPT TABS 1mg, 2mg, 4mg, 6mg, 8mg, 10mg, 12mg | 5 | QL (60 tabs / 30 days), PA |
| FANAPT PAK | 4 | QL (2 packs / year), PA |
| <i>fluphenazine decanoate</i> SOLN 25mg/ml | 4 | |
| <i>fluphenazine hcl</i> CONC 5mg/ml; ELIX 2.5mg/5ml; SOLN 2.5mg/ml; TABS 1mg, 2.5mg, 5mg, 10mg | 4 | |
| <i>haloperidol</i> TABS .5mg, 1mg, 2mg, 5mg, 10mg, 20mg | 3 | |
| <i>haloperidol decanoate</i> SOLN 50mg/ml, 100mg/ml | 3 | |
| <i>haloperidol lactate</i> CONC 2mg/ml; SOLN 5mg/ml | 3 | |
| INVEGA HAFYERA SUSY 1092mg/3.5ml, 1560mg/5ml | 5 | QL (1 injection / 180 days) |
| INVEGA SUSTENNA SUSY 39mg/0.25ml | 4 | QL (1 syringe / 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| INVEGA SUSTENNA SUSY 78mg/0.5ml, 117mg/0.75ml, 156mg/ml, 234mg/1.5ml | 5 | QL (1 syringe / 28 days) |
| INVEGA TRINZA SUSY 273mg/0.88ml, 410mg/1.32ml, 546mg/1.75ml, 819mg/2.63ml | 5 | QL (1 syringe / 90 days) |
| <i>loxapine succinate</i> CAPS 5mg, 10mg, 25mg, 50mg | 3 | |
| <i>lurasidone hcl</i> TABS 20mg, 40mg, 60mg, 120mg | 4 | QL (30 tabs / 30 days) |
| <i>lurasidone hcl</i> TABS 80mg | 4 | QL (60 tabs / 30 days) |
| LYBALVI TAB 5-10MG | 5 | QL (30 tabs / 30 days) |
| LYBALVI TAB 10-10MG | 5 | QL (30 tabs / 30 days) |
| LYBALVI TAB 15-10MG | 5 | QL (30 tabs / 30 days) |
| LYBALVI TAB 20-10MG | 5 | QL (30 tabs / 30 days) |
| <i>molindone hcl</i> TABS 5mg, 10mg, 25mg | 4 | |
| NUPLAZID CAPS 34mg | 5 | QL (30 caps / 30 days), NM, PA |
| NUPLAZID TABS 10mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>olanzapine</i> SOLR 10mg | 4 | QL (3 vials / 1 day) |
| <i>olanzapine</i> TABS 2.5mg, 5mg, 10mg | 2 | QL (60 tabs / 30 days) |
| <i>olanzapine</i> TABS 7.5mg, 15mg, 20mg | 2 | QL (30 tabs / 30 days) |
| <i>olanzapine</i> TBDP 5mg, 15mg, 20mg | 4 | QL (30 tabs / 30 days), ST |
| <i>olanzapine</i> TBDP 10mg | 4 | QL (60 tabs / 30 days), ST |
| OPIPZA FILM 2mg, 5mg | 5 | QL (30 films / 30 days), PA |
| OPIPZA FILM 10mg | 5 | QL (90 films / 30 days), PA |
| <i>paliperidone</i> TB24 1.5mg, 3mg, 9mg | 4 | QL (30 tabs / 30 days) |
| <i>paliperidone</i> TB24 6mg | 4 | QL (60 tabs / 30 days) |
| <i>perphenazine</i> TABS 2mg, 4mg, 8mg, 16mg | 3 | |
| <i>pimozide</i> TABS 1mg, 2mg | 4 | |
| <i>quetiapine fumarate</i> TABS 25mg | 2 | QL (180 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 50mg, 100mg, 150mg, 200mg | 2 | QL (90 tabs / 30 days) |
| <i>quetiapine fumarate</i> TABS 300mg, 400mg | 2 | QL (60 tabs / 30 days) |
| <i>quetiapine fumarate</i> TB24 50mg, 300mg, 400mg | 4 | QL (60 tabs / 30 days), PA |
| <i>quetiapine fumarate</i> TB24 150mg, 200mg | 4 | QL (30 tabs / 30 days), PA |
| REXULTI TABS 3mg, 4mg | 5 | QL (30 tabs / 30 days) |
| REXULTI TABS .25mg, .5mg, 1mg, 2mg | 5 | QL (60 tabs / 30 days) |
| <i>risperidone</i> SOLN 1mg/ml | 3 | QL (240 mL / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>risperidone</i> TABS .25mg, .5mg, 1mg, 2mg, 3mg, 4mg | 2 | |
| <i>risperidone</i> TBDP 1mg, 2mg, 3mg | 4 | QL (60 tabs / 30 days), ST |
| <i>risperidone</i> TBDP 4mg | 4 | QL (120 tabs / 30 days), ST |
| <i>risperidone</i> TBDP .25mg, .5mg | 4 | QL (90 tabs / 30 days), ST |
| <i>risperidone microspheres</i> SRER 12.5mg, 25mg | 4 | QL (2 injections / 28 days) |
| <i>risperidone microspheres</i> SRER 37.5mg, 50mg | 5 | QL (2 injections / 28 days) |
| SECUADO PT24 3.8mg/24hr, 5.7mg/24hr, 7.6mg/24hr | 5 | QL (30 patches / 30 days) |
| <i>thioridazine hcl</i> TABS 10mg, 25mg, 50mg, 100mg | 3 | |
| <i>thiothixene</i> CAPS 1mg, 2mg, 5mg, 10mg | 4 | |
| <i>trifluoperazine hcl</i> TABS 1mg, 2mg, 5mg, 10mg | 3 | |
| VERSACLOZ SUSP 50mg/ml | 5 | QL (600 mL / 30 days), PA |
| VRAYLAR CAPS 1.5mg | 5 | QL (60 caps / 30 days) |
| VRAYLAR CAPS 3mg, 4.5mg, 6mg | 5 | QL (30 caps / 30 days) |
| <i>ziprasidone hcl</i> CAPS 20mg, 40mg, 60mg, 80mg | 4 | QL (60 caps / 30 days) |
| <i>ziprasidone mesylate</i> SOLR 20mg | 4 | QL (6 injections / 3 days) |
| ANTISEIZURE AGENTS | | |
| APTIOM TABS 200mg, 400mg | 5 | QL (30 tabs / 30 days) |
| APTIOM TABS 600mg, 800mg | 5 | QL (60 tabs / 30 days) |
| BRIVIACT SOLN 10mg/ml | 5 | QL (600 mL / 30 days), PA |
| BRIVIACT TABS 10mg, 25mg, 50mg, 75mg, 100mg | 5 | QL (60 tabs / 30 days), PA |
| <i>carbamazepine</i> CHEW 100mg; TABS 200mg | 3 | |
| <i>carbamazepine</i> CHEW 200mg; CP12 100mg, 200mg, 300mg; SUSP 100mg/5ml; TB12 100mg, 200mg, 400mg | 4 | |
| <i>clobazam</i> SUSP 2.5mg/ml | 4 | QL (480 mL / 30 days), PA |
| <i>clobazam</i> TABS 10mg, 20mg | 4 | QL (60 tabs / 30 days), PA |
| <i>clonazepam</i> TABS 2mg | 1 | QL (300 tabs / 30 days) |
| <i>clonazepam</i> TABS .5mg, 1mg | 1 | QL (90 tabs / 30 days) |
| <i>clonazepam</i> TBDP 2mg | 3 | QL (300 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>clonazepam</i> TBDP .125mg, .25mg, .5mg, 1mg | 3 | QL (90 tabs / 30 days) |
| <i>clorazepate dipotassium</i> TABS 3.75mg, 7.5mg, 15mg | 4 | QL (180 tabs / 30 days), PA; PA applies if 65 years and older |
| DIACOMIT CAPS 250mg | 5 | QL (360 caps / 30 days), NM, PA |
| DIACOMIT CAPS 500mg | 5 | QL (180 caps / 30 days), NM, PA |
| DIACOMIT PACK 250mg | 5 | QL (360 packets / 30 days), NM, PA |
| DIACOMIT PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |
| <i>diazepam</i> SOLN 5mg/5ml | 3 | QL (1200 mL / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| <i>diazepam</i> TABS 2mg, 5mg, 10mg | 2 | QL (120 tabs / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| <i>diazepam (anticonvulsant)</i> GEL 2.5mg, 10mg, 20mg | 4 | |
| <i>diazepam inj</i> SOLN 5mg/ml | 4 | |
| <i>diazepam intensol</i> CONC 5mg/ml | 3 | QL (240 mL / 30 days), PA; PA applies if 65 years and older when greater than 5 day supply |
| DILANTIN CAPS 30mg | 4 | |
| <i>divalproex sodium</i> CSDR 125mg | 4 | |
| <i>divalproex sodium</i> TB24 250mg, 500mg | 3 | |
| <i>divalproex sodium</i> TBEC 125mg, 250mg, 500mg | 2 | |
| EPIDIOLEX SOLN 100mg/ml | 5 | QL (600 mL / 30 days), NM, PA |
| <i>epitol</i> TABS 200mg | 3 | |
| EPRONTIA SOLN 25mg/ml | 4 | QL (480 mL / 30 days), PA |
| <i>ethosuximide</i> CAPS 250mg; SOLN 250mg/5ml | 3 | |
| <i>felbamate</i> SUSP 600mg/5ml; TABS 400mg, 600mg | 4 | |
| FINTEPLA SOLN 2.2mg/ml | 5 | QL (360 mL / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| FYCOMPA SUSP .5mg/ml | 5 | QL (720 mL / 30 days), PA |
| FYCOMPA TABS 2mg | 4 | QL (60 tabs / 30 days), PA |
| FYCOMPA TABS 4mg, 6mg, 8mg, 10mg, 12mg | 5 | QL (30 tabs / 30 days), PA |
| <i>gabapentin</i> CAPS 100mg, 300mg | 1 | QL (360 caps / 30 days) |
| <i>gabapentin</i> CAPS 400mg | 1 | QL (270 caps / 30 days) |
| <i>gabapentin</i> SOLN 250mg/5ml, 300mg/6ml | 3 | QL (2160 mL / 30 days) |
| <i>gabapentin</i> TABS 600mg | 2 | QL (180 tabs / 30 days) |
| <i>gabapentin</i> TABS 800mg | 2 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> SOLN 200mg/20ml | 4 | |
| <i>lacosamide</i> TABS 50mg | 4 | QL (120 tabs / 30 days) |
| <i>lacosamide</i> TABS 100mg, 150mg, 200mg | 4 | QL (60 tabs / 30 days) |
| <i>lacosamide oral</i> SOLN 10mg/ml | 4 | QL (1200 mL / 30 days) |
| <i>lamotrigine</i> CHEW 5mg, 25mg | 3 | |
| <i>lamotrigine</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | |
| <i>lamotrigine</i> TB24 25mg, 50mg, 100mg, 200mg, 250mg, 300mg | 4 | ST |
| <i>levetiracetam</i> SOLN 100mg/ml; TB24 500mg, 750mg | 3 | |
| <i>levetiracetam</i> SOLN 500mg/5ml | 4 | |
| <i>levetiracetam</i> TABS 250mg, 500mg, 750mg, 1000mg | 2 | |
| <i>levetiracetam in sodium chloride iv soln</i> 500 mg/100ml | 4 | |
| <i>levetiracetam in sodium chloride iv soln</i> 1000 mg/100ml | 4 | |
| <i>levetiracetam in sodium chloride iv soln</i> 1500 mg/100ml | 4 | |
| LIBERVANT FILM 5mg, 7.5mg, 10mg, 12.5mg, 15mg | 4 | QL (10 buccal films / 30 days) |
| <i>methsuximide</i> CAPS 300mg | 4 | |
| NAYZILAM SOLN 5mg/0.1ml | 4 | QL (10 nasal units per 30 days) |
| <i>oxcarbazepine</i> SUSP 300mg/5ml | 4 | |
| <i>oxcarbazepine</i> TABS 150mg, 300mg, 600mg | 3 | |
| <i>phenobarbital</i> ELIX 20mg/5ml | 4 | QL (1500 mL / 30 days), PA; PA applies if 70 years and older |
| <i>phenobarbital</i> TABS 15mg, 16.2mg, 30mg, 32.4mg, 60mg, 64.8mg, 97.2mg, 100mg | 3 | QL (120 tabs / 30 days), PA; PA applies if 70 years and older |
| <i>phenobarbital sodium</i> SOLN 65mg/ml, 130mg/ml | 4 | PA; PA applies if 70 years and older |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| <i>phenytek</i> CAPS 200mg, 300mg | 3 | |
| <i>phenytoin</i> CHEW 50mg; SUSP 125mg/5ml | 3 | |
| <i>phenytoin sodium</i> SOLN 50mg/ml | 3 | |
| <i>phenytoin sodium extended</i> CAPS 100mg, 200mg, 300mg | 3 | |
| <i>pregabalin</i> CAPS 25mg, 50mg, 75mg, 100mg, 150mg | 2 | QL (120 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 200mg | 2 | QL (90 caps / 30 days), PA |
| <i>pregabalin</i> CAPS 225mg, 300mg | 2 | QL (60 caps / 30 days), PA |
| <i>pregabalin</i> SOLN 20mg/ml | 4 | QL (900 mL / 30 days), PA |
| <i>primidone</i> TABS 50mg, 125mg, 250mg | 2 | |
| <i>roweepra</i> TABS 500mg | 2 | |
| <i>rufinamide</i> SUSP 40mg/ml | 5 | QL (2400 mL / 30 days), PA |
| <i>rufinamide</i> TABS 200mg | 4 | QL (480 tabs / 30 days), PA |
| <i>rufinamide</i> TABS 400mg | 5 | QL (240 tabs / 30 days), PA |
| SPRITAM TB3D 250mg | 4 | QL (360 tabs / 30 days) |
| SPRITAM TB3D 500mg | 4 | QL (180 tabs / 30 days) |
| SPRITAM TB3D 750mg | 4 | QL (120 tabs / 30 days) |
| SPRITAM TB3D 1000mg | 4 | QL (90 tabs / 30 days) |
| <i>subvenite</i> TABS 25mg, 100mg, 150mg, 200mg | 1 | |
| SYMPAZAN FILM 5mg, 10mg, 20mg | 5 | QL (60 films / 30 days), PA |
| <i>tiagabine hcl</i> TABS 2mg, 4mg, 12mg, 16mg | 4 | |
| <i>topiramate</i> CPSP 15mg, 25mg | 3 | |
| <i>topiramate</i> TABS 25mg, 50mg, 100mg, 200mg | 2 | |
| <i>valproate sodium</i> SOLN 100mg/ml | 4 | |
| <i>valproate sodium</i> SOLN 250mg/5ml | 3 | |
| <i>valproic acid</i> CAPS 250mg | 3 | |
| VALTOCO 5 MG DOSE LIQD 5mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| VALTOCO 10 MG DOSE LIQD 10mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| VALTOCO 15 MG DOSE LQPK 7.5mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| VALTOCO 20 MG DOSE LQPK 10mg/0.1ml | 4 | QL (10 blister packs per 30 days) |
| <i>vigabatrin</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>vigabatrin</i> TABS 500mg | 5 | QL (180 tabs / 30 days), NM, PA |
| <i>vigadrone</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |
| <i>vigadrone</i> TABS 500mg | 5 | QL (180 tabs / 30 days), NM, PA |
| VIGAFYDE SOLN 100mg/ml | 5 | QL (900 mL / 30 days), NM, PA |
| <i>vigpoder</i> PACK 500mg | 5 | QL (180 packets / 30 days), NM, PA |
| XCOPRI TABS 25mg, 50mg, 100mg | 5 | QL (30 tabs / 30 days) |
| XCOPRI TABS 150mg, 200mg | 5 | QL (60 tabs / 30 days) |
| XCOPRI PAK 12.5-25 | 4 | QL (28 tabs / 28 days) |
| XCOPRI PAK 50-100MG | 5 | QL (28 tabs / 28 days) |
| XCOPRI PAK 100-150 | 5 | QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (MAINTENANCE) | 5 | QL (56 tabs / 28 days) |
| XCOPRI PAK 150-200MG (TITRATION) | 5 | QL (28 tabs / 28 days) |
| ZONISADE SUSP 100mg/5ml | 5 | QL (900 mL / 30 days), PA |
| <i>zonisamide</i> CAPS 25mg, 50mg, 100mg | 2 | |
| ZTALMY SUSP 50mg/ml | 5 | QL (1100 mL / 30 days), NM, PA |

ATTENTION DEFICIT HYPERACTIVITY DISORDER

| | | |
|--|---|----------------------------|
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | 4 | QL (30 caps / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 10 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 15 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>amphetamine-dextroamphetamine tab 20 mg</i> | 3 | QL (90 tabs / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>amphetamine-dextroamphetamine tab 30 mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>atomoxetine hcl CAPS 10mg, 18mg, 25mg</i> | 4 | QL (120 caps / 30 days) |
| <i>atomoxetine hcl CAPS 40mg</i> | 4 | QL (60 caps / 30 days) |
| <i>atomoxetine hcl CAPS 60mg, 80mg, 100mg</i> | 4 | QL (30 caps / 30 days) |
| <i>dexmethylphenidate hcl TABS 2.5mg, 5mg</i> | 3 | QL (120 tabs / 30 days), PA |
| <i>dexmethylphenidate hcl TABS 10mg</i> | 3 | QL (60 tabs / 30 days), PA |
| <i>guanfacine hcl (adhd) TB24 1mg, 2mg, 4mg</i> | 3 | QL (30 tabs / 30 days), PA; PA applies if 70 years and older |
| <i>guanfacine hcl (adhd) TB24 3mg</i> | 3 | QL (60 tabs / 30 days), PA; PA applies if 70 years and older |
| <i>methylphenidate hcl SOLN 5mg/5ml</i> | 4 | QL (1800 mL / 30 days), PA |
| <i>methylphenidate hcl SOLN 10mg/5ml</i> | 4 | QL (900 mL / 30 days), PA |
| <i>methylphenidate hcl TABS 5mg, 10mg</i> | 3 | QL (180 tabs / 30 days), PA |
| <i>methylphenidate hcl TABS 20mg</i> | 3 | QL (90 tabs / 30 days), PA |
| <i>methylphenidate hcl TBCR 10mg, 20mg</i> | 4 | QL (90 tabs / 30 days), PA |
| HYPNOTICS | | |
| <i>DAYVIGO TABS 5mg, 10mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>doxepin hcl (sleep) TABS 3mg, 6mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>ramelteon TABS 8mg</i> | 3 | QL (30 tabs / 30 days) |
| <i>tasimelteon CAPS 20mg</i> | 5 | QL (30 caps / 30 days), NM, PA |
| <i>temazepam CAPS 7.5mg, 30mg</i> | 4 | QL (30 caps / 30 days), PA; PA applies if 65 years and older |
| <i>temazepam CAPS 15mg</i> | 4 | QL (60 caps / 30 days), PA; PA applies if 65 years and older |
| <i>zaleplon CAPS 5mg</i> | 2 | QL (30 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>zaleplon</i> CAPS 10mg | 2 | QL (60 caps / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |
| <i>zolpidem tartrate</i> TABS 5mg, 10mg | 2 | QL (30 tabs / 30 days), PA; PA applies if 70 years and older after a 90 day supply in a calendar year |

MIGRAINE

| | | |
|---|---|-----------------------------------|
| AIMOVIG SOAJ 70mg/ml, 140mg/ml | 3 | QL (1 pen / 30 days), NM, PA |
| <i>dihydroergotamine mesylate</i> SOLN 1mg/ml | 5 | |
| <i>dihydroergotamine mesylate</i> SOLN 4mg/ml | 5 | QL (8 mL / 30 days), PA |
| EMGALITY SOAJ 120mg/ml | 3 | QL (2 pens / 30 days), NM, PA |
| EMGALITY SOSY 100mg/ml | 3 | QL (3 syringes / 30 days), NM, PA |
| EMGALITY SOSY 120mg/ml | 3 | QL (2 syringes / 30 days), NM, PA |
| <i>ergotamine w/ caffeine tab 1-100 mg</i> | 3 | QL (40 tabs / 28 days), PA |
| <i>naratriptan hcl</i> TABS 1mg, 2.5mg | 3 | QL (12 tabs / 30 days) |
| NURTEC TBDP 75mg | 3 | QL (16 tabs / 30 days), PA |
| QULIPTA TABS 10mg, 30mg, 60mg | 3 | QL (30 tabs / 30 days), PA |
| <i>rizatriptan benzoate</i> TABS 5mg, 10mg; TBDP 5mg, 10mg | 3 | QL (18 tabs / 30 days) |
| <i>sumatriptan</i> SOLN 5mg/act | 4 | QL (24 units / 30 days) |
| <i>sumatriptan</i> SOLN 20mg/act | 4 | QL (12 units / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 4mg/0.5ml; SOCT 4mg/0.5ml | 4 | QL (18 injections / 30 days) |
| <i>sumatriptan succinate</i> SOAJ 6mg/0.5ml; SOCT 6mg/0.5ml; SOLN 6mg/0.5ml | 4 | QL (12 injections / 30 days) |
| <i>sumatriptan succinate</i> TABS 25mg, 50mg, 100mg | 2 | QL (12 tabs / 30 days) |
| UBRELVY TABS 50mg, 100mg | 3 | QL (16 tabs / 30 days), PA |

MISCELLANEOUS

| | | |
|------------------------|---|---------------------------------|
| AUSTEDO TABS 6mg | 5 | QL (60 tabs / 30 days), NM, PA |
| AUSTEDO TABS 9mg, 12mg | 5 | QL (120 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| AUSTEDO XR TB24 6mg | 5 | QL (90 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 12mg | 5 | QL (120 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 18mg, 24mg | 5 | QL (60 tabs / 30 days), NM, PA |
| AUSTEDO XR TB24 30mg, 36mg, 42mg, 48mg | 5 | QL (30 tabs / 30 days), NM, PA |
| AUSTEDO XR TAB TITR KIT | 5 | QL (2 packs / year), NM, PA |
| <i>lithium</i> SOLN 8meq/5ml | 4 | |
| <i>lithium carbonate</i> CAPS 150mg, 300mg, 600mg; TABS 300mg | 1 | |
| <i>lithium carbonate</i> TBCR 300mg, 450mg | 2 | |
| NUEDEXTA CAP 20-10MG | 5 | QL (60 caps / 30 days), PA |
| <i>pyridostigmine bromide</i> TABS 60mg | 3 | |
| <i>riluzole</i> TABS 50mg | 4 | |
| <i>tetrabenazine</i> TABS 12.5mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>tetrabenazine</i> TABS 25mg | 5 | QL (120 tabs / 30 days), NM, PA |

MULTIPLE SCLEROSIS AGENTS

| | | |
|--|---|------------------------------------|
| BAFIERTAM CPDR 95mg | 5 | QL (120 caps / 30 days), NM, PA |
| BETASERON KIT .3mg | 5 | QL (14 syringes / 28 days), NM, PA |
| COPAXONE SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| COPAXONE SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| <i>dalfampridine</i> TB12 10mg | 3 | QL (60 tabs / 30 days), NM, PA |
| <i>fingolimod hcl</i> CAPS .5mg | 5 | QL (30 caps / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| <i>glatiramer acetate</i> SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| <i>glatopa</i> SOSY 20mg/ml | 5 | QL (30 syringes / 30 days), NM, PA |
| <i>glatopa</i> SOSY 40mg/ml | 5 | QL (12 syringes / 28 days), NM, PA |
| KESIMPTA SOAJ 20mg/0.4ml | 5 | QL (16 pens / 365 days), NM, PA |

MUSCULOSKELETAL THERAPY AGENTS

| | | |
|--------------------------|---|------------------------|
| <i>baclofen</i> TABS 5mg | 2 | QL (90 tabs / 30 days) |
|--------------------------|---|------------------------|

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>baclofen</i> TABS 10mg, 20mg | 2 | |
| <i>cyclobenzaprine hcl</i> TABS 5mg, 10mg | 2 | QL (90 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>dantrolene sodium</i> CAPS 25mg, 50mg, 100mg | 4 | |
| <i>methocarbamol</i> TABS 500mg | 2 | QL (360 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>methocarbamol</i> TABS 750mg | 2 | QL (240 tabs / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>tizanidine hcl</i> TABS 2mg, 4mg | 2 | |
| NARCOLEPSY/CATAPLEXY | | |
| <i>armodafinil</i> TABS 50mg | 4 | QL (60 tabs / 30 days), PA |
| <i>armodafinil</i> TABS 150mg, 200mg, 250mg | 4 | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 100mg | 3 | QL (30 tabs / 30 days), PA |
| <i>modafinil</i> TABS 200mg | 3 | QL (60 tabs / 30 days), PA |
| SODIUM OXYBATE SOLN 500mg/ml | 5 | QL (540 mL / 30 days), NM, PA |
| PSYCHOTHERAPEUTIC-MISC | | |
| <i>acamprosate calcium</i> TBEC 333mg | 4 | |
| <i>buprenorphine hcl</i> SUBL 2mg, 8mg | 3 | QL (90 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 4 | QL (90 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 4 | QL (60 films / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 2 | QL (90 tabs / 30 days) |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 2 | QL (90 tabs / 30 days) |
| <i>bupropion hcl (smoking deterrent)</i> TB12 150mg | 2 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>disulfiram</i> TABS 250mg, 500mg | 3 | |
| <i>naloxone hcl</i> LIQD 4mg/0.1ml | 3 | |
| <i>naloxone hcl</i> SOCT .4mg/ml; SOLN .4mg/ml, 4mg/10ml; SOSY .4mg/ml, 2mg/2ml | 2 | |
| <i>naltrexone hcl</i> TABS 50mg | 3 | |
| NICOTROL INHALER INHA 10mg | 4 | |
| NICOTROL NS SOLN 10mg/ml | 4 | |
| <i>varenicline tartrate</i> TABS .5mg, 1mg | 4 | QL (56 tabs / 28 days) |
| <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 4 | QL (2 packs / year) |
| VIVITROL SUSR 380mg | 5 | NM |

ENDOCRINE AND METABOLIC

ANDROGENS

| | | |
|---|---|-----------------------------|
| <i>danazol</i> CAPS 50mg, 100mg, 200mg | 4 | |
| <i>depo-testosterone</i> SOLN 100mg/ml, 200mg/ml | 3 | PA |
| <i>methyltestosterone</i> CAPS 10mg | 5 | QL (600 caps / 30 days), PA |
| <i>testosterone</i> GEL 1%, 25mg/2.5gm, 50mg/5gm | 4 | QL (300 gm / 30 days), PA |
| <i>testosterone cypionate</i> SOLN 100mg/ml, 200mg/ml | 3 | PA |
| <i>testosterone enanthate</i> SOLN 200mg/ml | 3 | PA |
| <i>testosterone pump</i> GEL 1.62% | 4 | QL (150 gm / 30 days), PA |

ANTIDIABETICS

| | | |
|---|---|-------------------------|
| <i>acarbose</i> TABS 25mg, 50mg, 100mg | 3 | |
| FARXIGA TABS 5mg, 10mg | 3 | QL (30 tabs / 30 days) |
| <i>glimepiride</i> TABS 1mg, 2mg | 1 | QL (90 tabs / 30 days) |
| <i>glimepiride</i> TABS 4mg | 1 | QL (60 tabs / 30 days) |
| <i>glipizide</i> TABS 5mg | 1 | QL (240 tabs / 30 days) |
| <i>glipizide</i> TABS 10mg | 1 | QL (120 tabs / 30 days) |
| <i>glipizide</i> TB24 2.5mg, 5mg | 1 | QL (90 tabs / 30 days) |
| <i>glipizide</i> TB24 10mg | 1 | QL (60 tabs / 30 days) |
| <i>glipizide xl</i> TB24 2.5mg, 5mg | 1 | QL (90 tabs / 30 days) |
| <i>glipizide xl</i> TB24 10mg | 1 | QL (60 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 1 | QL (240 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 2.5-500 mg</i> | 1 | QL (120 tabs / 30 days) |
| <i>glipizide-metformin hcl tab 5-500 mg</i> | 1 | QL (120 tabs / 30 days) |
| GLYXAMBI TAB 10-5 MG | 3 | QL (30 tabs / 30 days) |
| GLYXAMBI TAB 25-5 MG | 3 | QL (30 tabs / 30 days) |
| JANUMET TAB 50-500MG | 3 | QL (60 tabs / 30 days) |
| JANUMET TAB 50-1000 | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 50-500MG | 3 | QL (60 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| JANUMET XR TAB 50-1000 | 3 | QL (60 tabs / 30 days) |
| JANUMET XR TAB 100-1000 | 3 | QL (30 tabs / 30 days) |
| JANUVIA TABS 25mg, 50mg, 100mg | 3 | QL (30 tabs / 30 days) |
| JARDIANCE TABS 10mg, 25mg | 3 | QL (30 tabs / 30 days) |
| JENTADUETO TAB 2.5-500 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-850 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB 2.5-1000 | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| JENTADUETO TAB XR 5-1000MG | 3 | QL (30 tabs / 30 days) |
| <i>metformin hcl</i> TABS 500mg | 1 | QL (150 tabs / 30 days) |
| <i>metformin hcl</i> TABS 850mg | 1 | QL (90 tabs / 30 days) |
| <i>metformin hcl</i> TABS 1000mg | 1 | QL (75 tabs / 30 days) |
| <i>metformin hcl</i> TB24 500mg | 1 | QL (120 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| <i>metformin hcl</i> TB24 750mg | 1 | QL (60 tabs / 30 days); (generic of GLUCOPHAGE XR) |
| MOUNJARO SOAJ 2.5mg/0.5ml, 5mg/0.5ml, 7.5mg/0.5ml, 10mg/0.5ml, 12.5mg/0.5ml, 15mg/0.5ml | 3 | QL (4 pens / 28 days), PA |
| <i>nateglinide</i> TABS 60mg, 120mg | 1 | QL (90 tabs / 30 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SOPN 2mg/1.5ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (0.25 OR 0.5MG/DOSE) SOPN 2mg/3ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (1MG/DOSE) SOPN 4mg/3ml | 3 | QL (1 pen / 28 days), PA |
| OZEMPIC (2MG/DOSE) SOPN 8mg/3ml | 3 | QL (1 pen / 28 days), PA |
| <i>pioglitazone hcl</i> TABS 15mg, 30mg, 45mg | 1 | QL (30 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-500 mg</i> | 3 | QL (90 tabs / 30 days) |
| <i>pioglitazone hcl-metformin hcl tab 15-850 mg</i> | 3 | QL (90 tabs / 30 days) |
| <i>repaglinide</i> TABS 2mg | 3 | QL (240 tabs / 30 days) |
| <i>repaglinide</i> TABS .5mg, 1mg | 3 | QL (120 tabs / 30 days) |
| RYBELSUS TABS 3mg, 7mg, 14mg | 3 | QL (30 tabs / 30 days), PA |
| SYNJARDY TAB 5-500MG | 3 | QL (120 tabs / 30 days) |
| SYNJARDY TAB 5-1000MG | 3 | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-500 | 3 | QL (60 tabs / 30 days) |
| SYNJARDY TAB 12.5-1000MG | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 5-1000MG | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 10-1000 | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 12.5-1000 | 3 | QL (60 tabs / 30 days) |
| SYNJARDY XR TAB 25-1000 | 3 | QL (30 tabs / 30 days) |
| TRADJENTA TABS 5mg | 3 | QL (30 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TRIJARDY XR TAB ER 24HR 5-2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 10-5-1000MG | 3 | QL (30 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 12.5-2.5-1000MG | 3 | QL (60 tabs / 30 days) |
| TRIJARDY XR TAB ER 24HR 25-5-1000MG | 3 | QL (30 tabs / 30 days) |
| TRULICITY SOAJ .75mg/0.5ml, 1.5mg/0.5ml, 3mg/0.5ml, 4.5mg/0.5ml | 3 | QL (4 pens / 28 days), PA |
| XIGDUO XR TAB 2.5-1000 | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-500MG | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 5-1000MG | 3 | QL (60 tabs / 30 days) |
| XIGDUO XR TAB 10-500MG | 3 | QL (30 tabs / 30 days) |
| XIGDUO XR TAB 10-1000 | 3 | QL (30 tabs / 30 days) |

ANTIDIABETICS, INSULINS

| | | |
|--|---|-------------------------------|
| ADMELOG SOLN 100unit/ml | 3 | |
| ADMELOG SOLOSTAR SOPN 100unit/ml | 3 | |
| ALCOHOL SWABS: BD-EMBECTA/MHC/RUGBY | 3 | PA |
| BASAGLAR KWIKPEN SOPN 100unit/ml | 3 | |
| CEQUR SIMPL KIT PATCH 2U (3-DAY) | 4 | QL (10 patches / 30 days), PA |
| CEQUR SIMPL KIT PATCH 2U (4-DAY) | 4 | QL (8 patches / 24 days), PA |
| FIASP SOLN 100unit/ml | 3 | |
| FIASP FLEXTOUCH SOPN 100unit/ml | 3 | |
| FIASP PENFILL SOCT 100unit/ml | 3 | |
| FIASP PUMPCART SOCT 100unit/ml | 3 | B/D |
| GAUZE PADS 2" X 2" | 3 | PA |
| HUMULIN R U-500 (CONCENTR SOLN 500unit/ml) | 5 | B/D |
| HUMULIN R U-500 KWIKPEN SOPN 500unit/ml | 5 | |
| INSULIN PEN NEEDLES: BD-EMBECTA | 3 | PA |
| INSULIN SAFETY NEEDLES: BD-EMBECTA | 3 | PA |
| INSULIN SYRINGES: BD-EMBECTA | 3 | PA |
| NOVOLIN INJ 70/30 | 3 | (brand RELION not covered) |
| NOVOLIN INJ 70/30 FP | 3 | (brand RELION not covered) |
| NOVOLIN N SUSP 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN N FLEXPEN SUPN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN R SOLN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLIN R FLEXPEN SOPN 100unit/ml | 3 | (brand RELION not covered) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| NOVOLOG SOLN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLOG FLEXPEN SOPN 100unit/ml | 3 | (brand RELION not covered) |
| NOVOLOG MIX INJ 70/30 | 3 | (brand RELION not covered) |
| NOVOLOG MIX INJ FLEXPEN | 3 | (brand RELION not covered) |
| NOVOLOG PENFILL SOCT 100unit/ml | 3 | (brand RELION not covered) |
| OMNIPOD 5 DX KIT INT G7G6 | 4 | QL (1 kit / year), PA |
| OMNIPOD 5 DX MIS POD G7G6 | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD 5 G7 KIT INTRO | 4 | QL (1 kit / year), PA |
| OMNIPOD 5 G7 MIS PODS | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD 5 LB KIT INTRO G6 | 4 | QL (1 kit / year), PA |
| OMNIPOD 5 LB MIS PODS G6 | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD DASH KIT INTRO | 4 | QL (1 kit / year), PA |
| OMNIPOD DASH MIS PODS | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 10UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 15UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 20UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 25UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 30UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 35UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD GO KIT 40UNT/DY | 4 | QL (15 pods / 30 days), PA |
| OMNIPOD MIS CLASSIC | 4 | QL (15 pods / 30 days), PA |
| SIMPLICITY MIS INSERTER | 4 | QL (2 inserters / year), PA |
| SOLIQUA INJ 100/33 | 3 | QL (5 pens / 25 days) |
| TOUJEO MAX SOLOSTAR SOPN 300unit/ml | 3 | |
| TOUJEO SOLOSTAR SOPN 300unit/ml | 3 | |
| TRESIBA SOLN 100unit/ml | 3 | |
| TRESIBA FLEXTOUCH SOPN 100unit/ml, 200unit/ml | 3 | |
| XULTOPHY INJ 100/3.6 | 3 | QL (5 pens / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| CALCIUM REGULATORS | | |
| <i>alendronate sodium</i> TABS 10mg, 35mg, 70mg | 1 | |
| <i>calcitonin (salmon) spray</i> SOLN 200unit/act | 3 | B/D |
| <i>ibandronate sodium</i> TABS 150mg | 2 | B/D |
| PAMIDRONATE DISODIUM SOLN 6mg/ml | 3 | B/D |
| <i>pamidronate disodium</i> SOLN 30mg/10ml, 90mg/10ml | 3 | B/D |
| PROLIA SOSY 60mg/ml | 4 | QL (1 syringe / 180 days), NM |
| TERIPARATIDE SOPN 620mcg/2.48ml | 5 | NM, PA |
| XGEVA SOLN 120mg/1.7ml | 5 | NM, PA |
| <i>zoledronic acid</i> CONC 4mg/5ml; SOLN 5mg/100ml | 4 | B/D, NM |
| CHELATING AGENTS | | |
| CHEMET CAPS 100mg | 5 | |
| <i>deferasirox</i> TABS 90mg | 3 | NM, PA |
| <i>deferasirox</i> TABS 180mg, 360mg; TBSO 125mg | 4 | NM, PA |
| <i>deferasirox</i> TBSO 250mg, 500mg | 5 | NM, PA |
| <i>kionex</i> SUSP 15gm/60ml | 3 | |
| LOKELMA PACK 5gm, 10gm | 4 | |
| <i>penicillamine</i> TABS 250mg | 5 | NM |
| <i>sodium polystyrene sulfonate powder</i> | 3 | |
| <i>sps</i> SUSP 15gm/60ml | 3 | |
| <i>sps rectal</i> SUSP 15gm/60ml | 3 | |
| <i>trientine hcl</i> CAPS 250mg | 5 | NM, PA |
| CONTRACEPTIVES | | |
| <i>afirmelle</i> | 2 | |
| <i>altavera</i> | 3 | |
| <i>alyacen 1/35</i> | 3 | |
| <i>alyacen 7/7/7</i> | 3 | |
| <i>apri</i> | 2 | |
| <i>aranelle</i> | 3 | |
| <i>aubra eq</i> | 2 | |
| <i>aurovela 1/20</i> | 3 | |
| <i>aurovela fe 1.5/30</i> | 2 | |
| <i>aurovela fe 1/20</i> | 2 | |
| <i>aviane</i> | 2 | |
| <i>ayuna</i> | 3 | |
| <i>azurette</i> | 3 | |
| <i>balziva</i> | 3 | |
| <i>blisovi fe 1.5/30</i> | 2 | |
| <i>briellyn</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>camila</i> TABS .35mg | 2 | |
| <i>chateal eq</i> | 3 | |
| <i>cryselle-28</i> | 3 | |
| <i>cyred eq</i> | 2 | |
| <i>dasetta 1/35</i> | 3 | |
| <i>dasetta 7/7/7</i> | 3 | |
| <i>deblitane</i> TABS .35mg | 2 | |
| DEPO-SUBQ PROVERA 104 SUSY 104mg/0.65ml | 3 | |
| <i>desogest-eth estrad & eth estrad tab 0.15- 0.02/0.01 mg(21/5)</i> | 3 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.02 mg</i> | 3 | |
| <i>drospirenone-ethinyl estradiol tab 3-0.03 mg</i> | 3 | |
| <i>elinest</i> | 3 | |
| <i>eluryng</i> | 3 | |
| <i>emzahh</i> TABS .35mg | 2 | |
| <i>enilloring</i> | 3 | |
| <i>enpresse-28</i> | 2 | |
| <i>enskyce</i> | 2 | |
| <i>errin</i> TABS .35mg | 2 | |
| <i>estarylla</i> | 2 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-35 mcg</i> | 2 | |
| <i>ethynodiol diacetate & ethinyl estradiol tab 1 mg-50 mcg</i> | 3 | |
| <i>etonogestrel-ethinyl estradiol va ring 0.12- 0.015 mg/24hr</i> | 3 | |
| <i>falmina</i> | 2 | |
| <i>hailey 1.5/30</i> | 3 | |
| <i>haloette</i> | 3 | |
| <i>heather</i> TABS .35mg | 2 | |
| <i>iclevia</i> | 3 | |
| <i>incassia</i> TABS .35mg | 2 | |
| <i>introvale</i> | 3 | |
| <i>isibloom</i> | 2 | |
| <i>jasmiel</i> | 3 | |
| <i>jolessa</i> | 3 | |
| <i>juleber</i> | 2 | |
| <i>junel 1.5/30</i> | 3 | |
| <i>junel 1/20</i> | 3 | |
| <i>junel fe 1.5/30</i> | 2 | |
| <i>junel fe 1/20</i> | 2 | |
| <i>kariva</i> | 3 | |
| <i>kelnor 1/35</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>kelnor 1/50</i> | 3 | |
| <i>kurvelo</i> | 3 | |
| <i>larin 1.5/30</i> | 3 | |
| <i>larin 1/20</i> | 3 | |
| <i>larin fe 1.5/30</i> | 2 | |
| <i>larin fe 1/20</i> | 2 | |
| <i>leena</i> | 3 | |
| <i>lessina</i> | 2 | |
| <i>levonest</i> | 2 | |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 3 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 2 | |
| <i>levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 3 | |
| <i>levonorgestrel-eth estra tab 0.05- 30/0.075-40/0.125-30mg-mcg</i> | 2 | |
| <i>levora 0.15/30-28</i> | 3 | |
| LILETTA IUD 20.1mcg/day | 3 | NM |
| <i>loestrin 1.5/30-21</i> | 3 | |
| <i>loestrin 1/20-21</i> | 3 | |
| <i>loestrin fe 1.5/30</i> | 2 | |
| <i>loestrin fe 1/20</i> | 2 | |
| <i>loryna</i> | 3 | |
| <i>low-ogestrel</i> | 3 | |
| <i>lutura</i> | 2 | |
| <i>lyleq TABS .35mg</i> | 2 | |
| <i>lyza TABS .35mg</i> | 2 | |
| <i>marlissa</i> | 3 | |
| <i>medroxyprogesterone acetate (contraceptive) SUSP 150mg/ml; SUSY 150mg/ml</i> | 3 | |
| <i>microgestin 1.5/30</i> | 3 | |
| <i>microgestin 1/20</i> | 3 | |
| <i>microgestin fe 1.5/30</i> | 2 | |
| <i>microgestin fe 1/20</i> | 2 | |
| <i>mili</i> | 2 | |
| <i>mono-linyah</i> | 2 | |
| <i>necon 0.5/35-28</i> | 3 | |
| NEXPLANON IMPL 68mg | 3 | NM |
| <i>nikki</i> | 3 | |
| <i>nora-be TABS .35mg</i> | 2 | |
| <i>norelgestromin-ethinyl estradiol td ptwk 150-35 mcg/24hr</i> | 3 | |
| <i>norethindrone (contraceptive) TABS .35mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>norethindrone ac-ethinyl estrad-fe tab 1-20/1-30/1-35 mg-mcg</i> | 3 | |
| <i>norethindrone ace & ethinyl estradiol tab 1 mg-20 mcg</i> | 3 | |
| <i>norethindrone ace & ethinyl estradiol tab 1.5 mg-30 mcg</i> | 3 | |
| <i>norethindrone ace & ethinyl estradiol-fe tab 1 mg-20 mcg</i> | 2 | |
| <i>norgestimate & ethinyl estradiol tab 0.25 mg-35 mcg</i> | 2 | |
| <i>norgestimate-eth estrad tab 0.18-25/0.215-25/0.25-25 mg-mcg</i> | 3 | |
| <i>norgestimate-eth estrad tab 0.18-35/0.215-35/0.25-35 mg-mcg</i> | 3 | |
| <i>norlyroc TABS .35mg</i> | 2 | |
| <i>nortrel 0.5/35 (28)</i> | 3 | |
| <i>nortrel 1/35 (21)</i> | 3 | |
| <i>nortrel 1/35 (28)</i> | 3 | |
| <i>nortrel 7/7/7</i> | 3 | |
| <i>nylia 1/35</i> | 3 | |
| <i>nylia 7/7/7</i> | 3 | |
| <i>ocella</i> | 3 | |
| <i>philith</i> | 3 | |
| <i>pimtrea</i> | 3 | |
| <i>portia-28</i> | 3 | |
| <i>reclipsen</i> | 2 | |
| <i>setlakin</i> | 3 | |
| <i>sharobel TABS .35mg</i> | 2 | |
| <i>simliya</i> | 3 | |
| <i>sprintec 28</i> | 2 | |
| <i>sronyx</i> | 2 | |
| <i>syeda</i> | 3 | |
| <i>tarina fe 1/20 eq</i> | 2 | |
| <i>tilia fe</i> | 3 | |
| <i>tri-estarylla</i> | 3 | |
| <i>tri-legest fe</i> | 3 | |
| <i>tri-linyah</i> | 3 | |
| <i>tri-lo-estarylla</i> | 3 | |
| <i>tri-lo-marzia</i> | 3 | |
| <i>tri-lo-mili</i> | 3 | |
| <i>tri-lo-sprintec</i> | 3 | |
| <i>tri-mili</i> | 3 | |
| <i>tri-nymyo</i> | 3 | |
| <i>tri-sprintec</i> | 3 | |
| <i>tri-vylibra</i> | 3 | |
| <i>tri-vylibra lo</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>trivora-28</i> | 2 | |
| <i>turqoz</i> | 3 | |
| <i>velivet</i> | 3 | |
| <i>vestura</i> | 3 | |
| <i>vienva</i> | 2 | |
| <i>viorele</i> | 3 | |
| <i>vyfemla</i> | 3 | |
| <i>vylibra</i> | 2 | |
| <i>wera</i> | 3 | |
| <i>xulane</i> | 3 | |
| <i>zafemy</i> | 3 | |
| <i>zovia 1/35</i> | 2 | |
| <i>zumandimine</i> | 3 | |
| ESTROGENS | | |
| <i>dotti</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 3 | |
| <i>estradiol</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr; PTWK .025mg/24hr, .05mg/24hr, .06mg/24hr, .075mg/24hr, .1mg/24hr, 37.5mcg/24hr | 3 | |
| <i>estradiol</i> TABS .5mg, 1mg, 2mg | 1 | |
| <i>estradiol & norethindrone acetate tab 0.5-0.1 mg</i> | 3 | |
| <i>estradiol & norethindrone acetate tab 1-0.5 mg</i> | 3 | |
| <i>estradiol vaginal</i> CREA .1mg/gm | 3 | |
| <i>estradiol vaginal</i> TABS 10mcg | 4 | |
| <i>estradiol valerate</i> OIL 10mg/ml, 20mg/ml, 40mg/ml | 4 | |
| <i>fyavolv tab 0.5mg-2.5mcg</i> | 3 | |
| <i>fyavolv tab 1mg-5mcg</i> | 3 | |
| <i>jinteli</i> | 3 | |
| <i>lyllana</i> PTTW .025mg/24hr, .037mg/24hr, .05mg/24hr, .075mg/24hr, .1mg/24hr | 3 | |
| <i>mimvey</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 0.5 mg-2.5 mcg</i> | 3 | |
| <i>norethindrone acetate-ethinyl estradiol tab 1 mg-5 mcg</i> | 3 | |
| PREMARIN CREA .625mg/gm; TABS .3mg, .45mg, .625mg, .9mg, 1.25mg | 3 | |
| <i>yuvaferm</i> TABS 10mcg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| GLUCOCORTICOIDS | | |
| <i>dexamethasone</i> ELIX .5mg/5ml; SOLN .5mg/5ml; TABS .5mg, .75mg, 1mg, 1.5mg, 2mg, 4mg, 6mg | 3 | |
| DEXAMETHASONE INTENSOL CONC 1mg/ml | 4 | |
| <i>dexamethasone sodium phosphate</i> SOLN 4mg/ml, 10mg/ml, 20mg/5ml, 100mg/10ml, 120mg/30ml; SOSY 4mg/ml | 3 | |
| <i>fludrocortisone acetate</i> TABS .1mg | 2 | |
| <i>hydrocortisone</i> TABS 5mg, 10mg, 20mg | 3 | |
| <i>hydrocortisone sod succinate</i> SOLR 100mg | 4 | |
| <i>methylprednisolone</i> TABS 4mg, 8mg, 16mg, 32mg | 3 | B/D |
| <i>methylprednisolone</i> TBPK 4mg | 2 | |
| <i>methylprednisolone acetate</i> SUSP 40mg/ml, 80mg/ml | 3 | B/D |
| <i>methylprednisolone sod succ</i> SOLR 40mg, 125mg, 1000mg | 3 | B/D |
| <i>prednisolone</i> SOLN 15mg/5ml | 2 | B/D |
| <i>prednisolone sodium phosphate</i> SOLN 5mg/5ml, 25mg/5ml | 4 | B/D |
| <i>prednisolone sodium phosphate</i> SOLN 15mg/5ml | 2 | B/D |
| <i>prednisone</i> SOLN 5mg/5ml | 4 | B/D |
| <i>prednisone</i> TABS 1mg, 2.5mg, 5mg, 10mg, 20mg, 50mg | 1 | B/D |
| <i>prednisone</i> TBPK 5mg, 10mg | 3 | |
| PREDNISONE INTENSOL CONC 5mg/ml | 4 | B/D |
| SOLU-CORTEF SOLR 100mg, 250mg, 500mg, 1000mg | 4 | |
| GLUCOSE ELEVATING AGENTS | | |
| <i>diazoxide</i> SUSP 50mg/ml | 5 | |
| ZEGALOGUE SOAJ .6mg/0.6ml; SOSY .6mg/0.6ml | 3 | |
| MISCELLANEOUS | | |
| ALDURAZYME SOLN 2.9mg/5ml | 5 | NM, PA |
| <i>betaine powder for oral solution</i> | 5 | NM |
| <i>cabergoline</i> TABS .5mg | 3 | |
| <i>carglumic acid</i> TBSO 200mg | 5 | NM, PA |
| CERDELGA CAPS 84mg | 5 | NM, PA |
| CEREZYME SOLR 400unit | 5 | NM, PA |
| <i>cinacalcet hcl</i> TABS 30mg, 60mg | 4 | B/D, QL (60 tabs / 30 days), NM |
| <i>cinacalcet hcl</i> TABS 90mg | 5 | B/D, QL (120 tabs / 30 days), NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CYSTAGON CAPS 50mg, 150mg | 4 | NM, PA |
| <i>desmopressin acetate</i> SOLN 4mcg/ml | 5 | |
| <i>desmopressin acetate</i> TABS .1mg, .2mg | 3 | |
| <i>desmopressin acetate spray</i> SOLN .01% | 4 | |
| <i>desmopressin acetate spray refrigerated</i> SOLN .01% | 4 | |
| FABRAZYME SOLR 5mg, 35mg | 5 | NM, PA |
| GENOTROPIN CART 5mg, 12mg | 5 | NM, PA |
| GENOTROPIN MINIQUICK PRSY .2mg | 3 | NM, PA |
| GENOTROPIN MINIQUICK PRSY .4mg, .6mg, .8mg, 1mg, 1.2mg, 1.4mg, 1.6mg, 1.8mg, 2mg | 5 | NM, PA |
| INCRELEX SOLN 40mg/4ml | 5 | NM, PA |
| <i>javygtor</i> PACK 100mg, 500mg; TABS 100mg | 5 | NM, PA |
| <i>lanreotide acetate</i> SOLN 120mg/0.5ml | 5 | NM, PA |
| <i>levocarnitine (metabolic modifiers)</i> SOLN 1gm/10ml; TABS 330mg | 4 | B/D |
| LUMIZYME SOLR 50mg | 5 | NM, PA |
| LUPRON DEPOT-PED (1-MONTH KIT 7.5mg, 11.25mg, 15mg | 5 | NM, PA |
| LUPRON DEPOT-PED (3-MONTH KIT 11.25mg, 30mg | 5 | NM, PA |
| LUPRON DEPOT-PED (6-MONTH KIT 45mg | 5 | NM, PA |
| <i>mifepristone (hyperglycemia)</i> TABS 300mg | 5 | NM, PA |
| NAGLAZYME SOLN 1mg/ml | 5 | NM, PA |
| <i>nitisinone</i> CAPS 2mg, 5mg, 10mg, 20mg | 5 | NM, PA |
| <i>octreotide acetate</i> SOLN 50mcg/ml, 100mcg/ml, 200mcg/ml; SOSY 50mcg/ml, 100mcg/ml | 4 | NM, PA |
| <i>octreotide acetate</i> SOLN 500mcg/ml, 1000mcg/ml; SOSY 500mcg/ml | 5 | NM, PA |
| <i>raloxifene hcl</i> TABS 60mg | 3 | |
| <i>sapropterin dihydrochloride</i> PACK 100mg, 500mg; TABS 100mg | 5 | NM, PA |
| SIGNIFOR SOLN .3mg/ml, .6mg/ml, .9mg/ml | 5 | NM, PA |
| <i>sodium phenylbutyrate</i> POWD 3gm/tsp; TABS 500mg | 5 | NM, PA |
| SOMATULINE DEPOT SOLN 60mg/0.2ml, 90mg/0.3ml, 120mg/0.5ml | 5 | NM, PA |
| SOMAVERT SOLR 10mg, 15mg, 20mg, 25mg, 30mg | 5 | NM, PA |
| SYNAREL SOLN 2mg/ml | 5 | PA |
| VEOZAH TABS 45mg | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PROGESTINS | | |
| <i>gallifrey</i> TABS 5mg | 3 | |
| <i>medroxyprogesterone acetate</i> TABS 2.5mg, 5mg, 10mg | 1 | |
| <i>megestrol acetate</i> SUSP 40mg/ml | 3 | |
| <i>megestrol acetate (appetite)</i> SUSP 625mg/5ml | 4 | PA |
| <i>norethindrone acetate</i> TABS 5mg | 3 | |
| <i>progesterone</i> CAPS 100mg, 200mg | 3 | |
| THYROID AGENTS | | |
| <i>euthyrox</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 1 | |
| <i>levo-t</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| <i>levothyroxine sodium</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| <i>levoxyl</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg | 1 | |
| <i>liothyronine sodium</i> TABS 5mcg, 25mcg, 50mcg | 3 | |
| <i>methimazole</i> TABS 5mg, 10mg | 1 | |
| <i>propylthiouracil</i> TABS 50mg | 3 | |
| SYNTHROID TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 4 | |
| <i>unithroid</i> TABS 25mcg, 50mcg, 75mcg, 88mcg, 100mcg, 112mcg, 125mcg, 137mcg, 150mcg, 175mcg, 200mcg, 300mcg | 1 | |
| VITAMIN D ANALOGS | | |
| <i>calcitriol</i> CAPS .25mcg, .5mcg | 2 | B/D |
| <i>calcitriol (oral)</i> SOLN 1mcg/ml | 4 | B/D |
| <i>paricalcitol</i> CAPS 1mcg, 2mcg, 4mcg | 4 | B/D |
| GASTROINTESTINAL | | |
| ANTIEMETICS | | |
| <i>aprepitant</i> CAPS 40mg, 80mg, 125mg | 4 | B/D |
| <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 4 | B/D |
| <i>compro</i> SUPP 25mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>dronabinol</i> CAPS 2.5mg, 5mg, 10mg | 4 | B/D, QL (60 caps / 30 days) |
| <i>granisetron hcl</i> SOLN 1mg/ml, 4mg/4ml | 4 | |
| <i>granisetron hcl</i> TABS 1mg | 4 | B/D |
| <i>meclizine hcl</i> TABS 12.5mg, 25mg | 2 | |
| <i>metoclopramide hcl</i> SOLN 5mg/5ml, 5mg/ml | 3 | |
| <i>metoclopramide hcl</i> TABS 5mg, 10mg | 1 | |
| <i>ondansetron</i> TBDP 4mg, 8mg | 3 | B/D |
| <i>ondansetron hcl</i> SOLN 4mg/2ml, 40mg/20ml; SOSY 4mg/2ml | 3 | |
| <i>ondansetron hcl</i> SOLN 4mg/5ml | 4 | B/D |
| <i>ondansetron hcl</i> TABS 4mg, 8mg | 3 | B/D |
| <i>prochlorperazine</i> SUPP 25mg | 4 | |
| <i>prochlorperazine edisylate</i> SOLN 10mg/2ml | 4 | |
| <i>prochlorperazine maleate</i> TABS 5mg, 10mg | 3 | |
| <i>promethazine hcl</i> SOLN 6.25mg/5ml, 25mg/ml, 50mg/ml; TABS 12.5mg, 25mg, 50mg | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>scopolamine</i> PT72 1mg/3days | 4 | QL (10 patches / 30 days), PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| ANTISPASMODICS | | |
| <i>dicyclomine hcl</i> CAPS 10mg; TABS 20mg | 3 | |
| <i>dicyclomine hcl</i> SOLN 10mg/5ml | 4 | |
| <i>glycopyrrolate</i> TABS 1mg | 3 | QL (90 tabs / 30 days) |
| <i>glycopyrrolate</i> TABS 2mg | 3 | QL (120 tabs / 30 days) |
| H2-RECEPTOR ANTAGONISTS | | |
| <i>famotidine</i> SOLN 20mg/2ml, 40mg/4ml, 200mg/20ml | 3 | |
| <i>famotidine</i> SUSR 40mg/5ml | 4 | |
| <i>famotidine</i> TABS 20mg, 40mg | 1 | |
| <i>famotidine in nacl 0.9% iv soln</i> 20 mg/50ml | 3 | |
| <i>nizatidine</i> CAPS 150mg, 300mg | 4 | |
| INFLAMMATORY BOWEL DISEASE | | |
| <i>balsalazide disodium</i> CAPS 750mg | 3 | |
| <i>budesonide</i> CPEP 3mg | 4 | QL (90 caps / 30 days), PA |
| <i>budesonide</i> TB24 9mg | 5 | QL (30 tabs / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>hydrocortisone (intrarectal) ENEM</i> 100mg/60ml | 4 | |
| <i>mesalamine CP24 .375gm</i> | 4 | QL (120 caps / 30 days) |
| <i>mesalamine CPDR 400mg</i> | 4 | QL (180 caps / 30 days) |
| <i>mesalamine ENEM 4gm</i> | 4 | QL (1680 mL / 28 days) |
| <i>mesalamine SUPP 1000mg</i> | 4 | QL (30 suppositories / 30 days) |
| <i>mesalamine TBEC 1.2gm</i> | 4 | QL (120 tabs / 30 days) |
| <i>mesalamine w/ cleanser KIT 4gm</i> | 4 | QL (28 bottles / 28 days) |
| <i>sulfasalazine TABS 500mg</i> | 2 | |
| <i>sulfasalazine TBEC 500mg</i> | 3 | |
| LAXATIVES | | |
| <i>constulose SOLN 10gm/15ml</i> | 3 | |
| <i>enulose SOLN 10gm/15ml</i> | 3 | |
| <i>gavilyte-c</i> | 2 | |
| <i>gavilyte-g</i> | 2 | |
| <i>gavilyte-n/flavor pack</i> | 2 | |
| <i>generlac SOLN 10gm/15ml</i> | 3 | |
| <i>lactulose SOLN 10gm/15ml</i> | 3 | |
| <i>lactulose (encephalopathy) SOLN</i> 10gm/15ml | 3 | |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate for</i> <i>soln 236 gm</i> | 2 | |
| <i>peg 3350-kcl-sod bicarb-nacl for soln 420</i> <i>gm</i> | 2 | |
| <i>PLENVU SOL</i> | 4 | |
| <i>sod sulfate-pot sulf-mg sulf oral sol 17.5-</i> <i>3.13-1.6 gm/177ml</i> | 3 | |
| MISCELLANEOUS | | |
| <i>alosetron hcl TABS 1mg</i> | 5 | QL (60 tabs / 30 days), PA |
| <i>alosetron hcl TABS .5mg</i> | 4 | QL (60 tabs / 30 days), PA |
| <i>CREON CAP 3000UNIT</i> | 3 | |
| <i>CREON CAP 6000UNIT</i> | 3 | |
| <i>CREON CAP 12000UNT</i> | 3 | |
| <i>CREON CAP 24000UNT</i> | 3 | |
| <i>CREON CAP 36000UNT</i> | 3 | |
| <i>cromolyn sodium (mastocytosis) CONC</i> 100mg/5ml | 4 | |
| <i>diphenoxylate w/ atropine liq 2.5-0.025</i> <i>mg/5ml</i> | 4 | |
| <i>diphenoxylate w/ atropine tab 2.5-0.025</i> <i>mg</i> | 3 | |
| <i>GATTEX KIT 5mg</i> | 5 | NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| LINZESS CAPS 72mcg, 145mcg, 290mcg | 3 | QL (30 caps / 30 days) |
| <i>loperamide hcl</i> CAPS 2mg | 3 | |
| <i>misoprostol</i> TABS 100mcg, 200mcg | 3 | |
| MOVANTIK TABS 12.5mg, 25mg | 3 | QL (30 tabs / 30 days) |
| RELISTOR SOLN 8mg/0.4ml, 12mg/0.6ml | 5 | QL (28 syringes / 28 days), PA |
| <i>sucralfate</i> TABS 1gm | 3 | |
| <i>ursodiol</i> CAPS 300mg | 3 | |
| <i>ursodiol</i> TABS 250mg, 500mg | 4 | |
| VOWST CAP | 5 | QL (12 caps / 30 days), NM, PA |
| XERMELO TABS 250mg | 5 | QL (84 tabs / 28 days), NM, PA |
| XIFAXAN TABS 550mg | 5 | PA |
| ZENPEP CAP 3000UNIT | 4 | |
| ZENPEP CAP 5000UNIT | 4 | |
| ZENPEP CAP 10000UNT | 4 | |
| ZENPEP CAP 15000UNT | 4 | |
| ZENPEP CAP 20000UNT | 4 | |
| ZENPEP CAP 25000UNT | 4 | |
| ZENPEP CAP 40000UNT | 4 | |
| ZENPEP CAP 60000UNT | 4 | |

PROTON PUMP INHIBITORS

| | | |
|---|---|----------------------------|
| <i>esomeprazole magnesium</i> CPDR 20mg, 40mg | 3 | QL (30 caps / 30 days), ST |
| <i>lansoprazole</i> CPDR 15mg, 30mg | 3 | QL (60 caps / 30 days) |
| <i>omeprazole</i> CPDR 10mg | 2 | |
| <i>omeprazole</i> CPDR 20mg, 40mg | 1 | |
| <i>pantoprazole sodium</i> SOLR 40mg | 4 | |
| <i>pantoprazole sodium</i> TBEC 20mg, 40mg | 1 | |

GENITOURINARY

BENIGN PROSTATIC HYPERPLASIA

| | | |
|--|---|----------------------------|
| <i>alfuzosin hcl</i> TB24 10mg | 2 | QL (30 tabs / 30 days) |
| <i>dutasteride</i> CAPS .5mg | 3 | QL (30 caps / 30 days) |
| <i>dutasteride-tamsulosin hcl cap</i> 0.5-0.4 mg | 3 | QL (30 caps / 30 days) |
| <i>finasteride</i> TABS 5mg | 1 | QL (30 tabs / 30 days) |
| <i>tadalafil</i> TABS 5mg | 3 | QL (30 tabs / 30 days), PA |
| <i>tamsulosin hcl</i> CAPS .4mg | 1 | QL (60 caps / 30 days) |

MISCELLANEOUS

| | | |
|--|---|--|
| <i>acetic acid</i> SOLN .25% | 2 | |
| <i>bethanechol chloride</i> TABS 5mg, 10mg, 25mg, 50mg | 3 | |
| <i>potassium citrate (alkalinizer)</i> TBCR 15meq, 540mg, 1080mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| URINARY ANTISPASMODICS | | |
| MYRBETRIQ SRER 8mg/ml | 4 | QL (300 mL / 28 days) |
| MYRBETRIQ TB24 25mg, 50mg | 4 | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> SOLN 5mg/5ml | 3 | QL (600 mL / 30 days) |
| <i>oxybutynin chloride</i> TABS 5mg | 3 | QL (120 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 5mg | 3 | QL (30 tabs / 30 days) |
| <i>oxybutynin chloride</i> TB24 10mg, 15mg | 3 | QL (60 tabs / 30 days) |
| <i>solifenacin succinate</i> TABS 5mg, 10mg | 4 | QL (30 tabs / 30 days) |
| <i>tolterodine tartrate</i> CP24 2mg, 4mg | 4 | QL (30 caps / 30 days), ST |
| <i>tolterodine tartrate</i> TABS 1mg, 2mg | 4 | QL (60 tabs / 30 days) |
| <i>trospium chloride</i> TABS 20mg | 3 | QL (60 tabs / 30 days) |
| VAGINAL ANTI-INFECTIVES | | |
| <i>clindamycin phosphate vaginal</i> CREA 2% | 3 | |
| <i>metronidazole vaginal</i> GEL .75% | 3 | |
| <i>terconazole vaginal</i> CREA .4%, .8%; SUPP 80mg | 3 | |
| HEMATOLOGIC | | |
| ANTICOAGULANTS | | |
| <i>dabigatran etexilate mesylate</i> CAPS 75mg, 150mg | 4 | QL (60 caps / 30 days) |
| <i>dabigatran etexilate mesylate</i> CAPS 110mg | 4 | QL (120 caps / 30 days) |
| ELIQUIS TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| ELIQUIS TABS 5mg | 3 | QL (74 tabs / 30 days) |
| ELIQUIS STARTER PACK TBPK 5mg | 3 | QL (74 tabs / 30 days) |
| <i>enoxaparin sodium</i> SOLN 300mg/3ml; SOSY 30mg/0.3ml, 40mg/0.4ml, 60mg/0.6ml, 80mg/0.8ml, 100mg/ml, 120mg/0.8ml, 150mg/ml | 4 | |
| <i>fondaparinux sodium</i> SOLN 2.5mg/0.5ml | 4 | |
| <i>fondaparinux sodium</i> SOLN 5mg/0.4ml, 7.5mg/0.6ml, 10mg/0.8ml | 5 | |
| HEP SOD/NAACL INJ 25000UNT | 3 | |
| <i>heparin sodium (porcine)</i> SOLN 1000unit/ml, 5000unit/ml, 10000unit/ml, 20000unit/ml | 3 | B/D |
| <i>jantoven</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |
| <i>warfarin sodium</i> TABS 1mg, 2mg, 2.5mg, 3mg, 4mg, 5mg, 6mg, 7.5mg, 10mg | 1 | |
| XARELTO SUSR 1mg/ml | 3 | QL (620 mL / 30 days) |
| XARELTO TABS 2.5mg | 3 | QL (60 tabs / 30 days) |
| XARELTO TABS 10mg, 15mg, 20mg | 3 | QL (30 tabs / 30 days) |
| XARELTO STAR TAB 15/20MG | 3 | QL (51 tabs / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| HEMATOPOIETIC GROWTH FACTORS | | |
| FULPHILA SOSY 6mg/0.6ml | 5 | QL (2 syringes / 28 days), NM, PA |
| PROCRIT SOLN 2000unit/ml, 3000unit/ml, 4000unit/ml, 10000unit/ml | 3 | NM, PA |
| PROCRIT SOLN 20000unit/ml, 40000unit/ml | 5 | NM, PA |
| ZARXIO SOSY 300mcg/0.5ml, 480mcg/0.8ml | 5 | NM, PA |
| MISCELLANEOUS | | |
| ALVAIZ TABS 9mg, 54mg | 5 | QL (60 tabs / 30 days), NM, PA |
| ALVAIZ TABS 18mg, 36mg | 5 | QL (90 tabs / 30 days), NM, PA |
| <i>anagrelide hcl</i> CAPS .5mg, 1mg | 4 | |
| BERINERT KIT 500unit | 5 | QL (24 boxes / 30 days), NM, PA |
| <i>cilostazol</i> TABS 50mg, 100mg | 2 | |
| DOPTELET TABS 20mg | 5 | NM, PA |
| HAEGARDA SOLR 2000unit | 5 | QL (30 vials / 30 days), NM, PA |
| HAEGARDA SOLR 3000unit | 5 | QL (20 vials / 30 days), NM, PA |
| <i>icatibant acetate</i> SOSY 30mg/3ml | 5 | QL (9 syringes / 30 days), NM, PA |
| <i>l-glutamine (sickle cell)</i> PACK 5gm | 5 | NM, PA |
| <i>pentoxifylline</i> TBCR 400mg | 2 | |
| <i>sajazir</i> SOSY 30mg/3ml | 5 | QL (9 syringes / 30 days), NM, PA |
| TAVNEOS CAPS 10mg | 5 | QL (180 caps / 30 days), NM, PA |
| <i>tranexamic acid</i> SOLN 1000mg/10ml | 4 | |
| <i>tranexamic acid</i> TABS 650mg | 3 | |
| PLATELET AGGREGATION INHIBITORS | | |
| <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 4 | |
| BRILINTA TABS 60mg, 90mg | 3 | |
| <i>clopidogrel bisulfate</i> TABS 75mg | 1 | |
| <i>dipyridamole</i> TABS 25mg, 50mg, 75mg | 3 | PA; PA applies if 70 years and older |
| <i>prasugrel hcl</i> TABS 5mg, 10mg | 3 | |
| IMMUNOLOGIC AGENTS | | |
| AUTOIMMUNE AGENTS | | |
| ADALIMUMAB-AACF (2 PEN) AJKT 40mg/0.8ml | 5 | QL (56 pens / 365 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------------|
| ADALIMUMAB-AACF (2 SYRING PSKT 40mg/0.8ml | 5 | QL (56 syringes / 365 days), NM, PA |
| ADALIMUMAB-AACF STARTER P AJKT 40mg/0.8ml | 5 | QL (2 packs / year), NM, PA |
| COSENTYX SOLN 125mg/5ml | 5 | NM, PA |
| COSENTYX SOSY 75mg/0.5ml | 5 | QL (16 syringes / 365 days), NM, PA |
| COSENTYX SOSY 150mg/ml | 5 | QL (32 syringes / 365 days), NM, PA |
| COSENTYX SENSOREADY PEN SOAJ 150mg/ml | 5 | QL (32 pens / 365 days), NM, PA |
| COSENTYX UNOREADY SOAJ 300mg/2ml | 5 | QL (16 pens / 365 days), NM, PA |
| DUPIXENT SOAJ 200mg/1.14ml, 300mg/2ml | 5 | QL (4 pens / 28 days), NM, PA |
| DUPIXENT SOSY 200mg/1.14ml, 300mg/2ml | 5 | QL (4 syringes / 28 days), NM, PA |
| ENBREL SOLN 25mg/0.5ml | 5 | QL (16 vials / 28 days), NM, PA |
| ENBREL SOSY 25mg/0.5ml | 5 | QL (16 syringes / 28 days), NM, PA |
| ENBREL SOSY 50mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| ENBREL MINI SOCT 50mg/ml | 5 | QL (8 cartridges / 28 days), NM, PA |
| ENBREL SURECLICK SOAJ 50mg/ml | 5 | QL (8 pens / 28 days), NM, PA |
| HUMIRA PSKT 10mg/0.1ml | 5 | QL (2 syringes / 28 days), NM, PA |
| HUMIRA PSKT 20mg/0.2ml | 5 | QL (4 syringes / 28 days), NM, PA |
| HUMIRA PSKT 40mg/0.4ml, 40mg/0.8ml | 5 | QL (6 syringes / 28 days), NM, PA |
| HUMIRA PEN AJKT 40mg/0.4ml, 40mg/0.8ml | 5 | QL (6 pens / 28 days), NM, PA |
| HUMIRA PEN AJKT 80mg/0.8ml | 5 | QL (4 pens / 28 days), NM, PA |
| HUMIRA PEN KIT PS/UV | 5 | QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-CD/UC/HS START AJKT 80mg/0.8ml | 5 | QL (3 pens / 28 days), NM, PA |
| HUMIRA PEN-PEDIATRIC UC S AJKT 80mg/0.8ml | 5 | QL (4 pens / 28 days), NM, PA |
| IDACIO (2 PEN) AJKT 40mg/0.8ml | 5 | QL (56 pens / 365 days), NM, PA |
| IDACIO (2 SYRINGE) PSKT 40mg/0.8ml | 5 | QL (56 syringes / 365 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| IDACIO CROHN INJ DISEASE AJKT 40mg/0.8ml | 5 | QL (2 packs / year), NM, PA |
| IDACIO PLAQU INJ PSORIASIS AJKT 40mg/0.8ml | 5 | QL (2 packs / year), NM, PA |
| INFLIXIMAB SOLR 100mg | 5 | NM, PA |
| REMICADE SOLR 100mg | 5 | NM, PA |
| RENFLEXIS SOLR 100mg | 5 | NM, PA |
| RINVOQ TB24 15mg, 30mg | 5 | QL (30 tabs / 30 days), NM, PA |
| RINVOQ TB24 45mg | 5 | QL (168 tabs / year), NM, PA |
| RINVOQ LQ SOLN 1mg/ml | 5 | QL (360 mL / 30 days), NM, PA |
| SKYRIZI SOCT 180mg/1.2ml, 360mg/2.4ml | 5 | QL (1 cartridge / 56 days), NM, PA |
| SKYRIZI SOLN 600mg/10ml | 5 | NM, PA |
| SKYRIZI SOSY 150mg/ml | 5 | QL (6 syringes / 365 days), NM, PA |
| SKYRIZI PEN SOAJ 150mg/ml | 5 | QL (6 pens / 365 days), NM, PA |
| SOTYKTU TABS 6mg | 5 | QL (30 tabs / 30 days), NM, PA |
| STELARA SOLN 45mg/0.5ml | 5 | QL (1 vial / 28 days), NM, PA |
| STELARA SOLN 130mg/26ml | 5 | NM, PA |
| STELARA SOSY 45mg/0.5ml, 90mg/ml | 5 | QL (1 syringe / 28 days), NM, PA |
| TREMFYA SOAJ 100mg/ml, 200mg/2ml | 5 | QL (1 pen / 28 days), NM, PA |
| TREMFYA SOLN 200mg/20ml | 5 | NM, PA |
| TREMFYA SOSY 100mg/ml, 200mg/2ml | 5 | QL (1 syringe / 28 days), NM, PA |
| TYENNE SOAJ 162mg/0.9ml | 5 | QL (4 pens / 28 days), NM, PA |
| TYENNE SOLN 80mg/4ml, 200mg/10ml, 400mg/20ml | 5 | NM, PA |
| TYENNE SOSY 162mg/0.9ml | 5 | QL (4 syringes / 28 days), NM, PA |
| VELSIPITY TABS 2mg | 5 | QL (30 tabs / 30 days), NM, PA |
| XELJANZ SOLN 1mg/ml | 5 | QL (480 mL / 24 days), NM, PA |
| XELJANZ TABS 5mg, 10mg | 5 | QL (60 tabs / 30 days), NM, PA |
| XELJANZ XR TB24 11mg, 22mg | 5 | QL (30 tabs / 30 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDS)</i> | | |
| <i>hydroxychloroquine sulfate</i> TABS 200mg | 3 | |
| JYLAMVO SOLN 2mg/ml | 4 | B/D |
| <i>leflunomide</i> TABS 10mg, 20mg | 3 | QL (30 tabs / 30 days) |
| <i>methotrexate sodium</i> TABS 2.5mg | 3 | |
| XATMEP SOLN 2.5mg/ml | 4 | B/D |
| <i>IMMUNOGLOBULINS</i> | | |
| ALYGLO SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml | 5 | NM, PA |
| BIVIGAM SOLN 5gm/50ml, 10% | 5 | NM, PA |
| FLEBOGAMMA DIF SOLN 5gm/100ml, 10gm/200ml, 20gm/400ml | 5 | NM, PA |
| GAMASTAN INJ | 4 | B/D, NM |
| GAMMAGARD LIQUID SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| GAMMAGARD S/D IGA LESS TH SOLR 5gm, 10gm | 5 | NM, PA |
| GAMMAKED SOLN 1gm/10ml, 5gm/50ml, 10gm/100ml, 20gm/200ml | 5 | NM, PA |
| GAMMAPLEX SOLN 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 20gm/400ml | 5 | NM, PA |
| GAMUNEX-C SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NM, PA |
| OCTAGAM SOLN 1gm/20ml, 2gm/20ml, 2.5gm/50ml, 5gm/100ml, 5gm/50ml, 10gm/100ml, 10gm/200ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| PANZYGA SOLN 1gm/10ml, 2.5gm/25ml, 5gm/50ml, 10gm/100ml, 20gm/200ml, 30gm/300ml | 5 | NM, PA |
| PRIVIGEN SOLN 5gm/50ml, 10gm/100ml, 20gm/200ml, 40gm/400ml | 5 | NM, PA |
| <i>IMMUNOMODULATORS</i> | | |
| ACTIMMUNE SOLN 100mcg/0.5ml | 5 | NM, PA |
| ARCALYST SOLR 220mg | 5 | NM, PA |
| <i>IMMUNOSUPPRESSANTS</i> | | |
| ASTAGRAF XL CP24 5mg | 5 | B/D, NM |
| ASTAGRAF XL CP24 .5mg, 1mg | 4 | B/D, NM |
| <i>azathioprine</i> TABS 50mg | 3 | B/D |
| BENLYSTA SOAJ 200mg/ml; SOSY 200mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| BENLYSTA SOLR 120mg, 400mg | 5 | NM, PA |
| <i>cyclosporine</i> CAPS 25mg, 100mg | 4 | B/D, NM |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>cyclosporine modified (for microemulsion)</i> CAPS 25mg, 50mg, 100mg; SOLN 100mg/ml | 4 | B/D, NM |
| <i>everolimus (immunosuppressant)</i> TABS .25mg, .5mg, .75mg, 1mg | 5 | B/D, NM |
| <i>gengraf</i> CAPS 25mg, 100mg; SOLN 100mg/ml | 4 | B/D, NM |
| <i>mycophenolate mofetil</i> CAPS 250mg; TABS 500mg | 3 | B/D, NM |
| <i>mycophenolate mofetil</i> SUSR 200mg/ml | 5 | B/D, NM |
| <i>mycophenolate sodium</i> TBEC 180mg, 360mg | 4 | B/D, NM |
| NULOJIX SOLR 250mg | 5 | B/D, NM |
| PROGRAF PACK .2mg, 1mg | 4 | B/D, NM |
| REZUROCK TABS 200mg | 5 | QL (30 tabs / 30 days), NM, PA |
| <i>sirolimus</i> SOLN 1mg/ml | 5 | B/D, NM |
| <i>sirolimus</i> TABS .5mg, 1mg, 2mg | 4 | B/D, NM |
| <i>tacrolimus</i> CAPS .5mg, 1mg, 5mg | 4 | B/D, NM |

VACCINES

| | | |
|--|---|-----|
| ABRYSVO SOLR 120mcg/0.5ml | 1 | |
| ACTHIB INJ | 1 | |
| ADACEL INJ | 1 | |
| AREXVY SUSR 120mcg/0.5ml | 1 | |
| BCG VACCINE SOLR 50mg | 1 | |
| BEXSERO INJ | 1 | |
| BOOSTRIX INJ | 1 | |
| DAPTACEL INJ | 1 | |
| DENGVAXIA SUS | 1 | |
| DIP/TET PED INJ 25-5LFU | 1 | B/D |
| ENGERIX-B SUSP 20mcg/ml; SUSY 10mcg/0.5ml, 20mcg/ml | 1 | B/D |
| GARDASIL 9 INJ | 1 | |
| HAVRIX SUSP 720elu/0.5ml, 1440elu/ml | 1 | |
| HEPLISAV-B SOSY 20mcg/0.5ml | 1 | B/D |
| HIBERIX SOLR 10mcg | 1 | |
| IMOVAX RABIES (H.D.C.V.) SUSR 2.5unit/ml | 1 | B/D |
| INFANRIX INJ | 1 | |
| IPOL INJ INACTIVE | 1 | |
| IXCHIQ INJ | 1 | |
| IXIARO INJ | 1 | |
| JYNNEOS SUSP .5ml | 1 | B/D |
| KINRIX INJ | 1 | |
| M-M-R II INJ | 1 | |
| MENACTRA INJ | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| MENQUADFI INJ | 1 | |
| MENVEO INJ | 1 | |
| MENVEO SOL | 1 | |
| MRESVIA SUSY 50mcg/0.5ml | 1 | |
| PEDIARIX INJ 0.5ML | 1 | |
| PEDVAX HIB SUSP 7.5mcg/0.5ml | 1 | |
| PENBRAYA INJ | 1 | |
| PENTACEL INJ | 1 | |
| PRIORIX INJ | 1 | |
| PROQUAD INJ | 1 | |
| QUADRACEL INJ 0.5ML | 1 | |
| RABAVERT INJ | 1 | B/D |
| RECOMBIVAX HB SUSP 5mcg/0.5ml, 10mcg/ml, 40mcg/ml; SUSY 5mcg/0.5ml, 10mcg/ml | 1 | B/D |
| ROTARIX SUS | 1 | |
| ROTATEQ SOL | 1 | |
| SHINGRIX SUSR 50mcg/0.5ml | 1 | QL (2 vials per lifetime) |
| TENIVAC INJ 5-2LF | 1 | B/D |
| TICOVAC SUSY 1.2mcg/0.25ml, 2.4mcg/0.5ml | 1 | |
| TRUMENBA INJ | 1 | |
| TWINRIX INJ | 1 | |
| TYPHIM VI SOLN 25mcg/0.5ml; SOSY 25mcg/0.5ml | 1 | |
| VAQTA SUSP 25unit/0.5ml, 50unit/ml | 1 | |
| VARIVAX SUSR 1350pfu/0.5ml | 1 | |
| VAXCHORA SUS | 1 | |
| YF-VAX INJ | 1 | |

NUTRITIONAL/SUPPLEMENTS

ELECTROLYTES/MINERALS, INJECTABLE

| | | |
|--|---|--|
| D2.5W/NACL INJ 0.45% | 4 | |
| D10W/NACL INJ 0.2% | 3 | |
| <i>dextrose 2.5% w/ sodium chloride 0.45%</i> | 3 | |
| <i>dextrose 5% in lactated ringers</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.2%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.3%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.45%</i> | 3 | |
| <i>dextrose 5% w/ sodium chloride 0.225%</i> | 3 | |
| <i>dextrose 10% w/ sodium chloride 0.45%</i> | 3 | |
| ISOLYTE-P INJ /D5W | 4 | |
| ISOLYTE-S INJ PH 7.4 | 4 | |
| <i>kcl 10 meq/l (0.075%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.2% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.9% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 3 | |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45% inj</i> | 3 | |
| <i>kcl 30 meq/l (0.224%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.9% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% & nacl 0.45% inj</i> | 3 | |
| <i>kcl 40 meq/l (0.3%) in nacl 0.9% inj</i> | 3 | |
| KCL/D5W/NACL INJ 0.3/0.9% | 4 | |
| <i>lactated ringer's solution</i> | 3 | |
| MAGNESIUM SULFATE SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml | 3 | |
| <i>magnesium sulfate SOLN 2gm/50ml, 4gm/100ml, 4gm/50ml, 20gm/500ml, 40gm/1000ml, 50%</i> | 3 | |
| <i>magnesium sulfate in dextrose 5% iv soln 1 gm/100ml</i> | 3 | |
| <i>multiple electrolytes ph 5.5</i> | 4 | |
| <i>multiple electrolytes ph 7.4</i> | 4 | |
| POT CHL 20MEQ/L IN NACL 0.9% INJ | 4 | |
| POT CHL 20MEQ/L IN NACL 0.45% INJ | 4 | |
| POT CHL 40MEQ/L IN NACL 0.9% INJ | 4 | |
| <i>potassium chloride SOLN 2meq/ml, 10meq/100ml, 10meq/50ml, 20meq/100ml, 20meq/50ml, 40meq/100ml</i> | 3 | |
| <i>potassium chloride 20 meq/l (0.15%) in dextrose 5% inj</i> | 3 | |
| <i>sodium chloride SOLN .45%, .9%, 2.5meq/ml, 3%, 5%</i> | 3 | |
| TPN ELECTROL INJ | 4 | B/D |
| ELECTROLYTES/MINERALS/VITAMINS, ORAL | | |
| <i>klor-con PACK 20meq</i> | 4 | |
| <i>klor-con 8 TBCR 8meq</i> | 2 | |
| <i>klor-con 10 TBCR 10meq</i> | 2 | |
| <i>klor-con m10 TBCR 10meq</i> | 2 | |
| <i>klor-con m15 TBCR 15meq</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>klor-con m20</i> TBCR 20meq | 2 | |
| M-NATAL PLUS TAB | 3 | |
| <i>potassium chloride</i> CPCR 8meq, 10meq; TBCR 8meq, 10meq, 20meq | 2 | |
| <i>potassium chloride</i> PACK 20meq; SOLN 10%, 20% | 4 | |
| <i>potassium chloride microencapsulated crystals er</i> TBCR 10meq, 15meq, 20meq | 2 | |
| PRENATAL TAB 27-1MG | 3 | |
| PRENATAL TAB PLUS | 3 | |
| <i>sodium fluoride chew; tab; 1.1 (0.5 f) mg/ml soln</i> | 2 | |
| WESTAB PLUS TAB 27-1MG | 3 | |

IV NUTRITION

| | | |
|---|---|-----|
| CLINIMIX INJ 4.25/D5W | 4 | B/D |
| CLINIMIX INJ 4.25/D10 | 4 | B/D |
| CLINIMIX INJ 5%/D15W | 4 | B/D |
| CLINIMIX INJ 5%/D20W | 4 | B/D |
| CLINIMIX INJ 6/5 | 4 | B/D |
| CLINIMIX INJ 8/10 | 4 | B/D |
| CLINIMIX INJ 8/14 | 4 | B/D |
| <i>clinisol sf 15%</i> | 4 | B/D |
| CLINOLIPID EMU 20% | 4 | B/D |
| <i>dextrose</i> SOLN 5%, 10% | 3 | |
| <i>dextrose</i> SOLN 50%, 70% | 3 | B/D |
| INTRALIPID EMUL 20gm/100ml, 30gm/100ml | 4 | B/D |
| NUTRILIPID EMUL 20gm/100ml | 4 | B/D |
| <i>plenamine</i> | 4 | B/D |
| PREMASOL SOL 10% | 5 | B/D |
| PROSOL INJ 20% | 4 | B/D |
| TRAVASOL INJ 10% | 4 | B/D |
| TROPHAMINE INJ 10% | 4 | B/D |

OPHTHALMIC

ANTI-INFECTIVE/ANTI-INFLAMMATORY

| | | |
|--|---|--|
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 3 | |
| <i>neo-polycin hc ophth oint 1%</i> | 3 | |
| <i>neomycin-polymyxin-dexamethasone ophth oint 0.1%</i> | 2 | |
| <i>neomycin-polymyxin-dexamethasone ophth susp 0.1%</i> | 2 | |
| <i>neomycin-polymyxin-hc ophth susp</i> | 4 | |
| <i>sulfacetamide sodium-prednisolone ophth soln 10-0.23(0.25)%</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TOBRADEX OIN 0.3-0.1% | 4 | |
| <i>tobramycin-dexamethasone ophth susp 0.3-0.1%</i> | 3 | |
| ZYLET SUS 0.5-0.3% | 4 | |

ANTI-INFECTIVES

| | | |
|---|---|----------------------|
| <i>bacitracin (ophthalmic) OINT 500unit/gm</i> | 3 | |
| <i>bacitracin-polymyxin b ophth oint</i> | 2 | |
| BESIVANCE SUSP .6% | 4 | |
| CILOXAN OINT .3% | 3 | |
| <i>ciprofloxacin hcl (ophth) SOLN .3%</i> | 2 | |
| <i>erythromycin (ophth) OINT 5mg/gm</i> | 2 | |
| <i>gatifloxacin (ophth) SOLN .5%</i> | 3 | |
| <i>gentamicin sulfate (ophth) SOLN .3%</i> | 2 | |
| <i>moxifloxacin hcl (ophth) SOLN .5%</i> | 3 | QL (12 mL / 30 days) |
| <i>neo-polycin 5(3.5)mg-400unt-10000unt op oin</i> | 3 | |
| <i>neomycin-bacitrac zn-polymyx 5(3.5)mg-400unt-10000unt op oin</i> | 3 | |
| <i>neomycin-polymy-gramicid op sol 1.75-10000-0.025mg-unt-mg/ml</i> | 3 | |
| <i>ofloxacin (ophth) SOLN .3%</i> | 2 | |
| <i>polycin ophth oint</i> | 2 | |
| <i>polymyxin b-trimethoprim ophth soln 10000 unit/ml-0.1%</i> | 1 | |
| <i>sulfacetamide sodium (ophth) OINT 10%; SOLN 10%</i> | 3 | |
| <i>tobramycin (ophth) SOLN .3%</i> | 1 | |
| <i>trifluridine SOLN 1%</i> | 4 | |
| XDEMVI SOLN .25% | 5 | NM, PA |
| ZIRGAN GEL .15% | 4 | |

ANTI-INFLAMMATORIES

| | | |
|--|---|--|
| <i>bromfenac sodium (ophth) SOLN .07%, .075%</i> | 4 | |
| <i>dexamethasone sodium phosphate (ophth) SOLN .1%</i> | 3 | |
| <i>diclofenac sodium (ophth) SOLN .1%</i> | 2 | |
| FLAREX SUSP .1% | 4 | |
| <i>fluorometholone (ophth) SUSP .1%</i> | 3 | |
| <i>flurbiprofen sodium SOLN .03%</i> | 3 | |
| <i>ketorolac tromethamine (ophth) SOLN .4%</i> | 3 | |
| <i>ketorolac tromethamine (ophth) SOLN .5%</i> | 2 | |
| LOTEMAX OINT .5% | 4 | |
| <i>loteprednol etabonate SUSP .2%</i> | 3 | |
| <i>prednisolone acetate (ophth) SUSP 1%</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PREDNISOLONE SODIUM PHOSP SOLN 1% | 3 | |
| ANTIALLERGICS | | |
| <i>azelastine hcl (ophth)</i> SOLN .05% | 2 | |
| <i>cromolyn sodium (ophth)</i> SOLN 4% | 2 | |
| ANTI GLAUCOMA | | |
| <i>betaxolol hcl (ophth)</i> SOLN .5% | 3 | |
| BETOPTIC-S SUSP .25% | 4 | |
| <i>bimatoprost</i> SOLN .03% | 3 | |
| <i>brimonidine tartrate</i> SOLN .2% | 1 | |
| <i>brimonidine tartrate</i> SOLN .15% | 4 | |
| <i>brinzolamide</i> SUSP 1% | 4 | |
| <i>carteolol hcl (ophth)</i> SOLN 1% | 2 | |
| COMBIGAN SOL 0.2/0.5% | 3 | |
| <i>dorzolamide hcl</i> SOLN 2% | 2 | |
| <i>dorzolamide hcl-timolol maleate ophth soln</i> 2-0.5% | 2 | |
| <i>latanoprost</i> SOLN .005% | 1 | |
| <i>levobunolol hcl</i> SOLN .5% | 2 | |
| LUMIGAN SOLN .01% | 3 | |
| <i>pilocarpine hcl</i> SOLN 1%, 2%, 4% | 3 | |
| RHOPRESSA SOLN .02% | 4 | |
| ROCKLATAN DRO | 4 | |
| SIMBRINZA SUS 1-0.2% | 4 | |
| <i>timolol maleate (ophth)</i> SOLG .25%, .5% | 3 | |
| <i>timolol maleate (ophth)</i> SOLN .25%, .5% | 1 | |
| VYZULTA SOLN .024% | 4 | |
| MISCELLANEOUS | | |
| ATROPINE SULFATE SOLN 1% | 3 | |
| <i>atropine sulfate (ophthalmic)</i> SOLN 1% | 3 | |
| CYSTADROPS SOLN .37% | 5 | NM, PA |
| CYSTARAN SOLN .44% | 5 | NM, PA |
| EYSUVIS SUSP .25% | 4 | |
| MIEBO SOLN 1.338gm/ml | 3 | |
| <i>proparacaine hcl</i> SOLN .5% | 3 | |
| RESTASIS EMUL .05% | 3 | |
| RESTASIS MULTIDOSE EMUL .05% | 3 | |
| XIIDRA SOLN 5% | 4 | |
| OTIC | | |
| OTIC AGENTS | | |
| <i>acetic acid (otic)</i> SOLN 2% | 3 | |
| <i>ciprofloxacin-dexamethasone otic susp</i> 0.3- 0.1% | 4 | |
| <i>flac</i> OIL .01% | 3 | |
| <i>fluocinolone acetonide (otic)</i> OIL .01% | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>neomycin-polymyxin-hc otic soln 1%</i> | 3 | |
| <i>neomycin-polymyxin-hc otic susp 3.5 mg/ml-10000 unit/ml-1%</i> | 3 | |
| <i>ofloxacin (otic) SOLN .3%</i> | 4 | |

RESPIRATORY

ANTICHOLINERGIC/BETA AGONIST COMBINATIONS

| | | |
|--|---|----------------------------|
| ANORO ELLIPTA AER 62.5-25 | 3 | QL (60 blisters / 30 days) |
| BEVESPI AER 9-4.8MCG | 3 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE | 3 | QL (1 inhaler / 30 days) |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 3 | QL (4 inhalers / 28 days) |
| COMBIVENT AER 20-100 | 4 | QL (2 inhalers / 30 days) |
| <i>ipratropium-albuterol nebu soln 0.5-2.5(3) mg/3ml</i> | 3 | B/D |
| TRELEGY AER ELLIPTA 100-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |
| TRELEGY AER ELLIPTA 200-62.5-25 MCG | 3 | QL (60 blisters / 30 days) |

ANTICHOLINERGICS

| | | |
|--|---|----------------------------|
| ATROVENT HFA AERS 17mcg/act | 4 | QL (2 inhalers / 30 days) |
| INCRUSE ELLIPTA AEPB 62.5mcg/inh | 3 | QL (30 blisters / 30 days) |
| <i>ipratropium bromide SOLN .02%</i> | 2 | B/D |
| <i>ipratropium bromide (nasal) SOLN .03%, .06%</i> | 3 | |

ANTI-HISTAMINES

| | | |
|---|---|---|
| <i>azelastine hcl SOLN .1%</i> | 3 | |
| <i>cetirizine hcl SOLN 5mg/5ml</i> | 2 | QL (300 mL / 30 days) |
| <i>cyproheptadine hcl SYRP 2mg/5ml; TABS 4mg</i> | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>diphenhydramine hcl SOLN 50mg/ml</i> | 3 | |
| <i>hydroxyzine hcl SOLN 25mg/ml, 50mg/ml</i> | 4 | PA; PA applies if 70 years and older |
| <i>hydroxyzine hcl SYRP 10mg/5ml; TABS 10mg, 25mg, 50mg</i> | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |
| <i>hydroxyzine pamoate CAPS 25mg, 50mg</i> | 3 | PA; PA applies if 70 years and older after a 30 day supply in a calendar year |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>levocetirizine dihydrochloride</i> SOLN 2.5mg/5ml | 4 | QL (300 mL / 30 days) |
| <i>levocetirizine dihydrochloride</i> TABS 5mg | 2 | QL (30 tabs / 30 days) |
| BETA AGONISTS | | |
| <i>albuterol sulfate</i> AERS 108mcg/act | 3 | QL (2 inhalers / 30 days); (generic of Proair HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | 3 | QL (2 inhalers / 30 days); (generic of Proventil HFA) |
| <i>albuterol sulfate</i> AERS 108mcg/act | 3 | QL (2 inhalers / 30 days); (generic of Ventolin HFA) |
| <i>albuterol sulfate</i> NEBU .63mg/3ml, 1.25mg/3ml, 2.5mg/0.5ml | 3 | B/D |
| <i>albuterol sulfate</i> NEBU .083% | 2 | B/D |
| <i>albuterol sulfate</i> SYRP 2mg/5ml | 3 | |
| <i>albuterol sulfate</i> TABS 2mg, 4mg | 4 | |
| <i>levalbuterol tartrate</i> AERO 45mcg/act | 3 | QL (2 inhalers / 30 days), ST |
| SEREVENT DISKUS AEPB 50mcg/dose | 3 | QL (60 inhalations / 30 days) |
| <i>terbutaline sulfate</i> TABS 2.5mg, 5mg | 4 | |
| VENTOLIN HFA AERS 108mcg/act | 3 | QL (2 inhalers / 30 days) |
| VENTOLIN HFA (INSTITUTIONAL PACK) AERS 108mcg/act | 3 | QL (6 inhalers / 30 days) |
| LEUKOTRIENE MODULATORS | | |
| <i>montelukast sodium</i> CHEW 4mg, 5mg | 2 | |
| <i>montelukast sodium</i> PACK 4mg | 4 | |
| <i>montelukast sodium</i> TABS 10mg | 1 | |
| <i>zafirlukast</i> TABS 10mg, 20mg | 3 | |
| MISCELLANEOUS | | |
| <i>acetylcysteine</i> SOLN 10%, 20% | 4 | B/D |
| ARALAST NP SOLR 500mg, 1000mg | 5 | NM, PA |
| BRONCHITOL CAPS 40mg | 5 | QL (560 caps / 28 days), NM, PA |
| <i>cromolyn sodium</i> NEBU 20mg/2ml | 3 | B/D |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.3ml, .3mg/0.3ml | 3 | (generic of EpiPen) |
| <i>epinephrine (anaphylaxis)</i> SOAJ .15mg/0.15ml, .3mg/0.3ml | 3 | (generic of Adrenaclick) |
| FASENRA SOSY 10mg/0.5ml, 30mg/ml | 5 | QL (1 syringe / 28 days), NM, PA |
| FASENRA PEN SOAJ 30mg/ml | 5 | QL (1 pen / 28 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| KALYDECO PACK 5.8mg, 13.4mg, 25mg, 50mg, 75mg | 5 | QL (56 packets / 28 days), NM, PA |
| KALYDECO TABS 150mg | 5 | QL (60 tabs / 30 days), NM, PA |
| OFEV CAPS 100mg, 150mg | 5 | QL (60 caps / 30 days), NM, PA |
| ORKAMBI GRA 75-94MG | 5 | QL (56 packets / 28 days), NM, PA |
| ORKAMBI GRA 100-125 | 5 | QL (56 packets / 28 days), NM, PA |
| ORKAMBI GRA 150-188 | 5 | QL (56 packets / 28 days), NM, PA |
| ORKAMBI TAB 100-125 | 5 | QL (112 tabs / 28 days), NM, PA |
| ORKAMBI TAB 200-125 | 5 | QL (112 tabs / 28 days), NM, PA |
| <i>pirfenidone</i> CAPS 267mg | 5 | QL (270 caps / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 267mg | 5 | QL (270 tabs / 30 days), NM, PA |
| <i>pirfenidone</i> TABS 534mg, 801mg | 5 | QL (90 tabs / 30 days), NM, PA |
| PROLASTIN-C SOLN 1000mg/20ml | 5 | NM, PA |
| PULMOZYME SOLN 2.5mg/2.5ml | 5 | NM, PA |
| <i>roflumilast</i> TABS 250mcg | 4 | QL (56 tabs / year) |
| <i>roflumilast</i> TABS 500mcg | 4 | QL (30 tabs / 30 days) |
| SYMDEKO TAB 50-75MG | 5 | QL (56 tabs / 28 days), NM, PA |
| SYMDEKO TAB 100-150 | 5 | QL (56 tabs / 28 days), NM, PA |
| <i>theophylline</i> ELIX 80mg/15ml; SOLN 80mg/15ml; TB12 100mg, 200mg, 300mg, 450mg | 4 | |
| <i>theophylline</i> TB24 400mg, 600mg | 3 | |
| TRIKAFTA PAK 59.5MG | 5 | QL (56 packs / 28 days), NM, PA |
| TRIKAFTA PAK 75MG | 5 | QL (56 packs / 28 days), NM, PA |
| TRIKAFTA TAB 50-25-37.5MG & 75MG | 5 | QL (84 tabs / 28 days), NM, PA |
| TRIKAFTA TAB 100-50-75MG & 150MG | 5 | QL (84 tabs / 28 days), NM, PA |
| XOLAIR SOAJ 75mg/0.5ml, 300mg/2ml | 5 | QL (4 pens / 28 days), NM, PA |
| XOLAIR SOAJ 150mg/ml | 5 | QL (8 pens / 28 days), NM, PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| XOLAIR SOLR 150mg | 5 | QL (8 vials / 28 days), NM, PA |
| XOLAIR SOSY 75mg/0.5ml, 300mg/2ml | 5 | QL (4 syringes / 28 days), NM, PA |
| XOLAIR SOSY 150mg/ml | 5 | QL (8 syringes / 28 days), NM, PA |
| ZEMAIRA SOLR 1000mg, 4000mg, 5000mg | 5 | NM, PA |

NASAL STEROIDS

| | | |
|---|---|-----------------------------|
| <i>flunisolide (nasal)</i> SOLN .025% | 3 | QL (3 bottles / 30 days) |
| <i>fluticasone propionate (nasal)</i> SUSP 50mcg/act | 2 | QL (1 bottle / 30 days) |
| XHANCE EXHU 93mcg/act | 4 | QL (32 mL / 30 days), PA |

STEROID INHALANTS

| | | |
|--|---|----------------------------------|
| ALVESCO AERS 80mcg/act | 4 | QL (3 inhalers / 30 days) |
| ALVESCO AERS 160mcg/act | 4 | QL (2 inhalers / 30 days) |
| ARNUITY ELLIPTA AEPB 50mcg/act, 100mcg/act, 200mcg/act | 3 | QL (30 inhalations / 30 days) |
| <i>budesonide (inhalation)</i> SUSP .25mg/2ml, .5mg/2ml | 4 | B/D |

STEROID/BETA-AGONIST COMBINATIONS

| | | |
|---|---|-------------------------------|
| ADVAIR HFA AER 45/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 115/21 | 3 | QL (1 inhaler / 30 days) |
| ADVAIR HFA AER 230/21 | 3 | QL (1 inhaler / 30 days) |
| AIRSUPRA AER 90-80MCG | 3 | QL (3 inhalers / 30 days) |
| BREO ELLIPTA INH 50-25MCG | 3 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 100-25 | 3 | QL (60 blisters / 30 days) |
| BREO ELLIPTA INH 200-25 | 3 | QL (60 blisters / 30 days) |
| <i>breynd</i> | 3 | QL (3 inhalers / 30 days) |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 3 | QL (3 inhalers / 30 days) |
| <i>budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 3 | QL (3 inhalers / 30 days) |
| DULERA AER 50-5MCG | 4 | QL (3 inhalers / 30 days) |
| DULERA AER 100-5MCG | 4 | QL (3 inhalers / 30 days) |
| DULERA AER 200-5MCG | 4 | QL (3 inhalers / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>fluticasone-salmeterol aer powder ba 100-50 mcg/act</i> | 3 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 250-50 mcg/act</i> | 3 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>fluticasone-salmeterol aer powder ba 500-50 mcg/act</i> | 3 | QL (60 inhalations / 30 days); (generic PRASCO not covered) |
| <i>wixela inhub</i> | 3 | QL (60 inhalations / 30 days) |

Sexual Dysfunction Agents

Sexual Dysfunction Agents

| | | |
|--|---|---------------------------|
| <i>sildenafil citrate</i> TABS 25mg, 50mg, 100mg | 2 | ED, QL (6 tabs / 30 days) |
| <i>tadalafil</i> TABS 2.5mg, 5mg, 10mg, 20mg | 2 | ED, QL (6 tabs / 30 days) |

TOPICAL

DERMATOLOGY, ACNE

| | | |
|---|---|----------------------------|
| <i>acutane</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |
| <i>amnestem</i> CAPS 10mg, 20mg, 40mg | 4 | PA |
| <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 4 | QL (46.6 gm / 30 days) |
| <i>claravis</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |
| <i>clindamycin phosphate (topical)</i> GEL 1% | 3 | QL (75 mL / 30 days) |
| <i>clindamycin phosphate (topical)</i> LOTN 1%; SOLN 1% | 3 | QL (60 mL / 30 days) |
| <i>ery</i> PADS 2% | 3 | QL (60 pledgets / 30 days) |
| <i>erythromycin (acne aid)</i> GEL 2% | 3 | QL (60 gm / 30 days) |
| <i>erythromycin (acne aid)</i> SOLN 2% | 3 | QL (60 mL / 30 days) |
| <i>isotretinoin</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |
| <i>sulfacetamide sodium (acne)</i> LOTN 10% | 4 | QL (118 mL / 30 days) |
| <i>tretinoin</i> CREA .025%, .05%, .1%; GEL .01%, .025% | 4 | QL (45 gm / 30 days), PA |
| <i>twice-daily clindamycin phosphate (topical)</i> GEL 1% | 3 | QL (75 gm / 30 days) |
| <i>zenatane</i> CAPS 10mg, 20mg, 30mg, 40mg | 4 | PA |

DERMATOLOGY, ANTIBIOTICS

| | | |
|--|---|-------------------------|
| <i>gentamicin sulfate (topical)</i> CREA .1%; OINT .1% | 3 | QL (30 gm / 30 days) |
| <i>mupirocin</i> OINT 2% | 2 | QL (220 gm / 30 days) |
| <i>silver sulfadiazine</i> CREA 1% | 2 | |
| <i>ssd</i> CREA 1% | 2 | |
| <i>SULFAMYLON</i> CREA 85mg/gm | 4 | QL (453.6 gm / 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| DERMATOLOGY, ANTIFUNGALS | | |
| <i>ciclopirox</i> SHAM 1% | 3 | QL (120 mL / 30 days) |
| <i>ciclopirox olamine</i> CREA .77% | 3 | QL (90 gm / 30 days) |
| <i>ciclopirox olamine</i> SUSP .77% | 3 | QL (60 mL / 30 days) |
| <i>clotrimazole (topical)</i> CREA 1% | 2 | QL (45 gm / 30 days) |
| <i>clotrimazole (topical)</i> SOLN 1% | 3 | QL (60 mL / 30 days) |
| <i>clotrimazole w/ betamethasone cream 1-0.05%</i> | 3 | QL (45 gm / 30 days) |
| <i>econazole nitrate</i> CREA 1% | 4 | QL (85 gm / 30 days) |
| <i>ketconazole (topical)</i> CREA 2% | 3 | QL (60 gm / 30 days) |
| <i>ketconazole (topical)</i> SHAM 2% | 2 | QL (120 mL / 30 days) |
| <i>klayesta</i> POWD 100000unit/gm | 3 | QL (60 gm / 30 days) |
| <i>nyamyc</i> POWD 100000unit/gm | 3 | QL (60 gm / 30 days) |
| <i>nystatin (topical)</i> CREA 100000unit/gm; OINT 100000unit/gm | 2 | QL (30 gm / 30 days) |
| <i>nystatin (topical)</i> POWD 100000unit/gm | 3 | QL (60 gm / 30 days) |
| <i>nystop</i> POWD 100000unit/gm | 3 | QL (60 gm / 30 days) |
| <i>selenium sulfide</i> LOTN 2.5% | 2 | |
| DERMATOLOGY, ANTIPSORIATICS | | |
| <i>acitretin</i> CAPS 10mg, 17.5mg, 25mg | 4 | PA |
| <i>calcipotriene</i> CREA .005%; OINT .005% | 4 | QL (120 gm / 30 days), PA |
| <i>calcipotriene</i> SOLN .005% | 3 | QL (120 mL / 30 days), PA |
| <i>calcitrene</i> OINT .005% | 4 | QL (120 gm / 30 days), PA |
| ENSTILAR AER | 5 | QL (120 gm / 30 days), PA |
| <i>tazarotene</i> CREA .05%, .1% | 3 | QL (60 gm / 30 days), PA |
| TAZORAC CREA .05% | 4 | QL (60 gm / 30 days), PA |
| DERMATOLOGY, CORTICOSTEROIDS | | |
| <i>ala-cort</i> CREA 1% | 1 | |
| <i>alclometasone dipropionate</i> CREA .05%; OINT .05% | 3 | QL (60 gm / 30 days) |
| <i>betamethasone dipropionate (topical)</i> CREA .05% | 3 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate (topical)</i> LOTN .05% | 3 | QL (120 mL / 30 days) |
| <i>betamethasone dipropionate (topical)</i> OINT .05% | 4 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> CREA .05% | 2 | QL (120 gm / 30 days) |
| <i>betamethasone dipropionate augmented</i> GEL .05%; OINT .05% | 4 | QL (120 gm / 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>betamethasone dipropionate augmented LOTN .05%</i> | 4 | QL (120 mL / 30 days) |
| <i>betamethasone valerate CREA .1%; OINT .1%</i> | 3 | QL (120 gm / 30 days) |
| <i>betamethasone valerate LOTN .1%</i> | 3 | QL (120 mL / 30 days) |
| <i>clobetasol propionate CREA .05%; GEL .05%; OINT .05%</i> | 4 | QL (60 gm / 30 days) |
| <i>clobetasol propionate SOLN .05%</i> | 4 | QL (50 mL / 30 days) |
| <i>clobetasol propionate e CREA .05%</i> | 4 | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide CREA .01%</i> | 4 | QL (60 gm / 30 days) |
| <i>fluocinolone acetonide CREA .025%</i> | 4 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide OIL .01%</i> | 3 | QL (118.28 mL / 30 days) |
| <i>fluocinolone acetonide OINT .025%</i> | 3 | QL (120 gm / 30 days) |
| <i>fluocinolone acetonide SOLN .01%</i> | 4 | QL (60 mL / 30 days) |
| <i>fluocinonide CREA .05%</i> | 3 | QL (120 gm / 30 days) |
| <i>fluocinonide GEL .05%; OINT .05%</i> | 4 | QL (60 gm / 30 days) |
| <i>fluocinonide SOLN .05%</i> | 3 | QL (60 mL / 30 days) |
| <i>fluocinonide emulsified base CREA .05%</i> | 3 | QL (120 gm / 30 days) |
| <i>fluticasone propionate CREA .05%; OINT .005%</i> | 3 | |
| <i>halobetasol propionate CREA .05%; OINT .05%</i> | 4 | QL (50 gm / 30 days) |
| <i>hydrocortisone (topical) CREA 1%</i> | 1 | |
| <i>hydrocortisone (topical) CREA 2.5%; LOTN 2.5%; OINT 2.5%</i> | 2 | |
| <i>hydrocortisone (topical) OINT 1%</i> | 2 | QL (30 gm / 30 days) |
| <i>hydrocortisone valerate CREA .2%</i> | 3 | QL (60 gm / 30 days) |
| <i>mometasone furoate CREA .1%; OINT .1%; SOLN .1%</i> | 3 | |
| <i>triamcinolone acetonide (topical) CREA .025%, .1%, .5%</i> | 2 | QL (454 gm / 30 days) |
| <i>triamcinolone acetonide (topical) LOTN .025%, .1%</i> | 3 | |
| <i>triamcinolone acetonide (topical) OINT .025%, .1%, .5%</i> | 2 | |
| <i>triderm CREA .5%</i> | 2 | QL (454 gm / 30 days) |
| DERMATOLOGY, LOCAL ANESTHETICS | | |
| <i>glydo PRSY 2%</i> | 3 | QL (60 mL / 30 days), PA |
| <i>lidocaine OINT 5%</i> | 4 | QL (50 gm / 30 days), PA |
| <i>lidocaine PTCH 5%</i> | 4 | QL (3 patches / 1 day), PA |
| <i>lidocaine hcl SOLN 4%</i> | 3 | QL (50 mL / 30 days), PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 2 | B/D, QL (30 gm / 30 days) |
| <i>lidocan PTCH 5%</i> | 4 | QL (3 patches / 1 day), PA |
| <i>tridacaine ii PTCH 5%</i> | 4 | QL (3 patches / 1 day), PA |

DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE

| | | |
|--|---|------------------------------|
| <i>bexarotene (topical) GEL 1%</i> | 5 | QL (60 gm / 30 days), NM, PA |
| <i>diclofenac sodium (topical) SOLN 1.5%</i> | 3 | QL (300 mL / 28 days) |
| <i>fluorouracil (topical) CREA 5%</i> | 4 | QL (40 gm / 30 days) |
| <i>fluorouracil (topical) SOLN 2%, 5%</i> | 3 | QL (10 mL / 30 days) |
| <i>hydrocortisone (rectal) CREA 1%, 2.5%</i> | 3 | |
| <i>imiquimod CREA 5%</i> | 3 | QL (24 packets / 30 days) |
| <i>lactic acid (ammonium lactate) CREA 12%; LOTN 12%</i> | 2 | |
| <i>metronidazole (topical) CREA .75%; GEL .75%</i> | 3 | QL (45 gm / 30 days) |
| <i>metronidazole (topical) LOTN .75%</i> | 4 | QL (59 mL / 30 days) |
| <i>nitroglycerin (intra-anal) OINT .4%</i> | 4 | QL (30 gm / 30 days) |
| <i>PANRETIN GEL .1%</i> | 5 | QL (60 gm / 30 days), PA |
| <i>pimecrolimus CREA 1%</i> | 4 | QL (100 gm / 30 days), PA |
| <i>podofilox SOLN .5%</i> | 3 | QL (7 mL / 28 days) |
| <i>procto-med hc CREA 2.5%</i> | 3 | |
| <i>proctocort CREA 1%</i> | 3 | |
| <i>proctosol hc CREA 2.5%</i> | 3 | |
| <i>proctozone-hc CREA 2.5%</i> | 3 | |
| <i>tacrolimus (topical) OINT .03%, .1%</i> | 4 | QL (100 gm / 30 days), PA |
| <i>VALCHLOR GEL .016%</i> | 5 | QL (60 gm / 30 days), NM, PA |

DERMATOLOGY, SCABICIDES AND PEDICULIDES

| | | |
|---------------------------|---|----------------------|
| <i>malathion LOTN .5%</i> | 4 | QL (59 mL / 30 days) |
| <i>permethrin CREA 5%</i> | 3 | QL (60 gm / 30 days) |

DERMATOLOGY, WOUND CARE AGENTS

| | | |
|--|---|--------------------------|
| <i>REGRANEX GEL .01%</i> | 5 | QL (30 gm / 30 days), PA |
| <i>SANTYL OINT 250unit/gm</i> | 4 | QL (180 gm / 30 days) |
| <i>sodium chloride (gu irrigant) SOLN .9%</i> | 3 | |
| <i>water for irrigation, sterile irrigation soln</i> | 2 | |

MOUTH/THROAT/DENTAL AGENTS

| | | |
|---|---|--|
| <i>chlorhexidine gluconate (mouth-throat) SOLN .12%</i> | 1 | |
|---|---|--|

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>clotrimazole</i> TROC 10mg | 3 | QL (150 lozenges / 30 days) |
| <i>kourzeq</i> PSTE .1% | 3 | |
| <i>lidocaine hcl (mouth-throat)</i> SOLN 2% | 2 | |
| <i>nystatin (mouth-throat)</i> SUSP 100000unit/ml | 2 | |
| <i>periogard</i> SOLN .12% | 1 | |
| <i>pilocarpine hcl (oral)</i> TABS 5mg, 7.5mg | 3 | |
| <i>triamcinolone acetonide (mouth)</i> PSTE .1% | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

| | |
|--|----|
| A | |
| <i>abacavir sulfate</i> | 5 |
| <i>abacavir sulfate-lamivudine tab 600-300 mg</i> | 7 |
| ABELCET | 5 |
| ABILIFY ASIMTUFII | 33 |
| ABILIFY MAINTENA | 33 |
| <i>abiraterone acetate</i> | 13 |
| ABRYSVO | 65 |
| <i>acamprosate calcium</i> | 44 |
| <i>acarbose</i> | 45 |
| <i>accutane</i> | 75 |
| <i>acebutolol hcl</i> | 27 |
| <i>acetaminophen w/ codeine soln 120-12 mg/5ml</i> | 2 |
| <i>acetaminophen w/ codeine tab 300-15 mg</i> | 2 |
| <i>acetaminophen w/ codeine tab 300-30 mg</i> | 2 |
| <i>acetaminophen w/ codeine tab 300-60 mg</i> | 2 |
| <i>acetazolamide</i> | 28 |
| <i>acetic acid</i> | 59 |
| <i>acetic acid (otic)</i> | 70 |
| <i>acetylcysteine</i> | 72 |
| <i>acitretin</i> | 76 |
| ACTHIB INJ | 65 |
| ACTIMMUNE | 64 |
| <i>acyclovir</i> | 8 |
| <i>acyclovir sodium</i> | 8 |
| ADACEL INJ..... | 65 |
| ADALIMUMAB-AACF (2 PEN) | 61 |
| ADALIMUMAB-AACF (2 SYRING)..... | 62 |
| ADALIMUMAB-AACF STARTER P | 62 |
| <i>adefovir dipivoxil</i> | 8 |
| ADMELOG | 47 |
| ADMELOG SOLOSTAR | 47 |
| ADVAIR HFA AER 115/21 | 74 |
| ADVAIR HFA AER 230/21 | 74 |
| ADVAIR HFA AER 45/21 | 74 |
| <i>afirmelle</i> | 49 |
| AIMOVIG | 42 |
| AIRSUPRA AER 90-80MCG..... | 74 |
| AKEEGA TAB 100/500..... | 13 |
| AKEEGA TAB 50/500MG | 13 |
| <i>ala-cort</i> | 76 |
| <i>albendazole</i> | 3 |
| <i>albuterol sulfate</i> | 72 |
| <i>alclometasone dipropionate</i> | 76 |
| ALCOHOL SWABS: BD- EMBECTA/MHC/RUGBY..... | 47 |
| ALDURAZYME | 54 |
| ALECENSA | 15 |
| <i>alendronate sodium</i> | 49 |
| <i>alfuzosin hcl</i> | 59 |
| <i>aliskiren fumarate</i> | 29 |
| <i>allopurinol</i> | 1 |
| <i>alose tron hcl</i> | 58 |
| <i>alprazolam</i> | 30 |
| <i>altavera</i> | 49 |
| ALUNBRIG..... | 15 |
| ALUNBRIG PAK | 15 |
| ALVAIZ | 61 |
| ALVESCO | 74 |
| <i>alyacen 1/35</i> | 49 |
| <i>alyacen 7/7/7</i> | 49 |
| ALYGLO | 64 |
| <i>alyq</i> | 30 |
| <i>amantadine hcl</i> | 32 |
| <i>ambrisentan</i> | 30 |
| <i>amikacin sulfate</i> | 3 |
| <i>amiloride & hydrochlorothiazide tab 5-50 mg</i> | 28 |
| <i>amiloride hcl</i> | 28 |
| <i>amiodarone hcl</i> | 26 |
| <i>amitriptyline hcl</i> | 31 |
| <i>amlodipine besylate</i> | 28 |
| <i>amlodipine besylate-benazepril hcl cap 10-20 mg</i> | 23 |
| <i>amlodipine besylate-benazepril hcl cap 10-40 mg</i> | 23 |
| <i>amlodipine besylate-benazepril hcl cap 2.5-10 mg</i> | 23 |
| <i>amlodipine besylate-benazepril hcl cap 5-10 mg</i> | 23 |
| <i>amlodipine besylate-benazepril hcl cap 5-20 mg</i> | 23 |
| <i>amlodipine besylate-benazepril hcl cap 5-40 mg</i> | 23 |
| <i>amlodipine besylate-olmesartan medoxomil tab 10-20 mg</i> | 24 |

| | | | |
|---|----|---|--------|
| <i>amlodipine besylate-olmesartan medoxomil tab 10-40 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 10 mg</i> | 40 |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-20 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 12.5 mg</i> | 40 |
| <i>amlodipine besylate-olmesartan medoxomil tab 5-40 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 15 mg</i> | 40 |
| <i>amlodipine besylate-valsartan tab 10-160 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 20 mg</i> | 40 |
| <i>amlodipine besylate-valsartan tab 10-320 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 30 mg</i> | 41 |
| <i>amlodipine besylate-valsartan tab 5-160 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 5 mg</i> | 40 |
| <i>amlodipine besylate-valsartan tab 5-320 mg</i> | 24 | <i>amphetamine-dextroamphetamine tab 7.5 mg</i> | 40 |
| <i>amnestem</i> | 75 | <i>amphotericin b</i> | 5 |
| <i>amoxapine</i> | 31 | <i>amphotericin b liposome</i> | 5 |
| <i>amoxicillin</i> | 10 | <i>ampicillin</i> | 10 |
| <i>amoxicillin & k clavulanate chew tab 400-57 mg</i> | 10 | <i>ampicillin & sulbactam sodium for inj 1.5 (1-0.5) gm</i> | 10 |
| <i>amoxicillin & k clavulanate for susp 200-28.5 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for inj 3 (2-1) gm</i> | 10 |
| <i>amoxicillin & k clavulanate for susp 250-62.5 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for iv soln 1.5 (1-0.5) gm</i> | 11 |
| <i>amoxicillin & k clavulanate for susp 400-57 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for iv soln 15 (10-5) gm</i> | 11 |
| <i>amoxicillin & k clavulanate for susp 600-42.9 mg/5ml</i> | 10 | <i>ampicillin & sulbactam sodium for iv soln 3 (2-1) gm</i> | 11 |
| <i>amoxicillin & k clavulanate tab 250-125 mg</i> | 10 | <i>ampicillin sodium</i> | 11 |
| <i>amoxicillin & k clavulanate tab 500-125 mg</i> | 10 | <i>anagrelide hcl</i> | 61 |
| <i>amoxicillin & k clavulanate tab 875-125 mg</i> | 10 | <i>anastrozole</i> | 13 |
| <i>amoxicillin & k clavulanate tab er 12hr 1000-62.5 mg</i> | 10 | <i>ANORO ELLIPT AER 62.5-25</i> | 71 |
| <i>amphetamine-dextroamphetamine cap er 24hr 10 mg</i> | 40 | <i>aprepitant</i> | 56 |
| <i>amphetamine-dextroamphetamine cap er 24hr 15 mg</i> | 40 | <i>aprepitant capsule therapy pack 80 & 125 mg</i> | 56 |
| <i>amphetamine-dextroamphetamine cap er 24hr 20 mg</i> | 40 | <i>apri</i> | 49 |
| <i>amphetamine-dextroamphetamine cap er 24hr 25 mg</i> | 40 | <i>APTIOM</i> | 36 |
| <i>amphetamine-dextroamphetamine cap er 24hr 30 mg</i> | 40 | <i>APTIVUS</i> | 6 |
| <i>amphetamine-dextroamphetamine cap er 24hr 5 mg</i> | 40 | <i>ARALAST NP</i> | 72 |
| | | <i>aranelle</i> | 49 |
| | | <i>ARCALYST</i> | 64 |
| | | <i>AREXVY</i> | 65 |
| | | <i>ARIKAYCE</i> | 3 |
| | | <i>aripiprazole</i> | 33, 34 |
| | | <i>ARISTADA</i> | 34 |
| | | <i>ARISTADA INITIO</i> | 34 |
| | | <i>armodafinil</i> | 44 |
| | | <i>ARNUITY ELLIPTA</i> | 74 |

| | | | |
|---|--------|---|--------|
| <i>asenapine maleate</i> | 34 | BALVERSA..... | 15 |
| <i>aspirin-dipyridamole cap er 12hr 25-200 mg</i> | 61 | <i>balziva</i> | 49 |
| ASTAGRAF XL..... | 64 | BARACLUDGE | 8 |
| <i>atazanavir sulfate</i> | 6 | BASAGLAR KWIKPEN | 47 |
| <i>atenolol</i> | 27 | BCG VACCINE..... | 65 |
| <i>atenolol & chlorthalidone tab 100-25 mg</i> | 27 | <i>benazepril & hydrochlorothiazide tab 10-12.5 mg</i> | 23 |
| <i>atenolol & chlorthalidone tab 50-25 mg</i> | 27 | <i>benazepril & hydrochlorothiazide tab 20-12.5 mg</i> | 23 |
| <i>atomoxetine hcl</i> | 41 | <i>benazepril & hydrochlorothiazide tab 20-25 mg</i> | 23 |
| <i>atorvastatin calcium</i> | 26 | <i>benazepril & hydrochlorothiazide tab 5-6.25mg</i> | 23 |
| <i>atovaquone</i> | 3 | <i>benazepril hcl</i> | 23 |
| <i>atovaquone-proguanil hcl tab 250-100 mg</i> | 5 | BENDAMUSTINE HYDROCHLORID..... | 12 |
| <i>atovaquone-proguanil hcl tab 62.5-25 mg</i> | 5 | BENDEKA..... | 12 |
| ATROPINE SULFATE..... | 70 | BENLYSTA..... | 64 |
| <i>atropine sulfate (ophthalmic)</i> | 70 | <i>benzoyl peroxide-erythromycin gel 5-3%</i> | 75 |
| ATROVENT HFA..... | 71 | <i>benztropine mesylate</i> | 32, 33 |
| <i>aubra eq</i> | 49 | BERINERT | 61 |
| AUGTYRO..... | 15 | BESIVANCE | 69 |
| <i>aurovela 1/20</i> | 49 | BESREMI | 14 |
| <i>aurovela fe 1/20</i> | 49 | <i>betaine powder for oral solution</i> | 54 |
| <i>aurovela fe 1.5/30</i> | 49 | <i>betamethasone dipropionate (topical)</i> | 76 |
| AUSTEDO..... | 42 | <i>betamethasone dipropionate augmented</i> | 76, 77 |
| AUSTEDO XR..... | 43 | <i>betamethasone valerate</i> | 77 |
| AUSTEDO XR TAB TITR KIT | 43 | BETASERON | 43 |
| AUVELITY TAB 45-105MG | 31 | <i>betaxolol hcl (ophth)</i> | 70 |
| <i>aviane</i> | 49 | <i>bethanechol chloride</i> | 59 |
| <i>ayuna</i> | 49 | BETOPTIC-S | 70 |
| AYVAKIT | 15 | BEVESPI AER 9-4.8MCG | 71 |
| <i>azacitidine</i> | 12 | <i>bexarotene</i> | 14 |
| <i>azathioprine</i> | 64 | <i>bexarotene (topical)</i> | 78 |
| <i>azelastine hcl</i> | 71 | BEXSERO INJ | 65 |
| <i>azelastine hcl (ophth)</i> | 70 | <i>bicalutamide</i> | 13 |
| <i>azithromycin</i> | 9 | BICILLIN L-A | 11 |
| <i>aztreonam</i> | 3 | BIKTARVY TAB 30-120-15 MG | 7 |
| <i>azurette</i> | 49 | BIKTARVY TAB 50-200-25 MG | 7 |
| B | | <i>bimatoprost</i> | 70 |
| <i>bacitracin (ophthalmic)</i> | 69 | <i>bisoprolol & hydrochlorothiazide tab 10-6.25 mg</i> | 27 |
| <i>bacitracin-polymyxin b ophth oint</i> | 69 | <i>bisoprolol & hydrochlorothiazide tab 2.5-6.25 mg</i> | 27 |
| <i>bacitracin-polymyxin-neomycin-hc ophth oint 1%</i> | 68 | | |
| <i>baclofen</i> | 43, 44 | | |
| BAFIERTAM | 43 | | |
| <i>balsalazide disodium</i> | 57 | | |

| | | | |
|---|----|---|----|
| <i>bisoprolol & hydrochlorothiazide tab 5-6.25 mg</i> | 27 | <i>bupropion hcl</i> | 31 |
| <i>bisoprolol fumarate</i> | 27 | <i>bupropion hcl (smoking deterrent)</i> ... | 44 |
| BIVIGAM..... | 64 | <i>buspirone hcl</i> | 30 |
| <i>blisovi fe 1.5/30</i> | 49 | <i>butorphanol tartrate</i> | 2 |
| BOOSTRIX INJ | 65 | C | |
| <i>bortezomib</i> | 15 | <i>cabergoline</i> | 54 |
| BORTEZOMIB | 15 | CABOMETYX | 15 |
| <i>bosentan</i> | 30 | <i>calcipotriene</i> | 76 |
| BOSULIF..... | 15 | <i>calcitonin (salmon) spray</i> | 49 |
| BRAFTOVI | 15 | <i>calcitrene</i> | 76 |
| BREO ELLIPTA INH 100-25 | 74 | <i>calcitriol</i> | 56 |
| BREO ELLIPTA INH 200-25 | 74 | <i>calcitriol (oral)</i> | 56 |
| BREO ELLIPTA INH 50-25MCG | 74 | CALQUENCE | 15 |
| <i>breyna</i> | 74 | <i>camila</i> | 50 |
| BREZTRI AERO AER SPHERE | 71 | <i>candesartan cilexetil</i> | 25 |
| BREZTRI AERO AER SPHERE (INSTITUTIONAL PACK) | 71 | CAPLYTA..... | 34 |
| <i>briellyn</i> | 49 | CAPRELSA..... | 15 |
| BRILINTA | 61 | <i>captopril</i> | 24 |
| <i>brimonidine tartrate</i> | 70 | <i>captopril & hydrochlorothiazide tab 25-15 mg</i> | 23 |
| <i>brinzolamide</i> | 70 | <i>captopril & hydrochlorothiazide tab 25-25 mg</i> | 23 |
| BRIVIACT..... | 36 | <i>captopril & hydrochlorothiazide tab 50-15 mg</i> | 23 |
| <i>bromfenac sodium (ophth)</i> | 69 | <i>captopril & hydrochlorothiazide tab 50-25 mg</i> | 23 |
| <i>bromocriptine mesylate</i> | 33 | <i>carb/levo orally disintegrating tab 10-100mg</i> | 33 |
| BRONCHITOL..... | 72 | <i>carb/levo orally disintegrating tab 25-100mg</i> | 33 |
| BRUKINSA | 15 | <i>carb/levo orally disintegrating tab 25-250mg</i> | 33 |
| <i>budesonide</i> | 57 | <i>carbamazepine</i> | 36 |
| <i>budesonide (inhalation)</i> | 74 | <i>carbidopa & levodopa tab 10-100 mg</i> 33 | |
| <i>budesonide-formoterol fumarate dihyd aerosol 160-4.5 mcg/act</i> | 74 | <i>carbidopa & levodopa tab 25-100 mg</i> 33 | |
| <i>budesonide-formoterol fumarate dihyd aerosol 80-4.5 mcg/act</i> | 74 | <i>carbidopa & levodopa tab 25-250 mg</i> 33 | |
| <i>bumetanide</i> | 28 | <i>carbidopa & levodopa tab er 25-100 mg</i> | 33 |
| <i>buprenorphine hcl</i> | 44 | <i>carbidopa & levodopa tab er 50-200 mg</i> | 33 |
| <i>buprenorphine hcl-naloxone hcl sl film 12-3 mg (base equiv)</i> | 44 | <i>carbidopa-levodopa-entacapone tabs 12.5-50-200 mg</i> | 33 |
| <i>buprenorphine hcl-naloxone hcl sl film 2-0.5 mg (base equiv)</i> | 44 | <i>carbidopa-levodopa-entacapone tabs 18.75-75-200 mg</i> | 33 |
| <i>buprenorphine hcl-naloxone hcl sl film 4-1 mg (base equiv)</i> | 44 | <i>carbidopa-levodopa-entacapone tabs 25-100-200 mg</i> | 33 |
| <i>buprenorphine hcl-naloxone hcl sl film 8-2 mg (base equiv)</i> | 44 | | |
| <i>buprenorphine hcl-naloxone hcl sl tab 2-0.5 mg (base equiv)</i> | 44 | | |
| <i>buprenorphine hcl-naloxone hcl sl tab 8-2 mg (base equiv)</i> | 44 | | |

| | | | |
|---|----|--|----|
| <i>carbidopa-levodopa-entacapone tabs</i> 31.25-125-200 mg | 33 | <i>chlorpromazine hcl</i> | 34 |
| <i>carbidopa-levodopa-entacapone tabs</i> 37.5-150-200 mg | 33 | <i>chlorthalidone</i> | 29 |
| <i>carbidopa-levodopa-entacapone tabs</i> 50-200-200 mg | 33 | <i>cholestyramine</i> | 26 |
| <i>carboplatin</i> | 12 | <i>cholestyramine light</i> | 26 |
| <i>carglumic acid</i> | 54 | <i>ciclopirox</i> | 76 |
| <i>carteolol hcl (ophth)</i> | 70 | <i>ciclopirox olamine</i> | 76 |
| <i>cartia xt</i> | 28 | <i>cilostazol</i> | 61 |
| <i>carvedilol</i> | 27 | CILOXAN | 69 |
| <i>caspofungin acetate</i> | 5 | CIMDUO TAB 300-300 | 7 |
| CAYSTON | 3 | <i>cinacalcet hcl</i> | 54 |
| <i>cefaclor</i> | 9 | <i>ciprofloxacin 200 mg/100ml in d5w</i> .. | 10 |
| <i>cefadroxil</i> | 9 | <i>ciprofloxacin 400 mg/200ml in d5w</i> .. | 10 |
| CEFAZOLIN | 9 | <i>ciprofloxacin-dexamethasone otic susp</i> 0.3-0.1% | 70 |
| CEFAZOLIN/DEX SOL 1GM/50ML-4% .. | 9 | <i>ciprofloxacin hcl</i> | 10 |
| CEFAZOLIN/DEX SOL 2GM/50ML-3% .. | 9 | <i>ciprofloxacin hcl (ophth)</i> | 69 |
| CEFAZOLIN/DEX SOL 3GM/150ML-4% .. | 9 | <i>cisplatin</i> | 12 |
| CEFAZOLIN INJ 1GM/50ML | 9 | <i>citalopram hydrobromide</i> | 31 |
| <i>cefazolin sodium</i> | 9 | <i>claravis</i> | 75 |
| CEFAZOLIN SOLN 2GM/100ML-4% | 9 | <i>clarithromycin</i> | 9 |
| <i>cefdinir</i> | 9 | <i>clindamycin hcl</i> | 3 |
| <i>cefepime hcl</i> | 9 | <i>clindamycin palmitate hydrochloride</i> .. | 3 |
| <i>cefixime</i> | 9 | <i>clindamycin phosphate</i> | 3 |
| <i>cefotetan disodium</i> | 9 | <i>clindamycin phosphate (topical)</i> | 75 |
| <i>cefoxitin sodium</i> | 9 | <i>clindamycin phosphate in d5w iv soln</i> 300 mg/50ml | 3 |
| <i>cefpodoxime proxetil</i> | 9 | <i>clindamycin phosphate in d5w iv soln</i> 600 mg/50ml | 3 |
| <i>cefprozil</i> | 9 | <i>clindamycin phosphate in d5w iv soln</i> 900 mg/50ml | 3 |
| <i>ceftazidime</i> | 9 | <i>clindamycin phosphate vaginal</i> | 60 |
| <i>ceftriaxone sodium</i> | 9 | CLINDMYC/NAC INJ 300/50ML | 3 |
| <i>cefuroxime axetil</i> | 9 | CLINDMYC/NAC INJ 600/50ML | 3 |
| <i>cefuroxime sodium</i> | 9 | CLINDMYC/NAC INJ 900/50ML | 3 |
| <i>celecoxib</i> | 1 | CLINIMIX INJ 4.25/D10 | 68 |
| <i>cephalexin</i> | 9 | CLINIMIX INJ 4.25/D5W | 68 |
| CEQUR SIMPL KIT PATCH 2U (3-DAY) | 47 | CLINIMIX INJ 5%/D15W | 68 |
| CEQUR SIMPL KIT PATCH 2U (4-DAY) | 47 | CLINIMIX INJ 5%/D20W | 68 |
| CERDELGA | 54 | CLINIMIX INJ 6/5 | 68 |
| CEREZYME | 54 | CLINIMIX INJ 8/10 | 68 |
| <i>cetirizine hcl</i> | 71 | CLINIMIX INJ 8/14 | 68 |
| <i>chateal eq</i> | 50 | <i>clinisol sf 15%</i> | 68 |
| CHEMET | 49 | CLINOLIPID EMU 20% | 68 |
| <i>chlorhexidine gluconate (mouth-throat)</i> | 78 | <i>clobazam</i> | 36 |
| <i>chloroquine phosphate</i> | 5 | <i>clobetasol propionate</i> | 77 |
| | | <i>clobetasol propionate e</i> | 77 |
| | | <i>clomipramine hcl</i> | 31 |

| | | | |
|---|--------|---|----|
| <i>clonazepam</i> | 36, 37 | CYCLOPHOSPHAMIDE | 12 |
| <i>clonidine</i> | 29 | CYCLOPHOSPHAMIDE MONOHYDR.... | 12 |
| <i>clonidine hcl</i> | 29 | <i>cycloserine</i> | 7 |
| <i>clopidogrel bisulfate</i> | 61 | <i>cyclosporine</i> | 64 |
| <i>clorazepate dipotassium</i> | 37 | <i>cyclosporine modified (for</i> | |
| <i>clotrimazole</i> | 79 | <i>microemulsion)</i> | 65 |
| <i>clotrimazole (topical)</i> | 76 | <i>cyproheptadine hcl</i> | 71 |
| <i>clotrimazole w/ betamethasone cream</i> | | <i>cyred eq</i> | 50 |
| <i>1-0.05%</i> | 76 | CYSTADROPS | 70 |
| <i>clozapine</i> | 34 | CYSTAGON..... | 55 |
| COARTEM TAB 20-120MG | 5 | CYSTARAN | 70 |
| COBENFY CAP 100-20MG | 34 | <i>cytarabine</i> | 12 |
| COBENFY CAP 125-30MG | 34 | D | |
| COBENFY CAP 50-20MG | 34 | D10W/NAACL INJ 0.2% | 66 |
| COBENFY STRT CAP PACK | 34 | D2.5W/NAACL INJ 0.45%..... | 66 |
| <i>colchicine</i> | 1 | <i>dabigatran etexilate mesylate</i> | 60 |
| <i>colchicine w/ probenecid tab 0.5-500</i> | | <i>dalfampridine</i> | 43 |
| <i>mg</i> | 1 | <i>danazol</i> | 45 |
| <i>colesevelam hcl</i> | 26 | <i>dantrolene sodium</i> | 44 |
| <i>colestipol hcl</i> | 26, 27 | DANZITEN..... | 16 |
| <i>colistimethate sodium</i> | 3 | <i>dapsone</i> | 3 |
| COMBIGAN SOL 0.2/0.5% | 70 | DAPTACEL INJ | 65 |
| COMBIVENT AER 20-100 | 71 | <i>daptomycin</i> | 3 |
| COMETRIQ (60MG DOSE) | 16 | DAPTOMYCIN | 3 |
| COMETRIQ KIT 100MG | 16 | <i>darunavir</i> | 6 |
| COMETRIQ KIT 140MG | 16 | <i>dasatinib</i> | 16 |
| COMPLERA TAB | 7 | <i>dasetta 1/35</i> | 50 |
| <i>compro</i> | 56 | <i>dasetta 7/7/7</i> | 50 |
| <i>constulose</i> | 58 | DAURISMO..... | 16 |
| COPAXONE..... | 43 | DAYVIGO | 41 |
| COPIKTRA..... | 16 | <i>deblitane</i> | 50 |
| CORLANOR..... | 29 | <i>deferasirox</i> | 49 |
| COSENTYX | 62 | DELSTRIGO TAB | 7 |
| COSENTYX SENSOREADY PEN..... | 62 | DENGVAXIA SUS..... | 65 |
| COSENTYX UNOREADY..... | 62 | DEPO-SUBQ PROVERA 104 | 50 |
| COTELLIC | 16 | <i>depo-testosterone</i> | 45 |
| CREON CAP 12000UNT | 58 | DESCOVY TAB 120-15MG | 7 |
| CREON CAP 24000UNT | 58 | DESCOVY TAB 200/25MG..... | 7 |
| CREON CAP 3000UNIT | 58 | <i>desipramine hcl</i> | 31 |
| CREON CAP 36000UNT | 58 | <i>desmopressin acetate</i> | 55 |
| CREON CAP 6000UNIT | 58 | <i>desmopressin acetate spray</i> | 55 |
| <i>cromolyn sodium</i> | 72 | <i>desmopressin acetate spray</i> | |
| <i>cromolyn sodium (mastocytosis)</i> | 58 | <i>refrigerated</i> | 55 |
| <i>cromolyn sodium (ophth)</i> | 70 | <i>desogest-eth estrad & eth estrad tab</i> | |
| <i>cryselle-28</i> | 50 | <i>0.15-0.02/0.01 mg(21/5)</i> | 50 |
| <i>cyclobenzaprine hcl</i> | 44 | <i>desvenlafaxine succinate</i> | 31 |
| <i>cyclophosphamide</i> | 12 | <i>dexamethasone</i> | 54 |

| | | | |
|--|----|---|----|
| DEXAMETHASONE INTENSOL..... | 54 | <i>diphenoxylate w/ atropine tab 2.5-</i> | |
| <i>dexamethasone sodium phosphate</i> ... | 54 | 0.025 mg | 58 |
| <i>dexamethasone sodium phosphate</i> | | <i>dipyridamole</i> | 61 |
| (<i>ophth</i>) | 69 | <i>disopyramide phosphate</i> | 26 |
| <i>dexmethylphenidate hcl</i> | 41 | <i>disulfiram</i> | 45 |
| <i>dextrose</i> | 68 | <i>divalproex sodium</i> | 37 |
| <i>dextrose 10% w/ sodium chloride</i> | | <i>docetaxel</i> | 14 |
| 0.45% | 66 | DOCETAXEL | 14 |
| <i>dextrose 2.5% w/ sodium chloride</i> | | DOCIVYX | 14 |
| 0.45% | 66 | <i>dofetilide</i> | 26 |
| <i>dextrose 5% in lactated ringers</i> | 66 | <i>donepezil hydrochloride</i> | 30 |
| <i>dextrose 5% w/ sodium chloride 0.2%</i> | | DOPTelet | 61 |
| | 66 | <i>dorzolamide hcl</i> | 70 |
| <i>dextrose 5% w/ sodium chloride</i> | | <i>dorzolamide hcl-timolol maleate ophth</i> | |
| 0.225% | 66 | <i>soln 2-0.5%</i> | 70 |
| <i>dextrose 5% w/ sodium chloride 0.3%</i> | | <i>dotti</i> | 53 |
| | 66 | DOVATO TAB 50-300MG | 7 |
| <i>dextrose 5% w/ sodium chloride 0.45%</i> | | <i>doxazosin mesylate</i> | 24 |
| | 66 | <i>doxepin hcl</i> | 31 |
| <i>dextrose 5% w/ sodium chloride 0.9%</i> | | <i>doxepin hcl (sleep)</i> | 41 |
| | 66 | <i>doxorubicin hcl</i> | 14 |
| DIACOMIT | 37 | <i>doxorubicin hcl liposomal</i> | 14 |
| <i>diazepam</i> | 37 | <i>doxy 100</i> | 11 |
| <i>diazepam (anticonvulsant)</i> | 37 | <i>doxycycline (monohydrate)</i> | 11 |
| <i>diazepam inj</i> | 37 | <i>doxycycline hyclate</i> | 11 |
| <i>diazepam intensol</i> | 37 | DRIZALMA SPRINKLE..... | 31 |
| <i>diazoxide</i> | 54 | <i>dronabinol</i> | 57 |
| <i>diclofenac potassium</i> | 1 | <i>drospirenone-ethinyl estradiol tab 3-</i> | |
| <i>diclofenac sodium</i> | 1 | 0.02 mg | 50 |
| <i>diclofenac sodium (ophth)</i> | 69 | <i>drospirenone-ethinyl estradiol tab 3-</i> | |
| <i>diclofenac sodium (topical)</i> | 78 | 0.03 mg | 50 |
| <i>dicloxacillin sodium</i> | 11 | <i>droxidopa</i> | 29 |
| <i>dicyclomine hcl</i> | 57 | DULERA AER 100-5MCG..... | 74 |
| DIFICID..... | 9 | DULERA AER 200-5MCG..... | 74 |
| <i>diflunisal</i> | 1 | DULERA AER 50-5MCG..... | 74 |
| <i>digoxin</i> | 29 | <i>duloxetine hcl</i> | 31 |
| <i>dihydroergotamine mesylate</i> | 42 | DUPIXENT | 62 |
| DILANTIN | 37 | <i>dutasteride</i> | 59 |
| <i>diltiazem hcl</i> | 28 | <i>dutasteride-tamsulosin hcl cap 0.5-0.4</i> | |
| <i>diltiazem hcl coated beads</i> | 28 | mg | 59 |
| <i>diltiazem hcl extended release beads</i> | 28 | E | |
| <i>dilt-xr</i> | 28 | <i>e.e.s. 400</i> | 9 |
| DIP/TET PED INJ 25-5LFU | 65 | <i>econazole nitrate</i> | 76 |
| <i>diphenhydramine hcl</i> | 71 | EDURANT | 6 |
| <i>diphenoxylate w/ atropine liq 2.5-0.025</i> | | <i>efavirenz</i> | 6 |
| mg/5ml..... | 58 | <i>efavirenz-emtricitabine-tenofovir df tab</i> | |
| | | 600-200-300 mg..... | 7 |

| | | | |
|---|----|---|--------|
| <i>efavirenz-lamivudine-tenofovir df tab</i> 400-300-300 mg..... | 7 | ENTRESTO TAB 97-103MG | 24 |
| <i>efavirenz-lamivudine-tenofovir df tab</i> 600-300-300 mg..... | 7 | <i>enulose</i> | 58 |
| ELIGARD..... | 13 | EPCLUSA PAK 150-37.5 | 8 |
| <i>elinest</i> | 50 | EPCLUSA PAK 200-50MG | 8 |
| ELIQUIS | 60 | EPCLUSA TAB 200-50MG | 8 |
| ELIQUIS STARTER PACK | 60 | EPCLUSA TAB 400-100 | 8 |
| <i>eluryng</i> | 50 | EPIDIOLEX | 37 |
| EMGALITY | 42 | <i>epinephrine (anaphylaxis)</i> | 29, 72 |
| EMSAM | 31 | <i>epitol</i> | 37 |
| <i>emtricitabine</i> | 6 | <i>eplerenone</i> | 24 |
| <i>emtricitabine-tenofovir disoproxil</i> <i>fumarate tab 100-150 mg</i> | 7 | EPRONTIA | 37 |
| <i>emtricitabine-tenofovir disoproxil</i> <i>fumarate tab 133-200 mg</i> | 7 | <i>ergotamine w/ caffeine tab 1-100 mg</i> | 42 |
| <i>emtricitabine-tenofovir disoproxil</i> <i>fumarate tab 167-250 mg</i> | 7 | ERIVEDGE..... | 16 |
| <i>emtricitabine-tenofovir disoproxil</i> <i>fumarate tab 200-300 mg</i> | 7 | ERLEADA | 13 |
| EMTRIVA | 6 | <i>erlotinib hcl</i> | 16 |
| EMVERM | 3 | <i>errin</i> | 50 |
| <i>emzahn</i> | 50 | <i>ertapenem sodium</i> | 3 |
| <i>enalapril maleate</i> | 24 | <i>ery</i> | 75 |
| <i>enalapril maleate & hydrochlorothiazide</i> <i>tab 10-25 mg</i> | 23 | <i>ery-tab</i> | 10 |
| <i>enalapril maleate & hydrochlorothiazide</i> <i>tab 5-12.5 mg</i> | 23 | ERYTHROCIN LACTOBIONATE | 10 |
| ENBREL | 62 | <i>erythromycin (acne aid)</i> | 75 |
| ENBREL MINI..... | 62 | <i>erythromycin (ophth)</i> | 69 |
| ENBREL SURECLICK | 62 | <i>erythromycin base</i> | 10 |
| <i>endocet tab 10-325mg</i> | 2 | <i>erythromycin ethylsuccinate</i> | 10 |
| <i>endocet tab 2.5-325mg</i> | 2 | <i>erythromycin lactobionate</i> | 10 |
| <i>endocet tab 5-325mg</i> | 2 | <i>escitalopram oxalate</i> | 31 |
| <i>endocet tab 7.5-325mg</i> | 2 | <i>esomeprazole magnesium</i> | 59 |
| ENGERIX-B | 65 | <i>estarylla</i> | 50 |
| <i>enilloring</i> | 50 | <i>estradiol</i> | 53 |
| <i>enoxaparin sodium</i> | 60 | <i>estradiol & norethindrone acetate tab</i> 0.5-0.1 mg..... | 53 |
| <i>enpresse-28</i> | 50 | <i>estradiol & norethindrone acetate tab</i> 1-0.5 mg..... | 53 |
| <i>enskyce</i> | 50 | <i>estradiol vaginal</i> | 53 |
| ENSTILAR AER..... | 76 | <i>estradiol valerate</i> | 53 |
| <i>entacapone</i> | 33 | <i>ethambutol hcl</i> | 7 |
| <i>entecavir</i> | 8 | <i>ethosuximide</i> | 37 |
| ENTRESTO CAP 15-16MG | 24 | <i>ethynodiol diacetate & ethinyl estradiol</i> <i>tab 1 mg-35 mcg</i> | 50 |
| ENTRESTO CAP 6-6MG..... | 24 | <i>ethynodiol diacetate & ethinyl estradiol</i> <i>tab 1 mg-50 mcg</i> | 50 |
| ENTRESTO TAB 24-26MG | 24 | <i>etodolac</i> | 1 |
| ENTRESTO TAB 49-51MG | 24 | <i>etonogestrel-ethinyl estradiol va ring</i> 0.12-0.015 mg/24hr | 50 |
| | | <i>etoposide</i> | 14 |
| | | <i>etravirine</i> | 6 |

| | | | |
|---|----|--|----|
| EULEXIN | 13 | <i>fluconazole in nacl 0.9% inj 400</i> | |
| <i>euthyrox</i> | 56 | <i>mg/200ml</i> | 5 |
| <i>everolimus</i> | 16 | <i>flucytosine</i> | 5 |
| <i>everolimus (immunosuppressant)</i> | 65 | <i>fludrocortisone acetate</i> | 54 |
| EVOTAZ TAB 300-150 | 7 | <i>flunisolide (nasal)</i> | 74 |
| <i>exemestane</i> | 13 | <i>fluocinolone acetonide</i> | 77 |
| EYSUVIS | 70 | <i>fluocinolone acetonide (otic)</i> | 70 |
| <i>ezetimibe</i> | 27 | <i>fluocinonide</i> | 77 |
| <i>ezetimibe-simvastatin tab 10-10 mg</i> | 27 | <i>fluocinonide emulsified base</i> | 77 |
| <i>ezetimibe-simvastatin tab 10-20 mg</i> | 27 | <i>fluorometholone (ophth)</i> | 69 |
| <i>ezetimibe-simvastatin tab 10-40 mg</i> | 27 | <i>fluorouracil</i> | 12 |
| <i>ezetimibe-simvastatin tab 10-80 mg</i> | 27 | <i>fluorouracil (topical)</i> | 78 |
| F | | <i>fluoxetine hcl</i> | 32 |
| FABRAZYME | 55 | <i>fluphenazine decanoate</i> | 34 |
| <i>falmina</i> | 50 | <i>fluphenazine hcl</i> | 34 |
| <i>famciclovir</i> | 8 | <i>flurbiprofen</i> | 1 |
| <i>famotidine</i> | 57 | <i>flurbiprofen sodium</i> | 69 |
| <i>famotidine in nacl 0.9% iv soln 20</i> | | <i>fluticasone propionate</i> | 77 |
| <i>mg/50ml</i> | 57 | <i>fluticasone propionate (nasal)</i> | 74 |
| FANAPT | 34 | <i>fluticasone-salmeterol aer powder ba</i> | |
| FANAPT PAK | 34 | <i>100-50 mcg/act</i> | 75 |
| FARXIGA | 45 | <i>fluticasone-salmeterol aer powder ba</i> | |
| FASENRA | 72 | <i>250-50 mcg/act</i> | 75 |
| FASENRA PEN | 72 | <i>fluticasone-salmeterol aer powder ba</i> | |
| <i>felbamate</i> | 37 | <i>500-50 mcg/act</i> | 75 |
| <i>felodipine</i> | 28 | <i>fluvoxamine maleate</i> | 30 |
| <i>fenofibrate</i> | 26 | <i>fondaparinux sodium</i> | 60 |
| <i>fenofibrate micronized</i> | 26 | <i>fosamprenavir calcium</i> | 6 |
| <i>fentanyl</i> | 1 | <i>fosinopril sodium</i> | 24 |
| FETZIMA | 32 | <i>fosinopril sodium & hydrochlorothiazide</i> | |
| FETZIMA CAP TITRATIO | 32 | <i>tab 10-12.5 mg</i> | 23 |
| FIASP | 47 | <i>fosinopril sodium & hydrochlorothiazide</i> | |
| FIASP FLEXTOUCH | 47 | <i>tab 20-12.5 mg</i> | 23 |
| FIASP PENFILL | 47 | FOTIVDA | 16 |
| FIASP PUMPCART | 47 | FRUZAQLA | 16 |
| <i>finasteride</i> | 59 | FULPHILA | 61 |
| <i>ingolimod hcl</i> | 43 | <i>fulvestrant</i> | 13 |
| FINTEPLA | 37 | <i>furosemide</i> | 29 |
| FIRMAGON | 13 | <i>furosemide inj</i> | 29 |
| <i>flac</i> | 70 | FUZEON | 6 |
| FLAREX | 69 | <i>fyavolv tab 0.5mg-2.5mcg</i> | 53 |
| FLEBOGAMMA DIF | 64 | <i>fyavolv tab 1mg-5mcg</i> | 53 |
| <i>flecainide acetate</i> | 26 | FYCOMPA | 38 |
| <i>fluconazole</i> | 5 | G | |
| <i>fluconazole in nacl 0.9% inj 200</i> | | <i>gabapentin</i> | 38 |
| <i>mg/100ml</i> | 5 | <i>galantamine hydrobromide</i> | 30 |
| | | <i>gallifrey</i> | 56 |

| | | | |
|--|----|--|----|
| GAMASTAN INJ | 64 | <i>granisetron hcl</i> | 57 |
| GAMMAGARD LIQUID | 64 | <i>griseofulvin microsize</i> | 5 |
| GAMMAGARD S/D IGA LESS TH | 64 | <i>griseofulvin ultramicrosize</i> | 5 |
| GAMMAKED | 64 | <i>guanfacine hcl</i> | 29 |
| GAMMAPLEX | 64 | <i>guanfacine hcl (adhd)</i> | 41 |
| GAMUNEX-C | 64 | H | |
| <i>ganciclovir sodium</i> | 8 | HAEGARDA..... | 61 |
| GARDASIL 9 INJ | 65 | <i>hailey 1.5/30</i> | 50 |
| <i>gatifloxacin (ophth)</i> | 69 | <i>halobetasol propionate</i> | 77 |
| GATTEX | 58 | <i>haloette</i> | 50 |
| GAUZE PADS 2 | 47 | <i>haloperidol</i> | 34 |
| <i>gavilyte-c</i> | 58 | <i>haloperidol decanoate</i> | 34 |
| <i>gavilyte-g</i> | 58 | <i>haloperidol lactate</i> | 34 |
| <i>gavilyte-n/flavor pack</i> | 58 | HARVONI PAK 33.75-150MG | 8 |
| GAVRETO | 16 | HARVONI PAK 45-200MG | 8 |
| <i>gefitinib</i> | 16 | HARVONI TAB 45-200MG | 8 |
| <i>gemcitabine hcl</i> | 12 | HARVONI TAB 90-400MG | 8 |
| <i>gemfibrozil</i> | 26 | HAVRIX | 65 |
| <i>generlac</i> | 58 | <i>heather</i> | 50 |
| <i>gengraf</i> | 65 | <i>heparin sodium (porcine)</i> | 60 |
| GENOTROPIN | 55 | HEPLISAV-B | 65 |
| GENOTROPIN MINIQUICK..... | 55 | HEP SOD/NACL INJ 25000UNT | 60 |
| <i>gentamicin in saline inj 0.8 mg/ml</i> | 3 | HERCEP HYLEC SOL 60-10000 | 16 |
| <i>gentamicin in saline inj 1.2 mg/ml</i> | 3 | HERCEPTIN | 17 |
| <i>gentamicin in saline inj 1.6 mg/ml</i> | 3 | HERZUMA | 17 |
| <i>gentamicin in saline inj 1 mg/ml</i> | 3 | HIBERIX | 65 |
| <i>gentamicin in saline inj 2 mg/ml</i> | 3 | HUMIRA..... | 62 |
| <i>gentamicin sulfate</i> | 3 | HUMIRA PEN | 62 |
| <i>gentamicin sulfate (ophth)</i> | 69 | HUMIRA PEN-CD/UC/HS START..... | 62 |
| <i>gentamicin sulfate (topical)</i> | 75 | HUMIRA PEN KIT PS/UV | 62 |
| GENVOYA TAB | 7 | HUMIRA PEN-PEDIATRIC UC S | 62 |
| GILOTRIF | 16 | HUMULIN R U-500 (CONCENTR | 47 |
| <i>glatiramer acetate</i> | 43 | HUMULIN R U-500 KWIKPEN..... | 47 |
| <i>glatopa</i> | 43 | <i>hydralazine hcl</i> | 29 |
| GLEOSTINE | 12 | <i>hydrochlorothiazide</i> | 29 |
| <i>glimepiride</i> | 45 | <i>hydrocodone-acetaminophen soln 7.5-</i> <i>325 mg/15ml</i> | 2 |
| <i>glipizide</i> | 45 | <i>hydrocodone-acetaminophen tab 10-</i> <i>325 mg</i> | 2 |
| <i>glipizide-metformin hcl tab 2.5-250 mg</i> | 45 | <i>hydrocodone-acetaminophen tab 5-325</i> <i>mg</i> | 2 |
| <i>glipizide-metformin hcl tab 2.5-500 mg</i> | 45 | <i>hydrocodone-acetaminophen tab 7.5-</i> <i>325 mg</i> | 2 |
| <i>glipizide-metformin hcl tab 5-500 mg</i> | 45 | <i>hydrocodone bitartrate</i> | 1 |
| <i>glipizide xl</i> | 45 | <i>hydrocodone-ibuprofen tab 7.5-200 mg</i> | 2 |
| <i>glycopyrrolate</i> | 57 | <i>hydrocortisone</i> | 54 |
| <i>glydo</i> | 77 | | |
| GLYXAMBI TAB 10-5 MG | 45 | | |
| GLYXAMBI TAB 25-5 MG | 45 | | |

| | |
|--|----|
| <i>hydrocortisone (intrarectal)</i> | 58 |
| <i>hydrocortisone (rectal)</i> | 78 |
| <i>hydrocortisone (topical)</i> | 77 |
| <i>hydrocortisone sod succinate</i> | 54 |
| <i>hydrocortisone valerate</i> | 77 |
| <i>hydromorphone hcl</i> | 2 |
| <i>hydroxychloroquine sulfate</i> | 64 |
| <i>hydroxyurea</i> | 14 |
| <i>hydroxyzine hcl</i> | 71 |
| <i>hydroxyzine pamoate</i> | 71 |
| I | |
| <i>ibandronate sodium</i> | 49 |
| IBRANCE..... | 17 |
| <i>ibu</i> | 1 |
| <i>ibuprofen</i> | 1 |
| <i>icatibant acetate</i> | 61 |
| <i>iclevia</i> | 50 |
| ICLUSIG | 17 |
| IDACIO (2 PEN) | 62 |
| IDACIO (2 SYRINGE) | 62 |
| IDACIO CROHN INJ DISEASE..... | 63 |
| IDACIO PLAQU INJ PSORIASIS..... | 63 |
| IDHIFA | 17 |
| <i>imatinib mesylate</i> | 17 |
| IMBRUVICA | 17 |
| <i>imipenem-cilastatin intravenous for soln 250 mg</i> | 3 |
| <i>imipenem-cilastatin intravenous for soln 500 mg</i> | 3 |
| <i>imipramine hcl</i> | 32 |
| <i>imiquimod</i> | 78 |
| IMKELDI | 17 |
| IMOVAX RABIES (H.D.C.V.) | 65 |
| IMPAVIDO..... | 3 |
| INBRIJA..... | 33 |
| <i>incassia</i> | 50 |
| INCRELEX | 55 |
| INCRUSE ELLIPTA | 71 |
| <i>indapamide</i> | 29 |
| INFANRIX INJ | 65 |
| INFLIXIMAB..... | 63 |
| INLYTA | 17 |
| INQOVI TAB 35-100MG..... | 12 |
| INREBIC | 17 |
| INSULIN PEN NEEDLES: BD-EMBECTA | 47 |

| | |
|---|--------|
| INSULIN SAFETY NEEDLES: BD- EMBECTA | 47 |
| INSULIN SYRINGES: BD-EMBECTA ... | 47 |
| INTELENCE | 6 |
| INTRALIPID..... | 68 |
| <i>introvale</i> | 50 |
| INVEGA HAFYERA..... | 34 |
| INVEGA SUSTENNA..... | 34, 35 |
| INVEGA TRINZA..... | 35 |
| IPOL INJ INACTIVE..... | 65 |
| <i>ipratropium-albuterol nebu soln 0.5- 2.5(3) mg/3ml</i> | 71 |
| <i>ipratropium bromide</i> | 71 |
| <i>ipratropium bromide (nasal)</i> | 71 |
| <i>irbesartan</i> | 25 |
| <i>irbesartan-hydrochlorothiazide tab 150-12.5 mg</i> | 25 |
| <i>irbesartan-hydrochlorothiazide tab 300-12.5 mg</i> | 25 |
| <i>irinotecan hcl</i> | 14 |
| ISENTRESS | 6 |
| ISENTRESS HD..... | 6 |
| <i>isibloom</i> | 50 |
| ISOLYTE-P INJ /D5W | 66 |
| ISOLYTE-S INJ PH 7.4..... | 66 |
| <i>isoniazid</i> | 7 |
| <i>isosorbide dinitrate</i> | 30 |
| <i>isosorbide mononitrate</i> | 30 |
| <i>isotretinoin</i> | 75 |
| ITOVEBI | 17 |
| <i>itraconazole</i> | 5 |
| <i>ivabradine hcl</i> | 29 |
| <i>ivermectin</i> | 4 |
| IWILFIN..... | 14 |
| IXCHIQ INJ | 65 |
| IXIARO INJ..... | 65 |
| J | |
| JAKAFI | 17 |
| <i>jantoven</i> | 60 |
| JANUMET TAB 50-1000 | 45 |
| JANUMET TAB 50-500MG | 45 |
| JANUMET XR TAB 100-1000..... | 46 |
| JANUMET XR TAB 50-1000 | 46 |
| JANUMET XR TAB 50-500MG..... | 45 |
| JANUVIA..... | 46 |
| JARDIANCE | 46 |
| <i>jasmiel</i> | 50 |

| | | | |
|--|----|--|----|
| <i>javygtor</i> | 55 | KESIMPTA | 43 |
| JAYPIRCA | 17 | <i>ketoconazole</i> | 5 |
| JENTADUETO TAB 2.5-1000..... | 46 | <i>ketoconazole (topical)</i> | 76 |
| JENTADUETO TAB 2.5-500 | 46 | <i>ketorolac tromethamine (ophth)</i> | 69 |
| JENTADUETO TAB 2.5-850 | 46 | KEYTRUDA | 17 |
| JENTADUETO TAB XR 2.5-1000MG ... | 46 | KINRIX INJ..... | 65 |
| JENTADUETO TAB XR 5-1000MG | 46 | <i>kionex</i> | 49 |
| <i>jinteli</i> | 53 | KISQALI 200 DOSE | 17 |
| <i>jolessa</i> | 50 | KISQALI 200 PAK FEMARA..... | 17 |
| <i>juleber</i> | 50 | KISQALI 400 DOSE | 18 |
| JULUCA TAB 50-25MG | 7 | KISQALI 400 PAK FEMARA..... | 18 |
| <i>junel 1/20</i> | 50 | KISQALI 600 DOSE | 18 |
| <i>junel 1.5/30</i> | 50 | KISQALI 600 PAK FEMARA..... | 18 |
| <i>junel fe 1/20</i> | 50 | <i>klayesta</i> | 76 |
| <i>junel fe 1.5/30</i> | 50 | <i>klor-con</i> | 67 |
| JYLAMVO | 64 | <i>klor-con 10</i> | 67 |
| JYNNEOS | 65 | <i>klor-con 8</i> | 67 |
| K | | <i>klor-con m10</i> | 67 |
| KADCYLA | 17 | <i>klor-con m15</i> | 67 |
| KALYDECO | 73 | <i>klor-con m20</i> | 68 |
| KANJINTI | 17 | KOSELUGO..... | 18 |
| <i>kariva</i> | 50 | <i>kourzeq</i> | 79 |
| KCL/D5W/NAACL INJ 0.3/0.9%..... | 67 | KRAZATI..... | 18 |
| <i>kcl 10 meq/l (0.075%) in dextrose 5%</i> <i>& nacl 0.45% inj</i> | 66 | <i>kurvelo</i> | 51 |
| <i>kcl 20 meq/l (0.149%) in nacl 0.45%</i> <i>inj</i> | 67 | L | |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% &</i> <i>nacl 0.2% inj</i> | 67 | <i>labetalol hcl</i> | 27 |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% &</i> <i>nacl 0.45% inj</i> | 67 | <i>lacosamide</i> | 38 |
| <i>kcl 20 meq/l (0.15%) in dextrose 5% &</i> <i>nacl 0.9% inj</i> | 67 | <i>lacosamide oral</i> | 38 |
| <i>kcl 20 meq/l (0.15%) in nacl 0.45% inj</i> | 67 | <i>lactated ringer's solution</i> | 67 |
| <i>kcl 20 meq/l (0.15%) in nacl 0.9% inj</i> | 67 | <i>lactic acid (ammonium lactate)</i> | 78 |
| <i>kcl 30 meq/l (0.224%) in dextrose 5%</i> <i>& nacl 0.45% inj</i> | 67 | <i>lactulose</i> | 58 |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% &</i> <i>nacl 0.45% inj</i> | 67 | <i>lactulose (encephalopathy)</i> | 58 |
| <i>kcl 40 meq/l (0.3%) in dextrose 5% &</i> <i>nacl 0.9% inj</i> | 67 | <i>lamivudine</i> | 6 |
| <i>kcl 40 meq/l (0.3%) in nacl 0.9% inj</i> | 67 | <i>lamivudine (hbv)</i> | 8 |
| <i>kelnor 1/35</i> | 50 | <i>lamivudine-zidovudine tab 150-300 mg</i> | 7 |
| <i>kelnor 1/50</i> | 51 | <i>lamotrigine</i> | 38 |
| KERENDIA..... | 24 | <i>lanreotide acetate</i> | 55 |
| | | <i>lansoprazole</i> | 59 |
| | | <i>lapatinib ditosylate</i> | 18 |
| | | <i>larin 1/20</i> | 51 |
| | | <i>larin 1.5/30</i> | 51 |
| | | <i>larin fe 1/20</i> | 51 |
| | | <i>larin fe 1.5/30</i> | 51 |
| | | <i>latanoprost</i> | 70 |
| | | LAZCLUZE..... | 18 |
| | | <i>leena</i> | 51 |

| | | | |
|---|----|---|----|
| <i>leflunomide</i> | 64 | <i>lidocaine</i> | 77 |
| <i>lenalidomide</i> | 14 | <i>lidocaine hcl</i> | 77 |
| LENVIMA 10 MG DAILY DOSE | 18 | <i>lidocaine hcl (local anesth.)</i> | 1 |
| LENVIMA 12MG DAILY DOSE | 18 | <i>lidocaine hcl (mouth-throat)</i> | 79 |
| LENVIMA 20 MG DAILY DOSE | 18 | <i>lidocaine-prilocaine cream 2.5-2.5%</i> | 78 |
| LENVIMA 4 MG DAILY DOSE | 18 | <i>lidocan</i> | 78 |
| LENVIMA 8 MG DAILY DOSE | 18 | LILETTA | 51 |
| LENVIMA CAP 14 MG | 18 | <i>linezolid</i> | 4 |
| LENVIMA CAP 18 MG | 18 | LINEZOLID INJ 2MG/ML | 4 |
| LENVIMA CAP 24 MG | 18 | LINZESS | 59 |
| <i>lessina</i> | 51 | <i>liothyronine sodium</i> | 56 |
| <i>letrozole</i> | 13 | <i>lisinopril</i> | 24 |
| <i>leucovorin calcium</i> | 22 | <i>lisinopril & hydrochlorothiazide tab 10-12.5 mg</i> | 23 |
| <i>leuprolide acetate</i> | 13 | <i>lisinopril & hydrochlorothiazide tab 20-12.5 mg</i> | 23 |
| <i>levalbuterol tartrate</i> | 72 | <i>lisinopril & hydrochlorothiazide tab 20-25 mg</i> | 23 |
| <i>levetiracetam</i> | 38 | <i>lithium</i> | 43 |
| <i>levetiracetam in sodium chloride iv soln 1000 mg/100ml</i> | 38 | <i>lithium carbonate</i> | 43 |
| <i>levetiracetam in sodium chloride iv soln 1500 mg/100ml</i> | 38 | LIVTENCITY | 8 |
| <i>levetiracetam in sodium chloride iv soln 500 mg/100ml</i> | 38 | <i>loestrin 1/20-21</i> | 51 |
| <i>levobunolol hcl</i> | 70 | <i>loestrin 1.5/30-21</i> | 51 |
| <i>levocarnitine (metabolic modifiers)</i> | 55 | <i>loestrin fe 1/20</i> | 51 |
| <i>levocetirizine dihydrochloride</i> | 72 | <i>loestrin fe 1.5/30</i> | 51 |
| <i>levofloxacin</i> | 10 | LOKELMA | 49 |
| <i>levofloxacin in d5w iv soln 250 mg/50ml</i> | 10 | LONSURF TAB 15-6.14 | 12 |
| <i>levofloxacin in d5w iv soln 500 mg/100ml</i> | 10 | LONSURF TAB 20-8.19 | 12 |
| <i>levofloxacin in d5w iv soln 750 mg/150ml</i> | 10 | <i>loperamide hcl</i> | 59 |
| <i>levonest</i> | 51 | <i>lopinavir-ritonavir soln 400-100 mg/5ml (80-20 mg/ml)</i> | 7 |
| <i>levonorgestrel & ethinyl estradiol (91-day) tab 0.15-0.03 mg</i> | 51 | <i>lopinavir-ritonavir tab 100-25 mg</i> | 7 |
| <i>levonorgestrel & ethinyl estradiol tab 0.15 mg-30 mcg</i> | 51 | <i>lopinavir-ritonavir tab 200-50 mg</i> | 7 |
| <i>levonorgestrel & ethinyl estradiol tab 0.1 mg-20 mcg</i> | 51 | <i>lorazepam</i> | 30 |
| <i>levonorgestrel-eth estra tab 0.05-30/0.075-40/0.125-30mg-mcg</i> | 51 | <i>lorazepam intensol</i> | 30 |
| <i>levora 0.15/30-28</i> | 51 | LORBRENA | 18 |
| <i>levo-t</i> | 56 | <i>loryna</i> | 51 |
| <i>levothyroxine sodium</i> | 56 | <i>losartan potassium</i> | 25 |
| <i>levoxyl</i> | 56 | <i>losartan potassium & hydrochlorothiazide tab 100-12.5 mg</i> | 25 |
| <i>l-glutamine (sickle cell)</i> | 61 | <i>losartan potassium & hydrochlorothiazide tab 100-25 mg</i> | 25 |
| LIBERVANT | 38 | <i>losartan potassium & hydrochlorothiazide tab 50-12.5 mg</i> | 25 |
| | | LOTEMAX | 69 |

| | | | |
|--|--------|---|--------|
| <i>loteprednol etabonate</i> | 69 | <i>meloxicam</i> | 1 |
| <i>lovastatin</i> | 26 | <i>memantine hcl</i> | 31 |
| <i>low-ogestrel</i> | 51 | <i>memantine hcl-donepezil hcl cap er</i> | |
| <i>loxapine succinate</i> | 35 | 24hr 14-10 mg | 31 |
| LUMAKRAS..... | 18 | <i>memantine hcl-donepezil hcl cap er</i> | |
| LUMIGAN | 70 | 24hr 28-10 mg | 31 |
| LUMIZYME | 55 | MENACTRA INJ | 65 |
| LUPRON DEPOT (1-MONTH)..... | 13 | MENQUADFI INJ..... | 66 |
| LUPRON DEPOT (3-MONTH)..... | 13 | MENVEO INJ..... | 66 |
| LUPRON DEPOT-PED (1-MONTH | 55 | MENVEO SOL..... | 66 |
| LUPRON DEPOT-PED (3-MONTH | 55 | <i>mercaptopurine</i> | 12 |
| LUPRON DEPOT-PED (6-MONTH | 55 | <i>meropenem</i> | 4 |
| <i>lurasidone hcl</i> | 35 | <i>mesalamine</i> | 58 |
| <i>lutera</i> | 51 | <i>mesalamine w/ cleanser</i> | 58 |
| LYBALVI TAB 10-10MG | 35 | <i>mesna</i> | 22 |
| LYBALVI TAB 15-10MG | 35 | MESNEX..... | 22 |
| LYBALVI TAB 20-10MG | 35 | <i>metformin hcl</i> | 46 |
| LYBALVI TAB 5-10MG | 35 | <i>methadone hcl</i> | 1, 2 |
| <i>lyleq</i> | 51 | <i>methadone hydrochloride i</i> | 2 |
| <i>lyllana</i> | 53 | <i>methazolamide</i> | 29 |
| LYNPARZA..... | 18 | <i>methenamine hippurate</i> | 4 |
| LYSODREN | 13 | <i>methimazole</i> | 56 |
| LYTGOBI (12 MG DAILY DOSE) | 19 | <i>methocarbamol</i> | 44 |
| LYTGOBI (16 MG DAILY DOSE) | 19 | <i>methotrexate sodium</i> | 12, 64 |
| LYTGOBI (20 MG DAILY DOSE) | 19 | <i>methsuximide</i> | 38 |
| <i>lyza</i> | 51 | <i>methylphenidate hcl</i> | 41 |
| M | | <i>methylprednisolone</i> | 54 |
| <i>magnesium sulfate</i> | 67 | <i>methylprednisolone acetate</i> | 54 |
| MAGNESIUM SULFATE | 67 | <i>methylprednisolone sod succ</i> | 54 |
| <i>magnesium sulfate in dextrose 5% iv</i> | | <i>methyltestosterone</i> | 45 |
| <i>soln 1 gm/100ml</i> | 67 | <i>metoclopramide hcl</i> | 57 |
| <i>malathion</i> | 78 | <i>metolazone</i> | 29 |
| <i>maraviroc</i> | 6 | <i>metoprolol & hydrochlorothiazide tab</i> | |
| <i>marlissa</i> | 51 | 100-25 mg | 27 |
| MARPLAN | 32 | <i>metoprolol & hydrochlorothiazide tab</i> | |
| MATULANE | 14 | 100-50 mg | 27 |
| MAVYRET PAK 50-20MG..... | 8 | <i>metoprolol & hydrochlorothiazide tab</i> | |
| MAVYRET TAB 100-40MG | 8 | 50-25 mg..... | 27 |
| <i>meclizine hcl</i> | 57 | <i>metoprolol succinate</i> | 27 |
| <i>medroxyprogesterone acetate</i> | 56 | <i>metoprolol tartrate</i> | 27 |
| <i>medroxyprogesterone acetate</i> | | <i>metronidazole</i> | 4 |
| <i>(contraceptive)</i> | 51 | <i>metronidazole (topical)</i> | 78 |
| <i>mefloquine hcl</i> | 5 | <i>metronidazole vaginal</i> | 60 |
| <i>megestrol acetate</i> | 13, 56 | <i>metyrosine</i> | 29 |
| <i>megestrol acetate (appetite)</i> | 56 | <i>micafungin sodium</i> | 5 |
| MEKINIST | 19 | <i>microgestin 1/20</i> | 51 |
| MEKTOVI | 19 | <i>microgestin 1.5/30</i> | 51 |

| | | | |
|--|----|---|--------|
| <i>microgestin fe 1/20</i> | 51 | NAMZARIC CAP 7-10MG | 31 |
| <i>microgestin fe 1.5/30</i> | 51 | NAMZARIC CAP PACK | 31 |
| <i>midodrine hcl</i> | 29 | <i>naproxen</i> | 1 |
| MIEBO | 70 | <i>naproxen dr</i> | 1 |
| <i>mifepristone (hyperglycemia)</i> | 55 | <i>naproxen sodium</i> | 1 |
| <i>mili</i> | 51 | <i>naratriptan hcl</i> | 42 |
| <i>mimvey</i> | 53 | <i>nateglinide</i> | 46 |
| <i>minocycline hcl</i> | 11 | NAYZILAM | 38 |
| <i>minoxidil</i> | 29 | <i>nebivolol hcl</i> | 27, 28 |
| <i>mirtazapine</i> | 32 | <i>necon 0.5/35-28</i> | 51 |
| <i>misoprostol</i> | 59 | <i>nefazodone hcl</i> | 32 |
| MITIGARE | 1 | <i>neomycin-bacitrac zn-polymyx</i> <i>5(3.5)mg-400unt-10000unt op oin</i> | 69 |
| M-M-R II INJ | 65 | <i>neomycin-polymy-gramicid op sol</i> <i>1.75-10000-0.025mg-unt-mg/ml</i> .. | 69 |
| M-NATAL PLUS TAB | 68 | <i>neomycin-polymyxin-dexamethasone</i> <i>ophth oint 0.1%</i> | 68 |
| <i>modafinil</i> | 44 | <i>neomycin-polymyxin-dexamethasone</i> <i>ophth susp 0.1%</i> | 68 |
| <i>moexipril hcl</i> | 24 | <i>neomycin-polymyxin-hc ophth susp</i> .. | 68 |
| <i>molindone hcl</i> | 35 | <i>neomycin-polymyxin-hc otic soln 1%</i> | 71 |
| <i>mometasone furoate</i> | 77 | <i>neomycin-polymyxin-hc otic susp 3.5</i> <i>mg/ml-10000 unit/ml-1%</i> | 71 |
| MONJUVI | 19 | <i>neomycin sulfate</i> | 4 |
| <i>mono-linyah</i> | 51 | <i>neo-polycin 5(3.5)mg-400unt-</i> <i>10000unt op oin</i> | 69 |
| <i>montelukast sodium</i> | 72 | <i>neo-polycin hc ophth oint 1%</i> | 68 |
| <i>morphine sulfate</i> | 2 | NERLYNX | 19 |
| MOUNJARO | 46 | <i>nevirapine</i> | 6 |
| MOVANTIK | 59 | NEXLETOL | 27 |
| <i>moxifloxacin hcl</i> | 10 | NEXLIZET TAB 180/10MG | 27 |
| <i>moxifloxacin hcl (ophth)</i> | 69 | NEXPLANON | 51 |
| <i>moxifloxacin hcl 400 mg/250ml in</i> <i>sodium chloride 0.8% inj</i> | 10 | <i>niacin (antihyperlipidemic)</i> | 27 |
| MRESVIA | 66 | <i>nicardipine hcl</i> | 28 |
| MULTAQ | 26 | NICOTROL INHALER | 45 |
| <i>multiple electrolytes ph 5.5</i> | 67 | NICOTROL NS | 45 |
| <i>multiple electrolytes ph 7.4</i> | 67 | <i>nifedipine</i> | 28 |
| <i>mupirocin</i> | 75 | <i>nikki</i> | 51 |
| <i>mycophenolate mofetil</i> | 65 | <i>nilutamide</i> | 13 |
| <i>mycophenolate sodium</i> | 65 | <i>nimodipine</i> | 28 |
| MYRBETRIQ | 60 | NINLARO | 19 |
| N | | <i>nitazoxanide</i> | 4 |
| <i>nabumetone</i> | 1 | <i>nitisinone</i> | 55 |
| <i>nadolol</i> | 27 | NITRO-BID | 30 |
| <i>nafcillin sodium</i> | 11 | <i>nitrofurantoin macrocrystal</i> | 4 |
| NAGLAZYME | 55 | <i>nitrofurantoin monohyd macro</i> | 4 |
| <i>nalbuphine hcl</i> | 2 | <i>nitroglycerin</i> | 30 |
| <i>naloxone hcl</i> | 45 | | |
| <i>naltrexone hcl</i> | 45 | | |
| NAMZARIC CAP 14-10MG | 31 | | |
| NAMZARIC CAP 21-10MG | 31 | | |
| NAMZARIC CAP 28-10MG | 31 | | |

| | |
|---|----|
| <i>nitroglycerin (intra-anal)</i> | 78 |
| <i>nizatidine</i> | 57 |
| <i>nora-be</i> | 51 |
| <i>norelgestromin-ethinyl estradiol td</i> <i>ptwk 150-35 mcg/24hr</i> | 51 |
| <i>norethindrone (contraceptive)</i> | 51 |
| <i>norethindrone ace & ethinyl estradiol-fe</i> <i>tab 1 mg-20 mcg</i> | 52 |
| <i>norethindrone ace & ethinyl estradiol</i> <i>tab 1.5 mg-30 mcg</i> | 52 |
| <i>norethindrone ace & ethinyl estradiol</i> <i>tab 1 mg-20 mcg</i> | 52 |
| <i>norethindrone acetate</i> | 56 |
| <i>norethindrone acetate-ethinyl estradiol</i> <i>tab 0.5 mg-2.5 mcg</i> | 53 |
| <i>norethindrone acetate-ethinyl estradiol</i> <i>tab 1 mg-5 mcg</i> | 53 |
| <i>norethindrone ac-ethinyl estrad-fe tab</i> <i>1-20/1-30/1-35 mg-mcg</i> | 52 |
| <i>norgestimate & ethinyl estradiol tab</i> <i>0.25 mg-35 mcg</i> | 52 |
| <i>norgestimate-eth estrad tab 0.18-</i> <i>25/0.215-25/0.25-25 mg-mcg</i> | 52 |
| <i>norgestimate-eth estrad tab 0.18-</i> <i>35/0.215-35/0.25-35 mg-mcg</i> | 52 |
| <i>norlyroc</i> | 52 |
| <i>nortrel 0.5/35 (28)</i> | 52 |
| <i>nortrel 1/35 (21)</i> | 52 |
| <i>nortrel 1/35 (28)</i> | 52 |
| <i>nortrel 7/7/7</i> | 52 |
| <i>nortriptyline hcl</i> | 32 |
| <i>NORVIR</i> | 6 |
| <i>NOVOLIN INJ 70/30</i> | 47 |
| <i>NOVOLIN INJ 70/30 FP</i> | 47 |
| <i>NOVOLIN N</i> | 47 |
| <i>NOVOLIN N FLEXPEN</i> | 47 |
| <i>NOVOLIN R</i> | 47 |
| <i>NOVOLIN R FLEXPEN</i> | 47 |
| <i>NOVOLOG</i> | 48 |
| <i>NOVOLOG FLEXPEN</i> | 48 |
| <i>NOVOLOG MIX INJ 70/30</i> | 48 |
| <i>NOVOLOG MIX INJ FLEXPEN</i> | 48 |
| <i>NOVOLOG PENFILL</i> | 48 |
| <i>NUBEQA</i> | 13 |
| <i>NUDEXTA CAP 20-10MG</i> | 43 |
| <i>NULOJIX</i> | 65 |
| <i>NUPLAZID</i> | 35 |
| <i>NURTEC</i> | 42 |
| <i>NUTRILIPID</i> | 68 |
| <i>NUZYRA</i> | 11 |
| <i>nyamyc</i> | 76 |
| <i>nylia 1/35</i> | 52 |
| <i>nylia 7/7/7</i> | 52 |
| <i>nystatin</i> | 5 |
| <i>nystatin (mouth-throat)</i> | 79 |
| <i>nystatin (topical)</i> | 76 |
| <i>nystop</i> | 76 |
| o | |
| <i>ocella</i> | 52 |
| <i>OCTAGAM</i> | 64 |
| <i>octreotide acetate</i> | 55 |
| <i>ODEFSEY TAB</i> | 7 |
| <i>ODOMZO</i> | 19 |
| <i>OFEV</i> | 73 |
| <i>ofloxacin (ophth)</i> | 69 |
| <i>ofloxacin (otic)</i> | 71 |
| <i>OGIVRI</i> | 19 |
| <i>OGSIVEO</i> | 19 |
| <i>OJEMDA</i> | 19 |
| <i>OJJAARA</i> | 19 |
| <i>olanzapine</i> | 35 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 20-5-12.5</i> <i>mg</i> | 25 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-10-12.5</i> <i>mg</i> | 25 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-10-25 mg</i> | 25 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-5-12.5</i> <i>mg</i> | 25 |
| <i>olmesartan-amlodipine-</i> <i>hydrochlorothiazide tab 40-5-25 mg</i> | 25 |
| <i>olmesartan medoxomil</i> | 25 |
| <i>olmesartan medoxomil-</i> <i>hydrochlorothiazide tab 20-12.5 mg</i> | 25 |
| <i>olmesartan medoxomil-</i> <i>hydrochlorothiazide tab 40-12.5 mg</i> | 25 |

| | |
|---|-----|
| <i>olmesartan medoxomil-</i> | |
| <i>hydrochlorothiazide tab 40-25 mg</i> | .25 |
| <i>omega-3-acid ethyl esters cap 1 gm</i> | .27 |
| <i>omeprazole</i> | 59 |
| OMNIPOD 5 DX KIT INT G7G6 | 48 |
| OMNIPOD 5 DX MIS POD G7G6 | 48 |
| OMNIPOD 5 G7 KIT INTRO | 48 |
| OMNIPOD 5 G7 MIS PODS | 48 |
| OMNIPOD 5 LB KIT INTRO G6 | 48 |
| OMNIPOD 5 LB MIS PODS G6 | 48 |
| OMNIPOD DASH KIT INTRO | 48 |
| OMNIPOD DASH MIS PODS | 48 |
| OMNIPOD GO KIT 10UNT/DY | 48 |
| OMNIPOD GO KIT 15UNT/DY | 48 |
| OMNIPOD GO KIT 20UNT/DY | 48 |
| OMNIPOD GO KIT 25UNT/DY | 48 |
| OMNIPOD GO KIT 30UNT/DY | 48 |
| OMNIPOD GO KIT 35UNT/DY | 48 |
| OMNIPOD GO KIT 40UNT/DY | 48 |
| OMNIPOD MIS CLASSIC | 48 |
| <i>ondansetron</i> | 57 |
| <i>ondansetron hcl</i> | 57 |
| ONTRUZANT | 19 |
| ONUREG | 12 |
| OPIPZA | 35 |
| OPSUMIT | 30 |
| ORGOVYX | 13 |
| ORKAMBI GRA 100-125 | 73 |
| ORKAMBI GRA 150-188 | 73 |
| ORKAMBI GRA 75-94MG | 73 |
| ORKAMBI TAB 100-125 | 73 |
| ORKAMBI TAB 200-125 | 73 |
| ORSERDU | 13 |
| <i>oseltamivir phosphate</i> | 8 |
| <i>oxacillin sodium</i> | 11 |
| <i>oxaliplatin</i> | 12 |
| <i>oxcarbazepine</i> | 38 |
| <i>oxybutynin chloride</i> | 60 |
| <i>oxycodone hcl</i> | 2 |
| <i>oxycodone w/ acetaminophen tab 10-</i> <i>325 mg</i> | 3 |
| <i>oxycodone w/ acetaminophen tab 2.5-</i> <i>325 mg</i> | 2 |
| <i>oxycodone w/ acetaminophen tab 5-</i> <i>325 mg</i> | 2 |
| <i>oxycodone w/ acetaminophen tab 7.5-</i> <i>325 mg</i> | 2 |

| | |
|---|----|
| OZEMPIC (0.25 OR 0.5MG/DOSE) | 46 |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) | 46 |
| OZEMPIC (1MG/DOSE) | 46 |
| OZEMPIC (2MG/DOSE) | 46 |
| P | |
| <i>pacerone</i> | 26 |
| <i>paclitaxel</i> | 14 |
| <i>paclitaxel inj 100mg</i> | 14 |
| <i>paliperidone</i> | 35 |
| <i>pamidronate disodium</i> | 49 |
| PAMIDRONATE DISODIUM | 49 |
| PANRETIN | 78 |
| <i>pantoprazole sodium</i> | 59 |
| PANZYGA | 64 |
| <i>paricalcitol</i> | 56 |
| <i>paroxetine hcl</i> | 32 |
| PAXLOVID TAB 150-100 | 8 |
| PAXLOVID TAB 300-100 | 8 |
| <i>pazopanib hcl</i> | 19 |
| PEDIARIX INJ 0.5ML | 66 |
| PEDVAX HIB | 66 |
| <i>peg 3350-kcl-na bicarb-nacl-na sulfate</i> <i>for soln 236 gm</i> | 58 |
| <i>peg 3350-kcl-sod bicarb-nacl for soln</i> <i>420 gm</i> | 58 |
| PEGASYS | 8 |
| PEMAZYRE | 19 |
| <i>pemetrexed disodium</i> | 13 |
| PENBRAYA INJ | 66 |
| <i>penicillamine</i> | 49 |
| <i>penicillin g potassium</i> | 11 |
| <i>penicillin g sodium</i> | 11 |
| <i>penicillin v potassium</i> | 11 |
| PENTACEL INJ | 66 |
| <i>pentamidine isethionate inh</i> | 4 |
| <i>pentamidine isethionate inj</i> | 4 |
| <i>pentoxifylline</i> | 61 |
| <i>perindopril erbumine</i> | 24 |
| <i>periogard</i> | 79 |
| <i>permethrin</i> | 78 |
| <i>perphenazine</i> | 35 |
| <i>pfizerpen</i> | 11 |
| <i>phenelzine sulfate</i> | 32 |
| <i>phenobarbital</i> | 38 |
| <i>phenobarbital sodium</i> | 38 |
| <i>phenytek</i> | 39 |
| <i>phenytoin</i> | 39 |

| | | | |
|--|--------|--|----|
| <i>phenytoin sodium</i> | 39 | POT CHL 20MEQ/L IN NAACL 0.45% INJ | 67 |
| <i>phenytoin sodium extended</i> | 39 | | 67 |
| PHESGO SOL | 19 | POT CHL 20MEQ/L IN NAACL 0.9% INJ | 67 |
| <i>philith</i> | 52 | | 67 |
| PIFELTRO | 6 | POT CHL 40MEQ/L IN NAACL 0.9% INJ | 67 |
| <i>pilocarpine hcl</i> | 70 | | 67 |
| <i>pilocarpine hcl (oral)</i> | 79 | <i>pramipexole dihydrochloride</i> | 33 |
| <i>pimecrolimus</i> | 78 | <i>prasugrel hcl</i> | 61 |
| <i>pimozide</i> | 35 | <i>pravastatin sodium</i> | 26 |
| <i>pimtrea</i> | 52 | <i>praziquantel</i> | 4 |
| <i>pindolol</i> | 28 | <i>prazosin hcl</i> | 24 |
| <i>pioglitazone hcl</i> | 46 | <i>prednisolone</i> | 54 |
| <i>pioglitazone hcl-metformin hcl tab 15-</i> | | <i>prednisolone acetate (ophth)</i> | 69 |
| <i>500 mg</i> | 46 | PREDNISOLONE SODIUM PHOSP | 70 |
| <i>pioglitazone hcl-metformin hcl tab 15-</i> | | <i>prednisolone sodium phosphate</i> | 54 |
| <i>850 mg</i> | 46 | <i>prednisone</i> | 54 |
| <i>piperacillin sod-tazobactam na for inj</i> | | PREDNISONE INTENSOL | 54 |
| <i>3.375 gm (3-0.375 gm)</i> | 11 | <i>pregabalin</i> | 39 |
| <i>piperacillin sod-tazobactam sod for inj</i> | | PREMARIN | 53 |
| <i>13.5 gm (12-1.5 gm)</i> | 11 | PREMASOL SOL 10% | 68 |
| <i>piperacillin sod-tazobactam sod for inj</i> | | PRENATAL TAB 27-1MG | 68 |
| <i>2.25 gm (2-0.25 gm)</i> | 11 | PRENATAL TAB PLUS | 68 |
| <i>piperacillin sod-tazobactam sod for inj</i> | | <i>prevalite</i> | 27 |
| <i>4.5 gm (4-0.5 gm)</i> | 11 | PREVYMIS..... | 8 |
| <i>piperacillin sod-tazobactam sod for inj</i> | | PREZCOBIX TAB 800-150..... | 7 |
| <i>40.5 gm (36-4.5 gm)</i> | 11 | PREZISTA | 6 |
| PIQRAY 200MG DAILY DOSE | 19 | PRIFTIN..... | 8 |
| PIQRAY 250MG TAB DOSE..... | 19 | <i>primaquine phosphate</i> | 5 |
| PIQRAY 300MG DAILY DOSE..... | 19 | PRIMAQUINE PHOSPHATE | 5 |
| <i>pirfenidone</i> | 73 | <i>primidone</i> | 39 |
| <i>piroxicam</i> | 1 | PRIORIX INJ | 66 |
| <i>plenamine</i> | 68 | PRIVIGEN | 64 |
| PLENVU SOL..... | 58 | <i>probenecid</i> | 1 |
| <i>podofilox</i> | 78 | <i>prochlorperazine</i> | 57 |
| <i>polycin ophth oint</i> | 69 | <i>prochlorperazine edisylate</i> | 57 |
| <i>polymyxin b sulfate</i> | 4 | <i>prochlorperazine maleate</i> | 57 |
| <i>polymyxin b-trimethoprim ophth soln</i> | | PROCRIT..... | 61 |
| <i>10000 unit/ml-0.1%</i> | 69 | <i>proctocort</i> | 78 |
| POMALYST | 14 | <i>procto-med hc</i> | 78 |
| <i>portia-28</i> | 52 | <i>proctosol hc</i> | 78 |
| <i>posaconazole</i> | 5 | <i>proctozone-hc</i> | 78 |
| <i>potassium chloride</i> | 67, 68 | <i>progesterone</i> | 56 |
| <i>potassium chloride 20 meq/l (0.15%)</i> | | PROGRAF | 65 |
| <i>in dextrose 5% inj</i> | 67 | PROLASTIN-C | 73 |
| <i>potassium chloride microencapsulated</i> | | PROLIA | 49 |
| <i>crystals er</i> | 68 | <i>promethazine hcl</i> | 57 |
| <i>potassium citrate (alkalinizer)</i> | 59 | <i>propafenone hcl</i> | 26 |

| | | | |
|--------------------------------------|----|--|--------|
| <i>propracaine hcl</i> | 70 | <i>rifabutin</i> | 8 |
| <i>propranolol hcl</i> | 28 | <i>rifampin</i> | 8 |
| <i>propylthiouracil</i> | 56 | <i>riluzole</i> | 43 |
| PROQUAD INJ..... | 66 | <i>rimantadine hydrochloride</i> | 8 |
| PROSOL INJ 20% | 68 | RINVOQ..... | 63 |
| <i>protriptyline hcl</i> | 32 | RINVOQ LQ..... | 63 |
| PULMOZYME..... | 73 | <i>risperidone</i> | 35, 36 |
| PURIXAN..... | 13 | <i>risperidone microspheres</i> | 36 |
| <i>pyrazinamide</i> | 8 | <i>ritonavir</i> | 6 |
| <i>pyridostigmine bromide</i> | 43 | <i>rivastigmine</i> | 31 |
| <i>pyrimethamine</i> | 4 | <i>rivastigmine tartrate</i> | 31 |
| Q | | <i>rizatriptan benzoate</i> | 42 |
| QINLOCK | 19 | ROCKLATAN DRO | 70 |
| QUADRACEL INJ 0.5ML | 66 | <i>roflumilast</i> | 73 |
| <i>quetiapine fumarate</i> | 35 | <i>ropinirole hydrochloride</i> | 33 |
| <i>quinapril hcl</i> | 24 | <i>rosuvastatin calcium</i> | 26 |
| <i>quinidine sulfate</i> | 26 | ROTARIX SUS..... | 66 |
| <i>quinine sulfate</i> | 5 | ROTATEQ SOL | 66 |
| QULIPTA..... | 42 | <i>roweepra</i> | 39 |
| R | | ROZLYTREK..... | 20 |
| RABAVERT INJ | 66 | RUBRACA..... | 20 |
| <i>raloxifene hcl</i> | 55 | <i>rufinamide</i> | 39 |
| <i>ramelteon</i> | 41 | RUKOBIA | 6 |
| <i>ramipril</i> | 24 | RYBELSUS..... | 46 |
| <i>ranolazine</i> | 29 | RYDAPT | 20 |
| <i>rasagiline mesylate</i> | 33 | S | |
| <i>reclipsen</i> | 52 | <i>sajazir</i> | 61 |
| RECOMBIVAX HB | 66 | SANTYL | 78 |
| REGRANEX..... | 78 | <i>sapropterin dihydrochloride</i> | 55 |
| RELENZA DISKHALER | 8 | SCEMBLIX..... | 20 |
| RELISTOR | 59 | <i>scopolamine</i> | 57 |
| REMICADE | 63 | SECUADO | 36 |
| RENFLEXIS..... | 63 | <i>selegiline hcl</i> | 33 |
| <i>repaglinide</i> | 46 | <i>selenium sulfide</i> | 76 |
| REPATHA | 27 | SELZENTRY..... | 6 |
| REPATHA PUSHTRONEX SYSTEM | 27 | SEREVENT DISKUS..... | 72 |
| REPATHA SURECLICK | 27 | <i>sertraline hcl</i> | 32 |
| RESTASIS | 70 | <i>setlakin</i> | 52 |
| RESTASIS MULTIDOSE..... | 70 | <i>sharobel</i> | 52 |
| RETEVMO..... | 20 | SHINGRIX | 66 |
| REVUFORJ..... | 20 | SIGNIFOR | 55 |
| REXULTI | 35 | <i>sildenafil citrate</i> | 75 |
| REYATAZ | 6 | <i>sildenafil citrate (pulmonary</i> <i>hypertension)</i> | 30 |
| REZLIDHIA..... | 20 | <i>silver sulfadiazine</i> | 75 |
| REZUROCK..... | 65 | SIMBRINZA SUS 1-0.2%..... | 70 |
| RHOPRESSA | 70 | <i>simliya</i> | 52 |
| <i>ribavirin (hepatitis c)</i> | 8 | | |

| | | | |
|---|----|---|--------|
| SIMPLICITY MIS INSERTER..... | 48 | <i>sulfamethoxazole-trimethoprim iv soln</i> | |
| <i>simvastatin</i> | 26 | 400-80 mg/5ml | 4 |
| <i>sirolimus</i> | 65 | <i>sulfamethoxazole-trimethoprim susp</i> | |
| SIRTURO | 8 | 200-40 mg/5ml | 4 |
| SKYRIZI..... | 63 | <i>sulfamethoxazole-trimethoprim tab</i> | |
| SKYRIZI PEN | 63 | 400-80 mg | 4 |
| <i>sodium chloride</i> | 67 | <i>sulfamethoxazole-trimethoprim tab</i> | |
| <i>sodium chloride (gu irrigant)</i> | 78 | 800-160 mg | 4 |
| <i>sodium fluoride chew; tab; 1.1 (0.5 f)</i> | | SULFAMYLON | 75 |
| mg/ml soln..... | 68 | <i>sulfasalazine</i> | 58 |
| SODIUM OXYBATE..... | 44 | <i>sulindac</i> | 1 |
| <i>sodium phenylbutyrate</i> | 55 | <i>sumatriptan</i> | 42 |
| <i>sodium polystyrene sulfonate powder</i> | | <i>sumatriptan succinate</i> | 42 |
| | 49 | <i>sunitinib malate</i> | 20 |
| <i>sod sulfate-pot sulf-mg sulf oral sol</i> | | SUNLENCA..... | 6 |
| 17.5-3.13-1.6 gm/177ml..... | 58 | <i>syeda</i> | 52 |
| <i>solifenacin succinate</i> | 60 | SYMDEKO TAB 100-150 | 73 |
| SOLQUA INJ 100/33 | 48 | SYMDEKO TAB 50-75MG | 73 |
| SOLTAMOX..... | 13 | SYMPAZAN..... | 39 |
| SOLU-CORTEF | 54 | SYMTUZA TAB | 7 |
| SOMATULINE DEPOT | 55 | SYNAREL | 55 |
| SOMAVERT..... | 55 | SYNJARDY TAB 12.5-1000MG | 46 |
| <i>sorafenib tosylate</i> | 20 | SYNJARDY TAB 12.5-500..... | 46 |
| <i>sotalol hcl</i> | 26 | SYNJARDY TAB 5-1000MG..... | 46 |
| <i>sotalol hcl (afib/afl)</i> | 26 | SYNJARDY TAB 5-500MG..... | 46 |
| SOTYKTU | 63 | SYNJARDY XR TAB 10-1000..... | 46 |
| <i>spironolactone</i> | 24 | SYNJARDY XR TAB 12.5-1000 | 46 |
| <i>spironolactone & hydrochlorothiazide</i> | | SYNJARDY XR TAB 25-1000..... | 46 |
| <i>tab 25-25 mg</i> | 29 | SYNJARDY XR TAB 5-1000MG | 46 |
| <i>sprintec 28</i> | 52 | SYNTHROID | 56 |
| SPRITAM..... | 39 | T | |
| <i>sps</i> | 49 | TABRECTA..... | 20 |
| <i>sps rectal</i> | 49 | <i>tacrolimus</i> | 65 |
| <i>sronyx</i> | 52 | <i>tacrolimus (topical)</i> | 78 |
| <i>ssd</i> | 75 | <i>tadalafil</i> | 59, 75 |
| STELARA..... | 63 | <i>tadalafil (pulmonary hypertension)</i> ... | 30 |
| STIVARGA..... | 20 | TAFINLAR | 20 |
| <i>streptomycin sulfate</i> | 4 | TAGRISO | 20 |
| STRIBILD TAB | 7 | TALZENNA | 20 |
| <i>subvenite</i> | 39 | <i>tamoxifen citrate</i> | 13 |
| <i>sucalfate</i> | 59 | <i>tamsulosin hcl</i> | 59 |
| <i>sulfacetamide sodium (acne)</i> | 75 | <i>tarina fe 1/20 eq</i> | 52 |
| <i>sulfacetamide sodium (ophth)</i> | 69 | TASIGNA | 21 |
| <i>sulfacetamide sodium-prednisolone</i> | | <i>tasimelteon</i> | 41 |
| <i>ophth soln 10-0.23(0.25)%</i> | 68 | TAVNEOS..... | 61 |
| <i>sulfadiazine</i> | 4 | <i>tazarotene</i> | 76 |
| | | <i>tazicef</i> | 9 |

| | | | |
|--|----|--|----|
| TAZORAC | 76 | <i>torpenz</i> | 21 |
| TAZVERIK | 21 | <i>torseamide</i> | 29 |
| TECENTRIQ | 21 | TOUJEO MAX SOLOSTAR | 48 |
| TECENTRIQ INJ HYBREZA..... | 21 | TOUJEO SOLOSTAR | 48 |
| TEFLARO | 9 | TPN ELECTROL INJ | 67 |
| <i>telmisartan</i> | 25 | TRADJENTA..... | 46 |
| <i>temazepam</i> | 41 | <i>tramadol-acetaminophen tab 37.5-325</i> | |
| TENIVAC INJ 5-2LF..... | 66 | <i>mg</i> | 3 |
| <i>tenofovir disoproxil fumarate</i> | 6 | <i>tramadol hcl</i> | 3 |
| TEPMETKO | 21 | <i>trandolapril</i> | 24 |
| <i>terazosin hcl</i> | 24 | <i>tranexamic acid</i> | 61 |
| <i>terbinafine hcl</i> | 5 | <i>tranylcypromine sulfate</i> | 32 |
| <i>terbutaline sulfate</i> | 72 | TRAVASOL INJ 10% | 68 |
| <i>terconazole vaginal</i> | 60 | TRAZIMERA..... | 21 |
| TERIPARATIDE..... | 49 | <i>trazodone hcl</i> | 32 |
| <i>testosterone</i> | 45 | TRECATOR..... | 8 |
| <i>testosterone cypionate</i> | 45 | TRELEGY AER ELLIPTA 100-62.5-25 | |
| <i>testosterone enanthate</i> | 45 | MCG | 71 |
| <i>testosterone pump</i> | 45 | TRELEGY AER ELLIPTA 200-62.5-25 | |
| <i>tetrabenazine</i> | 43 | MCG | 71 |
| <i>tetracycline hcl</i> | 12 | TREMFYA | 63 |
| THALOMID | 14 | <i>treprostinil</i> | 30 |
| <i>theophylline</i> | 73 | TRESIBA..... | 48 |
| <i>thioridazine hcl</i> | 36 | TRESIBA FLEXTOUCH | 48 |
| <i>thiothixene</i> | 36 | <i>tretinoin</i> | 75 |
| <i>tiadylt er</i> | 28 | <i>tretinoin (chemotherapy)</i> | 14 |
| <i>tiagabine hcl</i> | 39 | <i>triamcinolone acetonide (mouth)</i> | 79 |
| TIBSOVO | 21 | <i>triamcinolone acetonide (topical)</i> | 77 |
| TICOVAC..... | 66 | <i>triamterene & hydrochlorothiazide cap</i> | |
| <i>tigecycline</i> | 12 | 37.5-25 mg | 29 |
| <i>tilia fe</i> | 52 | <i>triamterene & hydrochlorothiazide tab</i> | |
| <i>timolol maleate</i> | 28 | 37.5-25 mg | 29 |
| <i>timolol maleate (ophth)</i> | 70 | <i>triamterene & hydrochlorothiazide tab</i> | |
| <i>tinidazole</i> | 4 | 75-50 mg..... | 29 |
| TIVICAY | 6 | <i>tridacaine ii</i> | 78 |
| TIVICAY PD | 6 | <i>triderm</i> | 77 |
| <i>tizanidine hcl</i> | 44 | <i>trientine hcl</i> | 49 |
| TOBI PODHALER | 4 | <i>tri-estarylla</i> | 52 |
| TOBRADEX OIN 0.3-0.1% | 69 | <i>trifluoperazine hcl</i> | 36 |
| <i>tobramycin</i> | 4 | <i>trifluridine</i> | 69 |
| <i>tobramycin (ophth)</i> | 69 | <i>trihexyphenidyl hcl</i> | 33 |
| <i>tobramycin-dexamethasone ophth susp</i> | | TRIJARDY XR TAB ER 24HR 10-5- | |
| 0.3-0.1% | 69 | 1000MG | 47 |
| <i>tobramycin sulfate</i> | 4 | TRIJARDY XR TAB ER 24HR 12.5-2.5- | |
| <i>tolterodine tartrate</i> | 60 | 1000MG | 47 |
| <i>topiramate</i> | 39 | TRIJARDY XR TAB ER 24HR 25-5- | |
| <i>toremifene citrate</i> | 13 | 1000MG | 47 |

| | | | |
|--|----|--|--------|
| TRIJARDY XR TAB ER 24HR 5-2.5-1000MG | 47 | VALCHLOR | 78 |
| TRIKAFTA PAK 59.5MG | 73 | <i>valganciclovir hcl</i> | 8, 9 |
| TRIKAFTA PAK 75MG | 73 | <i>valproate sodium</i> | 39 |
| TRIKAFTA TAB 100-50-75MG & 150MG | 73 | <i>valproic acid</i> | 39 |
| TRIKAFTA TAB 50-25-37.5MG & 75MG | 73 | <i>valsartan</i> | 25, 26 |
| <i>tri-legest fe</i> | 52 | <i>valsartan-hydrochlorothiazide tab 160-12.5 mg</i> | 25 |
| <i>tri-lynyah</i> | 52 | <i>valsartan-hydrochlorothiazide tab 160-25 mg</i> | 25 |
| <i>tri-lo-estarylla</i> | 52 | <i>valsartan-hydrochlorothiazide tab 320-12.5 mg</i> | 25 |
| <i>tri-lo-marzia</i> | 52 | <i>valsartan-hydrochlorothiazide tab 320-25 mg</i> | 25 |
| <i>tri-lo-mili</i> | 52 | <i>valsartan-hydrochlorothiazide tab 80-12.5 mg</i> | 25 |
| <i>tri-lo-sprintec</i> | 52 | VALTOCO 10 MG DOSE | 39 |
| <i>trimethoprim</i> | 4 | VALTOCO 15 MG DOSE | 39 |
| <i>tri-mili</i> | 52 | VALTOCO 20 MG DOSE | 39 |
| <i>trimipramine maleate</i> | 32 | VALTOCO 5 MG DOSE | 39 |
| TRINTELLIX..... | 32 | <i>vancomycin hcl</i> | 4 |
| <i>tri-nymyo</i> | 52 | VANCOMYCIN INJ 1 GM | 4 |
| <i>tri-sprintec</i> | 52 | VANCOMYCIN INJ 500MG | 4 |
| TRIUMEQ PD TAB..... | 7 | VANCOMYCIN INJ 750MG | 4 |
| TRIUMEQ TAB | 7 | VANFLYTA | 21 |
| <i>trivora-28</i> | 53 | VAQTA..... | 66 |
| <i>tri-vylibra</i> | 52 | <i>varenicline tartrate</i> | 45 |
| <i>tri-vylibra lo</i> | 52 | <i>varenicline tartrate tab 11 x 0.5 mg & 42 x 1 mg start pack</i> | 45 |
| TROGARZO | 6 | VARIVAX..... | 66 |
| TROPHAMINE INJ 10%..... | 68 | VASCEPA | 27 |
| <i>trospectrum chloride</i> | 60 | VAXCHORA SUS..... | 66 |
| TRULICITY | 47 | <i>velivet</i> | 53 |
| TRUMENBA INJ | 66 | VELSIPITY..... | 63 |
| TRUQAP..... | 21 | VENCLEXTA..... | 21 |
| TRUXIMA | 21 | VENCLEXTA TAB START PK..... | 21 |
| TUKYSA | 21 | <i>venlafaxine hcl</i> | 32 |
| TURALIO..... | 21 | VENTOLIN HFA | 72 |
| <i>turqoz</i> | 53 | VENTOLIN HFA (INSTITUTIONAL PACK) | 72 |
| <i>twice-daily clindamycin phosphate (topical)</i> | 75 | VEOZAH..... | 55 |
| TWINRIX INJ | 66 | <i>verapamil hcl</i> | 28 |
| TYBOST | 6 | VERQUVO | 29 |
| TYENNE | 63 | VERSACLOZ | 36 |
| TYPHIM VI..... | 66 | VERZENIO..... | 21 |
| U | | <i>vestura</i> | 53 |
| UBRELVY | 42 | <i>vienna</i> | 53 |
| <i>unithroid</i> | 56 | <i>vigabatrin</i> | 39, 40 |
| <i>ursodiol</i> | 59 | | |
| V | | | |
| <i>valacyclovir hcl</i> | 8 | | |

| | | | |
|---|----|---------------------------------|--------|
| <i>vigadrone</i> | 40 | XHANCE..... | 74 |
| VIGAFYDE | 40 | XIFAXAN..... | 59 |
| <i>vigpoder</i> | 40 | XIGDUO XR TAB 10-1000..... | 47 |
| <i>vilazodone hcl</i> | 32 | XIGDUO XR TAB 10-500MG | 47 |
| <i>vincristine sulfate</i> | 14 | XIGDUO XR TAB 2.5-1000..... | 47 |
| <i>vinorelbine tartrate</i> | 15 | XIGDUO XR TAB 5-1000MG | 47 |
| <i>viorele</i> | 53 | XIGDUO XR TAB 5-500MG | 47 |
| VIRACEPT | 6 | XIIDRA | 70 |
| VIREAD | 6 | XOLAIR | 73, 74 |
| VITRAKVI..... | 21 | XOSPATA | 22 |
| VIVITROL..... | 45 | XPOVIO PAK (100 MG ONCE WEEKLY) | |
| VIZIMPRO | 21 | | 22 |
| VONJO..... | 22 | XPOVIO PAK (40 MG ONCE WEEKLY) | 22 |
| VORANIGO..... | 22 | XPOVIO PAK (40 MG TWICE WEEKLY) | |
| <i>voriconazole</i> | 5 | | 22 |
| VOSEVI TAB..... | 9 | XPOVIO PAK (60 MG ONCE WEEKLY) | 22 |
| VOWST CAP | 59 | XPOVIO PAK (60 MG TWICE WEEKLY) | |
| VRAYLAR | 36 | | 22 |
| <i>vyfemla</i> | 53 | XPOVIO PAK (80 MG ONCE WEEKLY) | 22 |
| <i>vylibra</i> | 53 | XPOVIO PAK (80 MG TWICE WEEKLY) | |
| VYZULTA..... | 70 | | 22 |
| W | | XTANDI..... | 13, 14 |
| <i>warfarin sodium</i> | 60 | <i>xulane</i> | 53 |
| <i>water for irrigation, sterile irrigation</i> | | XULTOPHY INJ 100/3.6 | 48 |
| <i>soln</i> | 78 | Y | |
| WELIREG | 14 | YF-VAX INJ..... | 66 |
| <i>wera</i> | 53 | <i>yuvafem</i> | 53 |
| WESTAB PLUS TAB 27-1MG | 68 | Z | |
| <i>wixela inhub</i> | 75 | <i>zafemy</i> | 53 |
| X | | <i>zafirlukast</i> | 72 |
| XALKORI..... | 22 | <i>zaleplon</i> | 41, 42 |
| XARELTO | 60 | ZARXIO | 61 |
| XARELTO STAR TAB 15/20MG..... | 60 | ZEGALOGUE | 54 |
| XATMEP | 64 | ZEJULA | 22 |
| XCOPRI | 40 | ZELBORAF..... | 22 |
| XCOPRI PAK 100-150 | 40 | ZEMAIRA | 74 |
| XCOPRI PAK 12.5-25 | 40 | <i>zenatane</i> | 75 |
| XCOPRI PAK 150-200MG | | ZENPEP CAP 10000UNT | 59 |
| (MAINTENANCE) | 40 | ZENPEP CAP 15000UNT | 59 |
| XCOPRI PAK 150-200MG (TITRATION) | | ZENPEP CAP 20000UNT | 59 |
| | 40 | ZENPEP CAP 25000UNT | 59 |
| XCOPRI PAK 50-100MG..... | 40 | ZENPEP CAP 3000UNIT | 59 |
| XDEMVY | 69 | ZENPEP CAP 40000UNT | 59 |
| XELJANZ..... | 63 | ZENPEP CAP 5000UNIT | 59 |
| XELJANZ XR | 63 | ZENPEP CAP 60000UNT | 59 |
| XERMELO | 59 | <i>zidovudine</i> | 7 |
| XGEVA..... | 49 | <i>ziprasidone hcl</i> | 36 |

| | | | |
|-----------------------------------|----|--------------------------|----|
| <i>ziprasidone mesylate</i> | 36 | <i>zovia 1/35</i> | 53 |
| ZIRABEV | 22 | ZTALMY | 40 |
| ZIRGAN | 69 | <i>zumandimine</i> | 53 |
| <i>zoledronic acid</i> | 49 | ZURZUVAE | 32 |
| ZOLINZA..... | 22 | ZYDELIG..... | 22 |
| <i>zolpidem tartrate</i> | 42 | ZYKADIA..... | 22 |
| ZONISADE | 40 | ZYLET SUS 0.5-0.3%..... | 69 |
| <i>zonisamide</i> | 40 | | |

This Formulary was updated on March 1, 2025. For more recent information or other questions, please contact Arkansas Blue Medicare Customer Service at **1-844-280-5833** (TTY users should call **711**), 24 hours a day, seven days a week, or visit **www.arkbluemedicare.com**.

Arkansas Blue Medicare offers HMO, PFFS, PPO, and PDP plans with Medicare contracts. Enrollment in Arkansas Blue Medicare depends on contract renewal. Arkansas Blue Medicare is an affiliate of Arkansas Blue Cross and Blue Shield. Arkansas Blue Cross and Blue Shield is an Independent Licensee of the Blue Cross and Blue Shield Association. © 2024 Arkansas Blue Cross and Blue Shield. All rights reserved.