Colorectal Cancer Screening (COL-E)

Description of Measure

Percentage of patients 50 – 75 years of age as of Dec. 31, measurement year (MY), as of who had appropriate screening for colorectal cancer: colonoscopy, CT colonography, flexible sigmoidoscopy, FIT-DNA, or fecal occult blood test (FOBT).^{||}

Documentation

Screening Test	Frequency	
Fecal Occult Blood (FOBT)	Annually	
Cologuard/ FIT-DNA	Every three years, 2 years prior through MY	
Flexible Sigmoidoscopy	Every five years, 4 years prior through MY	
CT Colonography	Every five years, 4 years prior through MY	
Colonoscopy	Every ten years, 9 years prior through MY	

- Member reported completed specified colon cancer screening with DOS
- Colorectal or colon cancer screening documentation dated in the MY is acceptable as an unknown FOBT.
- Notation of a completed specified colon cancer screening with DOS as part of the medical history. Health maintenance and preventive care sections are considered "history" sections.
- A pathology report that indicates the type of screening and the date meets criteria.
- A pathology report that does not indicate the type of screening:
 - Colonoscopy- Evidence that the scope advanced to the cecum or further (e.g., ileum, terminal ileum, ileocecal valve, appendiceal orifice)
 - Flexible Sigmoidoscopy- Evidence that the scope advanced into the sigmoid colon meets criteria for a completed flexible sigmoidoscopy (e.g., sigmoid flexure, descending colon, splenic flexure, transverse colon, ascending colon)
- Member refusal will <u>not</u> make them ineligible for this measure.
- Digital rectal exams (DRE) or FOBT test performed in the office setting will <u>not</u> meet compliance.

Test Type	Unknown	Guaiac (gFOBT)	FIT (iFOBT)	Unknown
Samples Returned	Unknown or 3 or >	Documented 3 or >	Any # or unknown	Documented 1 -2
Status	Compliant	Compliant	Compliant	Unacceptable Non-compliant



Exclusions

LX-01d-010				
Exclusions	Time I	imit		
 Members in hospice or using hospice services Member deceased Members receiving palliative care 	Any time during measurement year (MY)			
Colorectal cancerTotal colectomy	Anytime in member's history	through Dec. 31 MY		
Members 66 years of age and older by Dec. 31 MY with Advanced Illness and Frailty. Members must meet BOTH frailty	 Frailty diagnosis on 2 different DOS during the MY Advanced Illness: Either of the following during the MY or PY Advanced illness diagnosis on 2 different DOS Dispensed a dementia medication 			
and advanced illness criteria to be excluded.	Dementia Med Description	Prescription		
	Cholinesterase inhibitors	DonepezilGalantamineRivastigmine		
	Misc. CNS Agents	Memantine		
	Combinations	Donepezil-memantine		

Exclusion Codes

CPTII Code	Definition
Z85.038	Personal history of other malignant neoplasm of large intestine
Z85.048	Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus
C18.0-9, C19-20, C21.2, C21.8, C78.5	Colorectal cancer, active

Strategies for Success	 If a patient has family history of colon cancer, encourage a colonoscopy instead of a Cologuard. Use the Annual Wellness visit to schedule screenings. Add screenings to annual assessment form/ EMR template. Implement a referral tracking process. For patients refusing colonoscopy, recommend a FIT-DNA or FOBT kit. Educate patients on preparation for the ordered tests.

Resources

I. National Committee for Quality Assurance, HEDIS® Measurement Year 2024 Volume 2 Technical Specifications for Health Plans

Arkansas Blue Medicare is an affiliate of Arkansas Blue Cross and Blue Shield. Arkansas Blue Cross and Blue Shield is an Independent Licensee of the Blue Cross and Blue Shield Association. © 2023 Arkansas Blue Cross and Blue Shield. All rights reserved.